0326-CATALOG
Expires December 31st, 2026

BK RESOURCES

888-310-4393 | www.bk-resources.com

SOLID QUALITY. SOLID SERVICE.

WE GO BEYOND THE BASICS

FOOD SERVICE & PLUMBING EQUIPMENT

OVER 3,800 SKUS

PORTABLE HOT FOOD STATION
Page 77

Work Tables
Pg. 14

Compartment Sinks
Pg. 125

Gas Connectors
Pg. 91

Grease Traps
Pg. 151

Dish Tables
Pg. 144

Hand Sinks
Pg. 136

Food Truck
Pg. 90

Shelving & Storage
Pg. 60

Casters
Pg. 153

Plumbing Products
Pg. 99

Appliances
Pg. 71

Fabricator Products
Pg. 167

Drop-In Sink
Pg. 141

Underbar
Pg. 42

2026 FULL LINE CATALOG

Visit Our Website
BK-Resources.com

*Pricing is subject to adjustment in the event of a change in market conditions.

Why 5,000+ Dealers Choose BK

BK RESOURCES

Trusted by restaurants, dealers, and pros for equipment that's available, spec-clear, and ships on time.

We Accept All Major Credit Cards

Solid Service

A real person answers.
Call **1-888-310-4393** or email **sales@bk-resources.com**.
Get order support and advice from BK Product Pros.

Free Freight

Free freight on certain order amounts. Reach out to your Rep for more information.

Quick to Market

Our EasyMOD & EasyBAR configuration tools, mean we can modify products fast!

Along with Midwest operations mean a shorter wait for shipments.

Do More with a BK-Resources.com Account

Live Inventory

See real-time stock numbers on every product.
Green = in stock.
Orange = low.
Red = ETA provided.

Your Net Pricing

Dealer pricing is tied to your web account.
No guessing, no calling for quotes.
Your price, instantly.

Order Tracking

Complete visibility from order to delivery.
Track shipments, view invoices, manage returns, review order status.

SOLID QUALITY. SOLID SERVICE.

Updates & Additions



EasyMOD™

easymod.bk-resources.com

Expanding MOD Capabilities:

We've expanded our EasyMOD™ capabilities. That means, bigger, better, faster MODs.

easybar.bk-resources.com

Introducing

EasyBAR 3D Configurator:

Our new EasyBAR™ configurator lets you build your bar in real-time 3D. Send your layout to our in house Product Specialists for design support or a quick quote.

Introducing

The Resource Hub:

Your new source for BK digital assets. Currently only CAD blocks are live. Soon will have Spec sheets, images, and instructions, all in one place with intelligent search and bulk download tools.
Go to **hub.bk-resources.com**

hub.bk-resources.com

Underbar Ice Bins - Page 51

Introducing:

Hot Food Buffet Stations: Page 77

Shipping Configurator & Quote Tool

Add your products and get a live shipping quote. **Ask your sales rep or contact BK customer service for access!**

ORDER
orders@bk-resources.com

WEBSITE
bk-resources.com

SUPPORT
sales@bk-resources.com

PHONE
1(888)310-4393

HOME OFFICE
4A Do-It Dr. Altamont, IL 62401

BK RESOURCES

bk-resources.com

Ordering & Shipping Information

How to place orders

Online:

You can place orders directly at ***bk-resources.com.***
Your pricing will reflect your specific dealer terms and any monthly special net pricing in effect. If you dont have a web account, reach out to our customer service to get set up.
When placing orders online, enter coupon code **SAVEBK5** at checkout to receive an additional 5% discount.

Email:

Orders may also be emailed to ***orders@bk-resources.com.***

Understanding our Truck Icons

You'll find truck icons throughout this catalog to indicate how a product ships.

Ships Freight Only - Items marked with the yellow truck must ship via common carrier (freight).
These products do not ship UPS and will ship via freight, either on their own or combined with your larger freight order. If you see the yellow truck, plan for freight.

Over-Length Pallet SURCHARGE - The red truck indicates the item must ship on an over-length pallet.
All Free Freight orders shipping to MT, OR, and WA shipping on Over-Length Pallets are subject to a $500 surcharge. Some order parameters are in place to remove the surcharge, but they are highly dependent on the PO size and product mix.

BK Product Pros are here to help

Work directly with BK Product Pros who design, quote, and customize projects every day. Our customer service, quoting, sales, and engineering teams work together to support every project from start to finish.

We can help with:

EasyBAR Layouts & Quoting
Designing and pricing bar projects to fit your space.

AutoQuotes Spec Jobs
Preparing fast, accurate quotes directly in AQ.

Cafeteria Serving Line Design
Planning layouts and equipment for high-volume operations.

Equipment Modifications & EasyMOD
Adjusting base equipment to meet your specific project needs.

4,000+ BK Products
Guidance across the entire BK product line.



Table of Contents

New Products 6
EasyMOD™ 8
Work Tables 14
Pub Table 14
Maxed out Work Table 15
16 Gauge Work Tables **16**
18 Gauge Work Tables **18**
Equipment & Machine Stands 24
Filler Tables 25
Prep Tables 26
Drawer Assemblies 27
Work Table Parts 28
Flat Top Wood Tables 30
Bakers Top Wood Tables 31
Cabinet Base Work Tables - Chef Tables **33**
Serving Counters - Urn Stands 37
Beverage Table - Mobile Serving Cart 38
Underbar 39
Refrigeration 39
Underbar Compartment Sinks **44**
Underbar Cabinets **46**
Glass Rinser Handsinks • Angle Fillers 48
Glass Rack Cabinets 49
Underbar Insulated Ice Bins **51**
Mixing Stations 54
Liquor Displays 55
Dump Sinks **56**
Pass-Thru - Portable Beverage Center 58
Shelving & Storage 61
Utility Carts - Dry Storage Shelving 61
16 Ga Wall Shelves **62**
Economy Wall Shelves 63
Pass-Thru Shelves 64
Wall Cabinet - Dish Cabinet 65
Table Mount Pot Rack 66
Ingredient Bin - Cup Dispenser - Pot Racks 67
Work Table Overshelves 68
Misc Shelving 69
Care & Maintenance 70
Appliances 71
Shelf Warmers - Drawer Warmers 73
Drop-In Food Wells 74
Heater Proofers 76
Portable Hot Food Buffet Station **77**
Steam Tables **78**
Sneeze Guards 84
Portable Sneeze Guards 85
Cafeteria & Angled Sneeze Guards 86
Sneeze Guards - Divider Screen 87
GrillCook Pro - Grill/Griddle Accessories 89
Food Truck Products 90
Gas Hose Connectors 92
SET-Pro - SwivelPro 92
Swivel Pro Kits - Gas Hose Connection Kit 93
Gas Hose Connection Kits **94**
Accessories - Stationary Gas Connector 95
Individual Connectors 96
GOtek Gas Connectors 97
Plumbing Products 99
Pre-Rinse **100**
Swing Arm Pre Rinse 106
Sensor Faucets 107
Metering Faucets 108
Faucets **109**
Pantry Faucets - Spout Bases 114
Foot & Knee Valve Kits 115
Glass Filler Water Station - Pantry - Dipperwell 117
Utility Sprayers & Pot Fillers 118
Lever Drains **119**
Pre-Rinse Replacement Parts 121
Faucet & Plumbing Parts 122
Compartment Sinks 125
16 Gauge Compartment Sinks 126
3 Compartment Sinks 127
2 Compartment Sinks 128
4 Comp & Economy Comp Sinks 130
Utility Sinks - Budget Sinks 131
Handsinks & Drop In Sinks 132
Mobile Handsinks 132
Multistation Handwash Sinks 133
Pedestal Handsink - ADA Handsink 135
Standard Hand Sinks **136**
Side Splash Hand Sinks 137
Space Saver Hand Sinks 138
Mop Sinks 139
Hand Sink Faucets, Spouts, & Parts 140
Drop In Ice Bins - Drop In Comp Sinks **141**
Side Splash 143
Dish Tables 144
16 Ga Corner Dish Tables 144
16 Ga Dish Tables 145
Dish Table Bundles 146
Soiled Dish Tables 147
Clean Dish Tables 148
Dish Table Kits 149
3 Comp Dish Tables 150
Grease Traps 151
Casters 153
Fabricator Products 167
Heat Strips - Corner Guards 167
Handles - Slides - Inserts 168
Drawer Assemblies - Heated Drawer Warmers 169
Urn Trough - Floor Trough - Poly 170
Stainless Steel Legs and Rail Support 171
Feet 172
Leg Sockets 173
Welded in Bowls - Prep Baskets **175**
Index 176

Introducing
Portable Hot Food Buffet Stations: Page 77

Introducing
Drop-In Hot Food Wells: Page 73

Introducing
Dish Table Undershelf: Page 146

Introducing
Economy Equipment Stands: Page 24

Design your own
EasyMOD: Page 8

Introducing
New Size Drop-In Sink: Page 142

Introducing
New 36" GoTek Connectors: Page 97

Introducing
Pedestal Sink w/Side Splash: Page 135

Introducing
Utility Shelf w/Mop Hanger/Hooks: Page 139

Introducing
Glass Cabinet w/ Hinged Doors: Page 49

Introducing
New Size Under Bar Ice Bin: Page 51

Design your own bar
EasyBAR: Back Cover

BK RESOURCES

EasyMOD™

Easy Equipment Modifications

Design Your Workspace

We offer in-house modification work on select tables and cabinet bases. EasyMOD™ allows for easy ordering and quick turnaround so you can create the exact solution for your needs.

We've saved customers thousands of dollars from custom work!

How Does it Work?

- ✓ Money Saving
- ✓ Easy Ordering
- ✓ 3-10 Day Turnaround
- ✓ Quick To Market

1. Select a work table or cabinet from which to design your unique EasyMOD product.
2. Choose the modifications you wish to include. Note- BK Resources team members will be available to assist at any time during the Easy-MOD selection and design process.
3. Once your design is finalized, a quotation will be submitted. A drawing will then be submitted for your approval.
4. Receipt of signed approved drawing is required to complete the ordering process.
5. Once an order is in place, your unique EasyMOD product will be queued for assembly.

DESIGN YOUR OWN CHEF TABLE

GO TO ▶ EasyMOD 3D Configurator

EasyMOD 3D configurator tool allows you to select the modifications you want and submit quote for CAD drawing.
Scan or go to bkresources.com

Choose Your Base Unit:

16 ga T-304 Work Tables

Any CST Cabinet Base Chef Table Or Stainless Steel Top Chef Tables

Any Pre-Modified Cabinet Base Chef Tables Tables

Choose Modifications on Next Page:

Examples of finished Easy Mod projects

BK RESOURCES

EasyMOD

Choose Work Table or Cabinet Base Table:

16 ga T-304
Work Tables

Any CST
Cabinet Base Chef Table
Or Stainless Steel Top Chef Tables

Any Pre-Modified Cabinet
Base Chef Tables

Choose Modifications:

Model	Description
EM-1	Cutout on top or splash - Over 2"
EM-2	2" Round Cut-Out Hole-Punch
EM-3	Cut-out and Installation of Drop-In Sink (Sink chosen seperately)
EM-3W	Installation of Welded Bowl/ Sink (Bowl/Sink chosen seperately)
EM-4	Cut out and Installation of Drop-In Ice Bin (Ice Bin chosen
EM-4FW	Cut-Out and Installation of Drop-In Food Well (Food Well chosen
EM-5	Cut-Out and Installation of Urn Trough (Urn Trough chosen
EM-6	Installation of BK-WS-1SGF-G Water Station
EM-7-1	Installation of 1 Lever Drain Bracket
EM-7-2	Installation of 2 Lever Drain Brackets
EM-7-3	Installation of 3 Lever Drain Brackets
EM-7-4	Installation of 4 Lever Drain Brackets
EM-9A	Center Table Bracing "H" Bracing Connectors (4 Legged Tables)
EM-9B	Center Table Bracing "H" Bracing Connectors (6 Legged Tables)
EM-10A	24" End Side Splash, installed on any 24" R5 5" Riser Unit
EM-10B	30" End Side Splash, installed on any 30" R5 5" Riser Unit
EM-11	Pull out Shelf for a Cabinet base
EM-12A	Draw Assembly
EM-12B	Draw Assembly plus 24" Front Fascia
EM-12C	Draw Assembly plus 30" Front Fascia
EM-12D	Draw Assembly plus 36" Front Fascia
EM-12E	Draw Assembly plus 48" Front Fascia
EM-12F	Draw Assembly plus 60" Front Fascia
EM-12G	Draw Assembly plus 72" Front Fascia
EM-14A	Hinged Fascia Doors for 24" Cabinet
EM-14B	Hinged Fascia Doors for 30" Cabinet
EM-14C	Hinged Fascia Doors for 36" Cabinet
EM-14D	Hinged Fascia Doors for 48" Cabinet
EM-14E	Hinged Fascia Doors for 60" Cabinet
EM-14F	Hinged Fascia Doors for 72" Cabinet
EM-14G	Hinged Fascia Doors for 96" Cabinet
EM-15	Lock and Installation for Hinged Doors
EM-16A	Dipper Well (BK-DWBA) with Faucet (BKF-DWF-G)
EM-17	Electrical GFCI Outlet
EM-18	Outlet Pedestal Box (BK-SOPB) Installed
EM-19	2" Cord Grommet Hole with Plastic Insert
EM-20	6" Top Opening Scrap Block
EM-21	Trash Chute with Top Cut-Out

Model	Description
EM-23A	Upgrade to Stainless Plastic Feet (1 Each)
EM-23B	Upgrade to BK-Stainless SteelAF (1 Each)
EM-23C	Upgrade to BK-Stainless SteelRFAF (1 Each)
EM-23D	Upgrade to BK-Stainless SteelRFAF-WH (1 Each)
EM-24A	Stainless Increase Table Height 1 ⅝" Diameter Tubing (Per Leg)
EM-24B	Galvanized Increase Table Height 1 ⅝" Diameter Tubing (Per Leg)
EM-24C	Reduce Leg Height on any table (Per Leg)
EM-25	Installation of Corner Bumpers (Includes 4 Bumpers)
EM-26	Installation of Cup Dispenser (Specify Location)
EM-27	Installation of a Napkin Dispenser (Specify Location)
EM-28	Installation of a Remote Condiment Dispenser
EM-29	Installation of Direct Pour Condiment Dispenser
EM-30	Installation of Soufflé Cup Dispenser
EM-31A	Heat Strip Provision 3' for 12" x 3' Overshelf (Chosen seperate)
EM-31B	Heat Strip Provision 4' for 12" x 4' Overshelf (Chosen seperate)
EM-31C	Heat Strip Provision 5' for 12" x 5' Overshelf (Chosen seperate)
EM-31D	Heat Strip Provision 6' for 12" x 6' Overshelf (Chosen seperate)
EM-31E	Heat Strip Provision 8' for 12" x 8' Overshelf (Chosen seperate)
EM-32	Increase Height for 1 ⅝" Stainless Tubing
EM-33	Reduced Leg Height for any CST Cabinet
EM-34A	Added 24" Toe Kick to CST Unit
EM-34B	Added 30" Toe Kick to CST Unit
EM-34C	Added 36" Toe Kick to CST Unit
EM-34D	Added 48" Toe Kick to CST Unit
EM-34E	Added 60" Toe Kick to CST Unit
EM-34F	Added 72" Toe Kick to CST Unit
EM-34G	Added 96" Toe Kick to CST Unit
EM-35	Undercounter Tray Slides, added to any Table or CST
EM-36A	Add ½" Poly Top to any Table Top
EM-36B	Add ¾" Poly Top to any Table Top
EM-36C	Add 1" Poly Top to any Table Top
EM-40	Weld Legs to any CST Unit
EM-52A	Add Hinged Doors To 24" Glass Cabinet
EM-52B	Add Hinged Doors To 30" Glass Cabinet
EM-52C	Add Hinged Doors To 36" Glass Cabinet
EM-52D	Add Hinged Doors To 48" Glass Cabinet

DESIGN YOUR OWN CHEF TABLE

EM-26
Cup Dispenser

EM-12
Drawer Assembly + Fascia

EM-14
Hinged Fascia Doors

EM-19
Cord Grommet

EM-17
Electrical Outlet

EasyMOD 3D Configurator

EM-4 Drop-in Ice Bin

EM-35
Undercounter Pan Rack Slides

EM-5
Urn Trough



EM-27
Napkin Dispenser

EM-18
Outlet Pedestal Box

EM-23C
Flanged Feet

EM-22
Drop Tray Slide

EM-21
Trash Chute

EM-20
Scrap Block

Now Online!

easymod.bk-resources.com

EasyMOD™ Configurator

1 CHOOSE YOUR BASE UNIT ▶ **2** SELECT YOUR MODIFICATIONS ▶ **3** SUBMIT YOUR QUOTE

A DRAWING WILL BE SENT FOR YOUR APPROVAL WITHIN 24 HOURS

SCAN TO GO TO EasyMOD 3D Configurator

Easy Mod online configurator tool allows you to select the modifications you want and submit a quote request. Scan or go to bk-resources.com

Email **sales@bk-resources.com** to set up a web account

EasyMOD™ Creations:

Throughout this catalog, you'll see sections labeled "EasyMOD Creations." These callouts identify standard BK units that can be modified using our EasyMOD system. Below are a few examples showing how quickly a base unit can be configured to meet specific project needs.

Convenience Store Table

Standard set for convenience stores, fast food restaurants, or anywhere self service is needed. Can be modified for your customers needs. Want a drain trough for coffee? We can add that. Want a sink for clean-up? We can add that. Outlet in the back splash? We can do that.

Model#	Size: (l x w)
MOD-BEVT	30" x 96"

What's Included	Description	Qty
CSTR5-3096	Cabinet w/ 5" Riser	1
EM-14G	Fascia w/ Hinged Door	2
EM-19	Cord Grommets	3
EM-26	Cup Dispensers	6

Ice Cream Cabinet

This is a popular unit for our Easy Mod system. Set your ice cream cabinet right next to it, add your mixer and you have a shake station. Doing big volume? We can make it larger or a lot LARGER.

Model#	Size: (l x w)
MOD-IC	30" x 36"

What's Included	Description	Qty
CSTR5-3036S	Riser Cabinet /Slide Door	1
EM-3	Drop-In Sink MOD	1
BK-DIS-1014-P-G	10x14" DropIn Sink/Faucet	1
EM-16A	Dipper Well/Faucet MOD	1

Prep Table

Awesome set up. Can be made with 1, 2, or 3 comp sinks in several sizes. The hand sink with side splashes is a great upgrade.

Model#	Size: (l x w)
MOD-PT	30" x 96"

What's Included	Description	Qty
CVTR5-3096	5" Riser Table/Undershelf	1
EM-3	Drop-In Sink MOD	2
DDI2-14161024	2 Comp DropIn Sink	1
DDI-10141024S-P-G	Drop in sink w/ SideSplash	1
BKF-HDDPR-WB-G	Pre-Rinse	1
BKF-AF-10-G	10" Add-A-Faucet	1

Soda Dispenser Cabinet

Talk about getting it all into one. Custom hole cut outs make it fit any dispenser you want. The extra cut out is great for running the plumbing and soda lines. We will fit the soda fountain cutout to fit your exact needs.

Model#	Size: (l x w)
MOD-BTSD	30" x 96"

What's Included	Description	Qty
CSTR5-3096	Cabinet w/ 5" Riser	1
EM-3	Drop-In Sink MOD	1
DDI-10141024S-P-G	Drop in sink w/ SideSplash	1
EM-5	Urn Trough MOD	1
BK-URTR-18	18" Urn Trough	1
EM-19	Cord Grommet	1
EM-1	Cut out Mod	5

BK
RESOURCES

Work Tables

Stainless steel work tables available in a wide range of sizes and configurations for commercial food service, residential, or industrial applications. Choose a stocked standard unit or modify it through EasyMOD to meet your project requirements.

Bar stools not included



FVT - FVT-6030 Stainless Steel Pub Table

With H-Brace/Foot Rest on Casters

Engineered to bring the practical, functional, and stylish look of back-of-house to the front-of-house. Ensures you have a table wherever you need one at any time. Its mobility guarantees seating during peak hours. Versatile for settings from bustling bars to casual dining areas. The stainless steel design complements any décor while withstanding daily use in high-traffic areas.
Upgrade your bar's tables with a functional, durable, and comfortable solution designed for busy bars.

- **Construction**
  - Made from T-304 16 gauge stainless steel
  - Top reinforced w/ rectangular tubing
  - Handles high-traffic environments

TRUCKLINE ONLY

- **Style**
  - Stainless steel finish resists stains and simplifies cleaning, maintaining a polished look.
  - Engineered to bring the practical, functional, and stylish look of back-of-house to the front-of-house.
  - Perfect for creating a modern, professional ambiance in any bar setting.
- **Easy Mobility**
  - 4" Total Lock Brake Casters for effortless mobility
  - The Total Lock Brake Casters stop all wheel motion when locked, creating a stable table anywhere you need it.
- **Space-Efficient Design**
  - H-Bracing design accommodates seating on both sides
  - Doubles as an integrated footrest enhances comfort, keeping your customers relaxed.

Part #	Seats	Size: (l x w x h)	# of Legs	
FVT-3030	4	30" X 30" X 42"	4	
FVT-4830	4	48" X 30" X 42"	4	
FVT-6030	4-6	60" X 30" X 42"	4	
FVT-7230	6	72" X 30" X 42"	4	
FVT-8430	8	84" X 30" X 42"	6	
FVT-9630	8	96" X 30" X 42"	6	

Spice Rack

BK-ICT

Overshelves

BK-OSD-1296

Table Mount Racks

APR-60

Ingredient Bins

IGB-100

Tables also available in 14, 16, 18 gauge, wood tops, open base

Drawer Assemblies

BKDWR-2015-ASSY-L-SS

Pot Rack Parts



RSAA-24

Work Table Parts

SVTS-3630

Expanding Stem

4SBR-RA-PLY-TLB

Check out this Maxed Out Workstation!

Max out your Work Table

- We offer accessories to maximize your work tables efficiency.
- Create the perfect workstation by adding the accessories and modifications you need.
- Check out pg 10 to explore our EasyMOD System & create your own workstation.

16 Ga T-304 Flat Top Work Tables

TRUCKLINE ONLY

NSF

Undershelf with Stainless Steel Legs

- 16 Ga. T-304 Stainless Steel Work Table
- 1 ⅝" Stainless Steel Legs
- Top Reinforced With (2) 2" Rectangular Steel Tubing
- Adjustable Stainless Steel Shelf
- 1 ¼" Adjustable High Impact Corrosion Resistant Feet

Model	Description	Length	Width	Height	Truckline	NSF
CVT-2424	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 24" x 24"	24"	24"	34.75"		Yes
CVT-3024	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 30" x 24"	30"	24"	34.75"		Yes
CVT-3624	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 36" x 24"	36"	24"	34.75"		Yes
CVT-4824	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 48" x 24"	48"	24"	34.75"		Yes
CVT-6024	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 60" x 24"	60"	24"	34.75"	Yes	Yes
CVT-7224	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 72" x 24"	72"	24"	34.75"	Yes	Yes
CVT-8424	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 84" x 24"	84"	24"	34.75"	Yes	Yes
CVT-9624	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 96" x 24"	96"	24"	34.75"	Yes*	Yes
CVT-3030	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 30" x 30"	30"	30"	34.75"		Yes
CVT-3630	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 36" x 30"	36"	30"	34.75"		Yes
CVT-4830	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 48" x 30"	48"	30"	34.75"	Yes	Yes
CVT-6030	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 60" x 30"	60"	30"	34.75"	Yes	Yes
CVT-7230	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 72" x 30"	72"	30"	34.75"	Yes	Yes
CVT-8430	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 84" x 30"	84"	30"	34.75"	Yes	Yes
CVT-9630	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 96" x 30"	96"	30"	34.75"	Yes	Yes
CVT-3636	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 36" x 36"	36"	36"	34.75"	Yes	Yes
CVT-4836	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 48" x 36"	48"	36"	34.75"	Yes	Yes
CVT-6036	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 60" x 36"	60"	36"	34.75"	Yes	Yes
CVT-7236	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 72" x 36"	72"	36"	34.75"	Yes	Yes
CVT-9636	16 Gauge Stainless Steel Work Table With Stainless Steel Shelf 96" x 36"	96"	36"	34.75"	Yes*	Yes

16 Ga T-304 5" Riser Top Tables

TRUCKLINE ONLY

NSF

Undershelf with Stainless Steel Legs

- 16 ga T-304 Stainless Steel Work Table
- Top Reinforced With (2) 2" Rectangular Steel Tubing
- 5" Backsplash
- Adjustable Stainless Steel Shelf
- 1⅝" W x 34¾" H Stainless Steel Legs
- Adjustable Stainless Steel Feet

Model	Description	Length	Width	Height	Truckline	NSF
CVTR5-2424	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 24" x 24"	24"	24"	39.75"		Yes
CVTR5-3024	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 30" x 24"	30"	24"	39.75"		Yes
CVTR5-3624	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 36" x 24"	36"	24"	39.75"		Yes
CVTR5-4824	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 48" x 24"	48"	24"	39.75"	Yes	Yes
CVTR5-6024	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 60" x 24"	60"	24"	39.75"	Yes	Yes
CVTR5-7224	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 72" x 24"	72"	24"	39.75"	Yes	Yes
CVTR5-8424	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 84" x 24"	84"	24"	39.75"	Yes	Yes
CVTR5-9624	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 96" x 24"	96"	24"	39.75"	Yes*	Yes
CVTR5-3030	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 30" x 30"	30"	30"	39.75"		Yes
CVTR5-3630	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 36" x 30"	36"	30"	39.75"	Yes	Yes
CVTR5-4830	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 48" x 30"	48"	30"	39.75"	Yes	Yes
CVTR5-6030	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 60" x 30"	60"	30"	39.75"	Yes	Yes
CVTR5-7230	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 72" x 30"	72	30"	39.75"	Yes	Yes
CVTR5-8430	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 84" x 30"	84"	30"	39.75"	Yes	Yes
CVTR5-9630	16 Gauge Stainless Steel Work Table With Undershelf 5"Riser 96" x 30"	96"	30"	39.75"	Yes*	Yes

16 Ga T-304 Flat Top Work Tables

TRUCKLINE ONLY

NSF

Open Base with Stainless Steel Legs

- 16 Ga. T-304 Stainless Steel Work Table
- Top Reinforced With (2) 2" Rectangular Steel Tubing
- Open Base With Stainless Steel Side And Rear Bracing
- 1⅝" Dia. Stainless Steel Legs
- Stainless Steel Bullet Feet

Model	Description	Length	Width	Height	Truckline	NSF
CVTOB-2424	16 Gauge Stainless Steel Work Table Open Base 24" x 24"	24"	24"	34.75"		Yes
CVTOB-3024	16 Gauge Stainless Steel Work Table Open Base 30" x 24"	30"	24"	34.75"		Yes
CVTOB-3624	16 Gauge Stainless Steel Work Table Open Base 36" x 24"	36"	24"	34.75"		Yes
CVTOB-4824	16 Gauge Stainless Steel Work Table Open Base 48" x 24"	48"	24"	34.75"		Yes
CVTOB-6024	16 Gauge Stainless Steel Work Table Open Base 60" x 24"	60"	24"	34.75"	Yes	Yes
CVTOB-7224	16 Gauge Stainless Steel Work Table Open Base 72" x 24"	72"	24"	34.75"	Yes	Yes
CVTOB-8424	16 Gauge Stainless Steel Work Table Open Base 84" x 24"	84"	24"	34.75"	Yes	Yes
CVTOB-9624	16 Gauge Stainless Steel Work Table Open Base 96" x 24"	96"	24"	34.75"	Yes*	Yes
CVTOB-3030	16 Gauge Stainless Steel Work Table Open Base 30" x 30"	30"	30"	34.75"		Yes
CVTOB-3630	16 Gauge Stainless Steel Work Table Open Base 36" x 30"	36"	30"	34.75"		Yes
CVTOB-4830	16 Gauge Stainless Steel Work Table Open Base 48" x 30"	48"	30"	34.75"	Yes	Yes
CVTOB-6030	16 Gauge Stainless Steel Work Table Open Base 60" x 30"	60"	30"	34.75"	Yes	Yes
CVTOB-7230	16 Gauge Stainless Steel Work Table Open Base 72" x 30"	72"	30"	34.75"	Yes	Yes
CVTOB-8430	16 Gauge Stainless Steel Work Table Open Base 84" x 30"	84"	30"	34.75"	Yes	Yes
CVTOB-9630	16 Gauge Stainless Steel Work Table Open Base 96" x 30"	96"	30"	34.75"	Yes	Yes
CVTOB-3636	16 Gauge Stainless Steel Work Table Open Base 36" x 36"	36"	36"	34.75"		Yes
CVTOB-4836	16 Gauge Stainless Steel Work Table Open Base 48" x 36"	48"	36"	34.75"	Yes	Yes
CVTOB-6036	16 Gauge Stainless Steel Work Table Open Base 60" x 36"	60"	36"	34.75"	Yes	Yes
CVTOB-7236	16 Gauge Stainless Steel Work Table Open Base 72" x 36"	72"	36"	34.75"	Yes	Yes
CVTOB-9636	16 Gauge Stainless Steel Work Table Open Base 96" x 36"	96"	36"	34.75"	Yes*	Yes

16 Ga T-304 5" Riser Top Tables

TRUCKLINE ONLY

NSF

Open Base with Stainless Steel Legs

- 16 Ga. T-304 Stainless Steel Work Table
- Top Reinforced With (2) 2" Rectangular Steel Tubing
- 5" Backsplash
- Open Base With Stainless Steel Side And Rear Bracing
- 1⅝" Dia. Stainless Steel Legs
- Adjustable Stainless Steel Bullet Feet

Model	Description	Length	Width	Height	Truckline	NSF
CVTR5OB-2424	16 Gauge Stainless Steel Work Table Open Base 5"Riser 24" x 24"	24"	24"	39.75"		Yes
CVTR5OB-3024	16 Gauge Stainless Steel Work Table Open Base 5"Riser 30" x 24"	30"	24"	39.75"		Yes
CVTR5OB-3624	16 Gauge Stainless Steel Work Table Open Base 5"Riser 36" x 24"	36"	24"	39.75"		Yes
CVTR5OB-4824	16 Gauge Stainless Steel Work Table Open Base 5"Riser 48" x 24"	48"	24"	39.75"	Yes	Yes
CVTR5OB-6024	16 Gauge Stainless Steel Work Table Open Base 5"Riser 60" x 24"	60"	24"	39.75"	Yes	Yes
CVTR5OB-7224	16 Gauge Stainless Steel Work Table Open Base 5"Riser 72" x 24"	72"	24"	39.75"	Yes	Yes
CVTR5OB-8424	16 Gauge Stainless Steel Work Table Open Base 5"Riser 84" x 24"	84"	24"	39.75"	Yes	Yes
CVTR5OB-9624	16 Gauge Stainless Steel Work Table Open Base 5"Riser 96" x 24"	96"	24"	39.75"	Yes*	Yes
CVTR5OB-3630	16 Gauge Stainless Steel Work Table Open Base 5"Riser 36" x 30"	36"	30"	39.75"	Yes	Yes
CVTR5OB-4830	16 Gauge Stainless Steel Work Table Open Base 5"Riser 48" x 30"	48"	30	39.75"	Yes	Yes
CVTR5OB-6030	16 Gauge Stainless Steel Work Table Open Base 5"Riser 60" x 30"	60"	30"	39.75"	Yes	Yes
CVTR5OB-7230	16 Gauge Stainless Steel Work Table Open Base 5"Riser 72" x 30"	72"	30"	39.75"	Yes	Yes
CVTR5OB-8430	16 Gauge Stainless Steel Work Table Open Base 5"Riser 84" x 30"	84"	30"	39.75"	Yes	Yes
CVTR5OB-9630	16 Gauge Stainless Steel Work Table Open Base 5"Riser 96" x 30"	96"	30"	39.75"	Yes*	Yes

18 Ga T-430 Flat Top Work Tables

TRUCKLINE ONLY

NSF

Undershelf with Stainless Steel Legs

- Flat Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On All Sides
- Reinforced With Channels
- Adjustable Stainless Steel Undershelf
- 1⅝" Dia. Stainless Steel Legs
- Stainless Steel Adjustable Bullet Feet

Model	Description	Length	Width	Height	Truckline	NSF
SVT-1824	18 Gauge Stainless Steel Work Table W/Undershelf 24" x 18"	24"	18"	34.75"		Yes
SVT-1830	18 Gauge Stainless Steel Work Table W/Undershelf 30" x 18"	30"	18"	34.75"		Yes
SVT-1836	18 Gauge Stainless Steel Work Table W/Undershelf 36" x 18"	36"	18"	34.75"		Yes
SVT-1848	18 Gauge Stainless Steel Work Table W/Undershelf 48" x 18"	48"	18"	34.75"		Yes
SVT-1860	18 Gauge Stainless Steel Work Table W/Undershelf 60" x 18"	60"	18"	34.75"	Yes	Yes
SVT-1872	18 Gauge Stainless Steel Work Table W/Undershelf 72" x 18"	72"	18"	34.75"	Yes	Yes
SVT-1884	18 Gauge Stainless Steel Work Table W/Undershelf 84" x 18"	84"	18"	34.75"	Yes	Yes
SVT-1896	18 Gauge Stainless Steel Work Table W/Undershelf 96" x 18"	96"	18"	34.75"	Yes*	Yes
SVT-2424	18 Gauge Stainless Steel Work Table W/Undershelf 24" x 24"	24"	24"	34.75"		Yes
SVT-3024	18 Gauge Stainless Steel Work Table W/Undershelf 30" x 24"	30"	24"	34.75"		Yes
SVT-3624	18 Gauge Stainless Steel Work Table W/Undershelf 36" x 24"	36"	24"	34.75"		Yes
SVT-4824	18 Gauge Stainless Steel Work Table W/Undershelf 48" x 24"	48"	24"	34.75"		Yes
SVT-6024	18 Gauge Stainless Steel Work Table W/Undershelf 60" x 24"	60"	24"	34.75"	Yes	Yes
SVT-7224	18 Gauge Stainless Steel Work Table W/Undershelf 72" x 24"	72"	24"	34.75"	Yes	Yes
SVT-8424	18 Gauge Stainless Steel Work Table W/Undershelf 84" x 24"	84"	24"	34.75"	Yes	Yes
SVT-9624	18 Gauge Stainless Steel Work Table W/Undershelf 96" x 24"	96"	24"	34.75"	Yes*	Yes
SVT-3030	18 Gauge Stainless Steel Work Table W/Undershelf 30" x 30"	30"	30"	34.75"		Yes
SVT-3630	18 Gauge Stainless Steel Work Table W/Undershelf 36" x 30"	36"	30"	34.75"		Yes
SVT-4830	18 Gauge Stainless Steel Work Table W/Undershelf 48" x 30"	48"	30"	34.75"	Yes	Yes
SVT-6030	18 Gauge Stainless Steel Work Table W/Undershelf 60" x 30"	60"	30"	34.75"	Yes	Yes
SVT-7230	18 Gauge Stainless Steel Work Table W/Undershelf 72" x 30"	72"	30"	34.75"	Yes	Yes
SVT-8430	18 Gauge Stainless Steel Work Table W/Undershelf 84" x 30"	84"	30"	34.75"	Yes	Yes
SVT-9630	18 Gauge Stainless Steel Work Table W/Undershelf 96" x 30"	96"	30"	34.75"	Yes*	Yes

18 Ga T-430 5" Riser Top Tables

TRUCKLINE ONLY

NSF

Undershelf with Stainless Steel Legs

- 5" Riser Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On Front And Sides
- Reinforced With Channels
- 5" Backsplash
- Adjustable Stainless Steel Undershelf
- 1⅝" Dia. Stainless Steel Legs
- Stainless Steel Adjustable Bullet Feet

Model	Description	Length	Width	Height	Truckline	NSF
SVTR5-2424	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 24" x 24"	24"	24"	39.75"		Yes
SVTR5-3024	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 30" x 24"	30"	24"	39.75"		Yes
SVTR5-3624	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 36" x 24"	36"	24"	39.75"	Yes	Yes
SVTR5-4824	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 48" x 24"	48"	24"	39.75"	Yes	Yes
SVTR5-6024	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 60" x 24"	60"	24"	39.75"	Yes	Yes
SVTR5-7224	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 72" x 24"	72"	24"	39.75"	Yes	Yes
SVTR5-8424	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 84" x 24"	84"	24"	39.75"	Yes	Yes
SVTR5-9624	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 96" x 24"	96"	24"	39.75"	Yes*	Yes
SVTR5-3030	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 30" x 30"	30"	30"	39.75"	Yes	Yes
SVTR5-3630	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 36" x 30"	36"	30"	39.75"	Yes	Yes
SVTR5-4830	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 48" x 30"	48"	30"	39.75"	Yes	Yes
SVTR5-6030	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 60" x 30"	60"	30"	39.75"	Yes	Yes
SVTR5-7230	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 72" x 30"	72"	30"	39.75"	Yes	Yes
SVTR5-8430	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 84" x 30"	84"	30"	39.75"	Yes	Yes
SVTR5-9630	18 Gauge Stainless Steel Work Table Undershelf 5" Riser 96" x 30"	96"	30"	39.75"	Yes*	Yes

18 Ga T-430 Flat Top Work Tables

TRUCKLINE ONLY

NSF

Open Base with Stainless Steel Legs

- Flat Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On All Sides
- Reinforced With Channels
- Open Base With Stainless Steel Side And Rear Bracing
- 1⅝" Dia. Stainless Steel Legs
- Stainless Steel Adjustable Bullet Feet

Model	Description	Length	Width	Height	Truckline	NSF
SVTOB-1824	18 Gauge Stainless Steel Work Table With Open Base 24" x 18"	24"	18"	34.75"		Yes
SVTOB-1830	18 Gauge Stainless Steel Work Table With Open Base 30" x 18"	30"	18"	34.75"		Yes
SVTOB-1836	18 Gauge Stainless Steel Work Table With Open Base 36" x 18"	36"	18"	34.75"		Yes
SVTOB-1848	18 Gauge Stainless Steel Work Table With Open Base 48" x 18"	48"	18"	34.75"		Yes
SVTOB-1860	18 Gauge Stainless Steel Work Table With Open Base 60" x 18"	60"	18"	34.75"	Yes	Yes
SVTOB-1872	18 Gauge Stainless Steel Work Table With Open Base 72" x 18"	72"	18"	34.75"	Yes	Yes
SVTOB-1884	18 Gauge Stainless Steel Work Table With Open Base 84" x 18"	84"	18"	34.75"	Yes	Yes
SVTOB-1896	18 Gauge Stainless Steel Work Table With Open Base 96" x 18"	96"	18"	34.75"	Yes*	Yes
SVTOB-2424	18 Gauge Stainless Steel Work Table With Open Base 24" x 24"	24"	24"	34.75"		Yes
SVTOB-3024	18 Gauge Stainless Steel Work Table With Open Base 30" x 24"	30"	24"	34.75"		Yes
SVTOB-3624	18 Gauge Stainless Steel Work Table With Open Base 36" x 24"	36"	24"	34.75"		Yes
SVTOB-4824	18 Gauge Stainless Steel Work Table With Open Base 48" x 24"	48"	24"	34.75"		Yes
SVTOB-6024	18 Gauge Stainless Steel Work Table With Open Base 60" x 24"	60"	24"	34.75"	Yes	Yes
SVTOB-7224	18 Gauge Stainless Steel Work Table With Open Base 72" x 24"	72"	24"	34.75"	Yes	Yes
SVTOB-8424	18 Gauge Stainless Steel Work Table With Open Base 84" x 24"	84"	24"	34.75"	Yes	Yes
SVTOB-9624	18 Gauge Stainless Steel Work Table With Open Base 96" x 24"	96"	24"	34.75"	Yes*	Yes
SVTOB-3030	18 Gauge Stainless Steel Work Table With Open Base 30" x 30"	30"	30"	34.75"		Yes
SVTOB-3630	18 Gauge Stainless Steel Work Table With Open Base 36" x 30"	36"	30"	34.75"		Yes
SVTOB-4830	18 Gauge Stainless Steel Work Table With Open Base 48" x 30"	48"	30"	34.75"	Yes	Yes
SVTOB-6030	18 Gauge Stainless Steel Work Table With Open Base 60" x 30"	60"	30"	34.75"	Yes	Yes
SVTOB-7230	18 Gauge Stainless Steel Work Table With Open Base 72" x 30"	72"	30"	34.75"	Yes	Yes
SVTOB-8430	18 Gauge Stainless Steel Work Table With Open Base 84" x 30"	84"	30"	34.75"	Yes	Yes
SVTOB-9630	18 Gauge Stainless Steel Work Table With Open Base 96" x 30"	96"	30"	34.75"	Yes*	Yes

18 Ga T-430 5" Riser Top Tables

TRUCKLINE ONLY

NSF

Open Base with Stainless Steel Legs

- 5" Riser Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On Front And Sides
- Reinforced With Channels
- 5" Backsplash
- Open Base With Stainless Steel Side And Rear Bracing
- 1⅝" Dia. Stainless Steel Legs
- Stainless Steel Adjustable Bullet Feet
- Ships KD

Model	Description	Length	Width	Height	Truckline	NSF
SVTR5OB-2424	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 24" x 24"	24"	24"	39.75"		Yes
SVTR5OB-3024	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 30" x 24"	30"	30"	39.75"		Yes
SVTR5OB-3624	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 36" x 24"	36"	24"	39.75"	Yes	Yes
SVTR5OB-4824	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 48" x 24"	48"	24"	39.75"	Yes	Yes
SVTR5OB-6024	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 60" x 24"	60"	24"	39.75"	Yes	Yes
SVTR5OB-7224	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 72" x 24"	72"	24"	39.75"	Yes	Yes
SVTR5OB-8424	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 84" x 24"	84"	24"	39.75"	Yes	Yes
SVTR5OB-9624	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 96" x 24"	96"	24"	39.75"	Yes*	Yes
SVTR5OB-3024	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 30" x 24"	30"	30"	39.75"		Yes
SVTR5OB-3630	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 36" x 30"	36"	30"	39.75"	Yes	Yes
SVTR5OB-4830	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 48" x 30"	48"	30"	39.75"	Yes	Yes
SVTR5OB-6030	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 60" x 30"	60"	30"	39.75"	Yes	Yes
SVTR5OB-7230	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 72" x 30"	72"	30"	39.75"	Yes	Yes
SVTR5OB-8430	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 84" x 30"	84"	30"	39.75"	Yes	Yes
SVTR5OB-9630	18 Gauge Stainless Steel Work Table W/Open Base 5 Riser 96" x 30"	96"	30"	39.75"	Yes*	Yes

18 Ga T-430 Flat Top Work Tables

TRUCKLINE ONLY

NSF

Undershelf with Galvanized Legs

- Flat Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On All Sides
- Reinforced With Channels
- Adjustable Galvanized Undershelf
- 1⅝" Dia. Galvanized Legs
- Adjustable High-Impact Corrosion-Resistant Feet

Model	Description	Length	Width	Height	Truckline	NSF
VTT-1824	18" x 24" 18 Gauge Stainless Steel Work Table W/ Galvanized Leg &	24"	18"	34.75"		Yes
VTT-1830	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 30" x 18"	30"	18"	34.75"		Yes
VTT-1836	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 36" x 18"	36"	18"	34.75"		Yes
VTT-1848	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 48" x 18"	48"	18"	34.75"		Yes
VTT-1860	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 60" x 18"	60"	18"	34.75"	Yes	Yes
VTT-1872	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 72" x 18"	72"	18"	34.75"	Yes	Yes
VTT-1884	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 84" x 18"	84"	18"	34.75"	Yes	Yes
VTT-1896	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 96" x 18"	96"	18"	34.75"	Yes*	Yes
VTT-2424	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 24" x 24"	24"	24"	34.75"		Yes
VTT-3024	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 30" x 24"	30"	24"	34.75"		Yes
VTT-3624	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 36" x 24"	36"	24"	34.75"		Yes
VTT-4824	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 48" x 24"	48"	24"	34.75"		Yes
VTT-6024	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 60" x 24"	60"	24"	34.75"	Yes	Yes
VTT-7224	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 72" x 24"	72"	24"	34.75"	Yes	Yes
VTT-8424	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 84" x 24"	84"	24"	34.75"	Yes	Yes
VTT-9624	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 96" x 24"	96"	24"	34.75"	Yes*	Yes
VTT-3030	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 30" x 30"	30"	30"	34.75"		Yes
VTT-3630	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 36" x 30"	36"	30"	34.75"		Yes
VTT-4830	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 48" x 30"	48"	30"	34.75"	Yes	Yes
VTT-6030	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 60" x 30"	60"	30"	34.75"	Yes	Yes
VTT-7230	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 72" x 30"	72"	30"	34.75"	Yes	Yes
VTT-8430	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 84" x 30"	84"	30"	34.75"	Yes	Yes
VTT-9630	18 Gauge Stainless Steel Work Table w/Galvanized Undershelf 96" x 30"	96"	30"	34.75"	Yes*	Yes

18 Ga T-430 5" Riser Top Tables

TRUCKLINE ONLY

NSF

Undershelf with Galvanized Legs

- 5" Riser Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On Front And Sides
- Reinforced With Channels
- 5" Backsplash
- Adjustable Galvanized Undershelf
- 1⅝" Dia. Galvanized Legs
- Adjustable High-Impact Corrosion-Resistant Feet
- Ships KD

Model	Description	Length	Width	Height	Truckline	NSF
VTTR5-2424	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 24" x 24"	24"	24"	39.75"		Yes
VTTR5-3024	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 30" x 24"	30"	24"	39.75"		Yes
VTTR5-3624	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 36" x 24"	36"	24"	39.75"	Yes	Yes
VTTR5-4824	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 48" x 24"	48"	24"	39.75"	Yes	Yes
VTTR5-6024	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 60" x 24"	60"	24"	39.75"	Yes	Yes
VTTR5-7224	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 72" x 24"	72"	24"	39.75"	Yes	Yes
VTTR5-8424	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 84" x 24"	84"	24"	39.75"	Yes	Yes
VTTR5-9624	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 96" x 24"	96"	24"	39.75"	Yes*	Yes
VTTR5-3030	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 30" x 30"	30"	30"	39.75"		Yes
VTTR5-3630	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 36" x 30"	36"	30"	39.75"	Yes	Yes
VTTR5-4830	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 48" x 30"	48"	30"	39.75"	Yes	Yes
VTTR5-6030	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 60" x 30"	60"	30"	39.75"	Yes	Yes
VTTR5-7230	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 72" x 30"	72"	30"	39.75"	Yes	Yes
VTTR5-8430	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 84" x 30"	84"	30"	39.75"	Yes	Yes
VTTR5-9630	18 Gauge Stainless Steel Work Table With Undershelf 5" Riser 96" x 30"	96"	30"	39.75"	Yes*	Yes

18 Ga T-430 Flat Top Work Tables

TRUCKLINE ONLY

NSF

Open Base with Galvanized Legs

- Flat Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On All Sides
- Reinforced With Channels
- Open Base With Galvanized Side And Rear Bracing
- 1⅝" Dia. Galvanized Legs
- Adjustable Impact Corrosion Resistant Feet
- Ships KD

Model	Description	Length	Width	Height	Truckline	NSF
VTTOB-1824	18 Gauge Stainless Steel Work Table With Open Base 24" x 18"	24"	18"	34.75"		Yes
VTTOB-1830	18 Gauge Stainless Steel Work Table With Open Base 30" x 18"	30"	18"	34.75"		Yes
VTTOB-1836	18 Gauge Stainless Steel Work Table With Open Base 36" x 18"	36"	18"	34.75"		Yes
VTTOB-1848	18 Gauge Stainless Steel Work Table With Open Base 48" x 18"	48"	18"	34.75"		Yes
VTTOB-1860	18 Gauge Stainless Steel Work Table With Open Base 60" x 18"	60"	18"	34.75"	Yes	Yes
VTTOB-1872	18 Gauge Stainless Steel Work Table With Open Base 72" x 18"	72"	18"	34.75"	Yes	Yes
VTTOB-1884	18 Gauge Stainless Steel Work Table With Open Base 84" x 18"	84"	18"	34.75"	Yes	Yes
VTTOB-1896	18 Gauge Stainless Steel Work Table With Open Base 96" x 18"	96"	18"	34.75"	Yes*	Yes
VTTOB-2424	18 Gauge Stainless Steel Work Table With Open Base 24" x 24"	24"	24"	34.75"		Yes
VTTOB-3024	18 Gauge Stainless Steel Work Table With Open Base 30" x 24"	30"	24"	34.75"		Yes
VTTOB-3624	18 Gauge Stainless Steel Work Table With Open Base 36" x 24"	36"	24"	34.75"		Yes
VTTOB-4824	18 Gauge Stainless Steel Work Table With Open Base 48" x 24"	48"	24"	34.75"		Yes
VTTOB-6024	18 Gauge Stainless Steel Work Table With Open Base 60" x 24"	60"	24"	34.75"	Yes	Yes
VTTOB-7224	18 Gauge Stainless Steel Work Table With Open Base 72" x 24"	72"	24"	34.75"	Yes	Yes
VTTOB-8424	18 Gauge Stainless Steel Work Table With Open Base 84" x 24"	84"	24"	34.75"	Yes	Yes
VTTOB-9624	18 Gauge Stainless Steel Work Table With Open Base 96" x 24"	96"	24"	34.75"	Yes*	Yes
VTTOB-3030	18 Gauge Stainless Steel Work Table With Open Base 30" x 30"	30"	30"	34.75"		Yes
VTTOB-3630	18 Gauge Stainless Steel Work Table With Open Base 36" x 30"	36"	30"	34.75"		Yes
VTTOB-4830	18 Gauge Stainless Steel Work Table With Open Base 48" x 30"	48"	30"	34.75"	Yes	Yes
VTTOB-6030	18 Gauge Stainless Steel Work Table With Open Base 60" x 30"	60"	30"	34.75"	Yes	Yes
VTTOB-7230	18 Gauge Stainless Steel Work Table With Open Base 72" x 30"	72"	30"	34.75"	Yes	Yes
VTTOB-8430	18 Gauge Stainless Steel Work Table With Open Base 84" x 30"	84"	30"	34.75"	Yes	Yes
VTTOB-9630	18 Gauge Stainless Steel Work Table With Open Base 96" x 30"	96"	30"	34.75"	Yes*	Yes

18 Ga T-430 5" Riser Top Tables

TRUCKLINE ONLY

NSF

Open Base with Galvanized Legs

- 5" Riser Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On Front And Sides
- Reinforced With Channels
- 5" Backsplash
- Open Base With Galvanized Side And Rear Bracing
- 1⅝" Dia. Galvanized Legs
- Adjustable High Corrosion Resistant Feet
- Ships KD

Model	Description	Length	Width	Height	Truckline	NSF
VTTR5OB-2424	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 24" x 24"	24"	24"	39.75"		Yes
VTTR5OB-3024	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 30" x 24"	30"	24"	39.75"		Yes
VTTR5OB-3624	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 36" x 24"	36"	24"	39.75"	Yes	Yes
VTTR5OB-4824	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 48" x 24"	48"	24"	39.75"	Yes	Yes
VTTR5OB-6024	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 60" x 24"	60"	24"	39.75"	Yes	Yes
VTTR5OB-7224	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 72" x 24"	72"	24"	39.75"	Yes	Yes
VTTR5OB-8424	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 84" x 24"	84"	24"	39.75"	Yes	Yes
VTTR5OB-9624	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 96" x 24"	96"	24"	39.75"	Yes*	Yes
VTTR5OB-3030	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 30" x 30"	30"	30"	39.75"		Yes
VTTR5OB-3630	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 36" x 30"	36"	30"	39.75"	Yes	Yes
VTTR5OB-4830	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 48" x 30"	48"	30"	39.75"	Yes	Yes
VTTR5OB-6030	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 60" x 30"	60"	30"	39.75"	Yes	Yes
VTTR5OB-7230	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 72" x 30"	72"	30"	39.75"	Yes	Yes
VTTR5OB-8430	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 84" x 30"	84"	30"	39.75"	Yes	Yes
VTTR5OB-9630	18 Gauge Stainless Steel Work Table With Open Base 5" Riser 96" x 30"	96"	30"	39.75"	Yes*	Yes

18 Ga T-430 1.5" Riser Top Table

TRUCKLINE ONLY

NSF

Undershelf with Stainless Steel Legs

- 1.5" Riser Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On Front And Sides
- Reinforced With Channels
- 1½" Rear Riser
- Adjustable Stainless Steel Undershelf
- 1⅝" Dia. Stainless Steel Legs
- Stainless Steel Over Adjustable Plastic Bullet Feet
- Ships KD

Model	Description	Length	Width	Height	Truckline	List Price	NSF
SVTR-1824	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 24"x18"	24"	18"	36"			Yes
SVTR-1830	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 30"x18"	30"	18"	36"			Yes
SVTR-1836	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 36"x18"	36"	18"	36"			Yes
SVTR-1848	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 48"x18"	48"	18"	36"			Yes
SVTR-1860	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 60"x18"	60"	18"	36"	Yes		Yes
SVTR-1872	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 72"x18"	72"	18"	36"	Yes		Yes
SVTR-1896	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 96"x18"	96"	18"	36"	Yes*		Yes
SVTR-2424	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 24"x24"	24"	24"	36"			Yes
SVTR-3024	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 30"x24"	30"	24"	36"			Yes
SVTR-3624	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 36"x24"	36"	24"	36"			Yes
SVTR-4824	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 48"x24"	48"	24"	36"			Yes
SVTR-6024	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 60"x24"	60"	24"	36"	Yes		Yes
SVTR-7224	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 72"x24"	72"	24"	36"	Yes		Yes
SVTR-8424	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 84"x24"	84"	24"	36"	Yes		Yes
SVTR-9624	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 96"x24"	96"	24"	36"	Yes*		Yes
SVTR-3030	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 30"x30"	30"	30"	36"			Yes
SVTR-3630	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 36"x30"	36"	30"	36"			Yes
SVTR-4830	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 48"x30"	48"	30"	36"	Yes		Yes
SVTR-6030	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 60"x30"	60"	30"	36"	Yes		Yes
SVTR-7230	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 72"x30"	72"	30"	36"	Yes		Yes
SVTR-8430	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 84"x30"	84"	30"	36"	Yes		Yes
SVTR-9630	18 Gauge Stainless Steel Work Table Undershelf 1.5" Riser 96" x30"	96"	30"	36"	Yes*		Yes

18 Ga T-430 1.5" Riser Top Table

TRUCKLINE ONLY

NSF

Undershelf with Galvanized Legs

- 1.5" Riser Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On Front And Sides
- Reinforced With Channels
- 1½" Rear Riser
- Adjustable Galvanized Undershelf
- 1⅝" Dia. Galvanized Legs
- Adjustable High-Impact Corrosion-Resistant Feet
- Ships KD

Model	Description	Length	Width	Height	Truckline	List Price	NSF
VTTR-1824	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 24" x 18"	24"	18"	36.25"			Yes
VTTR-1830	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 30" x 18"	30"	18"	36.25"			Yes
VTTR-1836	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 36" x 18"	36"	18"	36.25"			Yes
VTTR-1848	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 48" x 18"	48"	18"	36.25"			Yes
VTTR-1860	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 60" x 18"	60"	18"	36.25"	Yes		Yes
VTTR-1872	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 72" x 18"	72"	18"	36.25"	Yes		Yes
VTTR-1884	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 84" x 18"	84"	18"	36.25"	Yes		Yes
VTTR-1896	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 96" x 18"	96"	18"	36.25"	Yes*		Yes
VTTR-2424	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 24" x 24"	24"	24"	36.25"			Yes
VTTR-3024	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 30" x 24"	30"	24"	36.25"			Yes
VTTR-3624	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 36" x 24"	36"	24"	36.25"			Yes
VTTR-4824	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 48" x 24"	48"	24"	36.25"			Yes
VTTR-6024	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 60" x 24"	60"	24"	36.25"	Yes		Yes
VTTR-7224	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 72" x 24"	72"	24"	36.25"	Yes		Yes
VTTR-8424	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 84" x 24"	84"	24"	36.25"	Yes		Yes
VTTR-9624	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 96" x 24"	96"	24"	36.25"	Yes*		Yes
VTTR-3030	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 30" x 30"	30"	30"	36.25"			Yes
VTTR-3630	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 36" x 30"	36"	30"	36.25"			Yes
VTTR-4830	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 48" x 30"	48"	30"	36.25"	Yes		Yes
VTTR-6030	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 60" x 30"	60"	30"	36.25"	Yes		Yes
VTTR-7230	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 72" x 30"	72"	30"	36.25"	Yes		Yes
VTTR-8430	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 84" x 30"	84"	30"	36.25"	Yes		Yes
VTTR-9630	18 Gauge Stainless Steel Work Table With Undershelf 1.5" Riser 96" x 30"	96"	30"	36.25"	Yes*		Yes

18 Ga T-430 1.5" Riser Top Table

TRUCKLINE ONLY

NSF

Open Base with Stainless Steel Legs

- 1.5" Riser Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown Edges On Front And Sides
- Reinforced With Channels
- 1½" Rear Riser
- Open Base With Stainless Steel Side And Rear Bracing
- 1⅝" Dia. Stainless Steel Legs
- Stainless Steel Over Adjustable Plastic Bullet Feet
- Ships KD

Model	Description	Length	Width	Height	Truckline	List Price	NSF
SVTROB-1824	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 24" x 18"	24"	18"	36"			
SVTROB-1830	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 30" x 18"	30"	18"	36"			Yes
SVTROB-1836	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 36" x 18"	36"	18"	36"			Yes
SVTROB-1848	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 48" x 18"	48"	18"	36"			Yes
SVTROB-1860	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 60" x 18"	60"	18"	36"	Yes		Yes
SVTROB-1872	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 72" x 18"	72"	18"	36"	Yes		Yes
SVTROB-1896	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 96" x 18"	96"	18"	36"	Yes*		Yes
SVTROB-2424	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 24" x 24"	24"	24"	36"			Yes
SVTROB-3024	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 30" x 24"	30"	24"	36"			Yes
SVTROB-3624	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 36" x 24"	36"	24"	36"			Yes
SVTROB-4824	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 48" x 24"	48"	24"	36"			Yes
SVTROB-6024	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 60" x 24"	60"	24"	36"	Yes		Yes
SVTROB-7224	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 72" x 24"	72"	24"	36"	Yes		Yes
SVTROB-8424	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 84" x 24"	84"	24"	36"	Yes		Yes
SVTROB-9624	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 96" x 24"	96"	24"	36"	Yes*		Yes
SVTROB-3030	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 30" x 30"	30"	30"	36"			Yes
SVTROB-3630	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 36" x 30"	36"	30"	36"			Yes
SVTROB-4830	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 48" x 30"	48"	30"	36"	Yes		Yes
SVTROB-6030	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 60" x 30"	60"	30"	36"	Yes		Yes
SVTROB-7230	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 72" x 30"	72"	30"	36"	Yes		Yes
SVTROB-8430	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 84" x 30"	84"	30"	36"	Yes		Yes
SVTROB-9630	18 Gauge Stainless Steel Work Table Open Base 1.5 Riser 96" x 30"	96"	30"	36"	Yes*		Yes

18 Ga T-430 1.5" Riser Top Table

TRUCKLINE ONLY

NSF

Open Base with Galvanized Legs

- 1.5" Riser Top Work Table
- 18 ga T-430 Stainless Steel Top
- With Turndown On Front And Sides
- Reinforced With Channels
- 1½" Rear Riser
- Open Base With Galvanized Side And Rear Bracing
- 1⅝" Dia. Galvanized Legs
- Adjustable Impact Corrosion Resistant Feet
- Ships KD

Model	Description	Length	Width	Height	Truckline	List Price	NSF
VTTROB-1824	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 24" x 18"	24"	18"	36"		$334.00	Yes
VTTROB-1830	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 30" x 18"	30"	18"	36"		$348.00	Yes
VTTROB-1836	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 36" x 18"	36"	18"	36"		$375.00	Yes
VTTROB-1848	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 48" x 18"	48"	18"	36"		$418.00	Yes
VTTROB-1860	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 60" x 18"	60"	18"	36"	Yes	$485.00	Yes
VTTROB-1872	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 72" x 18"	72"	18"	36"	Yes	$575.00	Yes
VTTROB-1884	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 84" x 18"	84"	18"	36"	Yes	$785.00	Yes
VTTROB-1896	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 96" x 18"	96"	18"	36"	Yes*	$688.00	Yes
VTTROB-2424	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 24" x 24"	24"	24"	36"		$323.00	Yes
VTTROB-3024	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 30" x 24"	30"	24"	36"		$353.00	Yes
VTTROB-3624	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 36" x 24"	36"	24"	36"		$409.00	Yes
VTTROB-4824	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 48" x 24"	48"	24"	36"		$461.00	Yes
VTTROB-6024	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 60" x 24"	60"	24"	36"	Yes	$544.00	Yes
VTTROB-7224	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 72" x 24"	72"	24"	36"	Yes	$597.00	Yes
VTTROB-8424	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 84" x 24"	84"	24"	36"	Yes	$661.00	Yes
VTTROB-9624	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 96" x 24"	96"	24"	36"	Yes*	$774.00	Yes
VTTROB-3030	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 30" x 30"	30"	30"	36"		$399.00	Yes
VTTROB-3630	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 36" x 30"	36"	30"	36"		$440.00	Yes
VTTROB-4830	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 48" x 30"	48"	30"	36"	Yes	$498.00	Yes
VTTROB-6030	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 60" x 30"	60"	30"	36"	Yes	$568.00	Yes
VTTROB-7230	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 72" x 30"	72"	30"	36"	Yes	$628.00	Yes
VTTROB-8430	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 84" x 30"	84"	30"	36"	Yes	$746.00	Yes
VTTROB-9630	18 Gauge Stainless Steel Work Table With Open Base 1.5" Riser 96" x 30"	96"	30"	36"	Yes*	$836.00	Yes

18 Ga T-430 Equipment Stands

Undershelf with Stainless Steel Legs

- Equipment Stand
- 18 ga T-430 Stainless Steel Top Reinforced With 1½" Square Tubing
- With 2" 90° Turn-Up On Sides And Back
- Stainless Steel Adjustable Undershelf And Legs
- Stainless Over Plastic Adjustable 1⅝" Legs (BK-Stainless SteelPAF)

Model	Description	Length	Width	Height	Truckline	NSF
SVET-2430	Stainless steel Equipment Stand W/Undershelf 3 Sided 2"Riser 24X30	24"	30"	26"		Yes
SVET-3630	Stainless steel Equipment Stand W/Undershelf 3 Sided 2"Riser 36X30	48"	30"	26"	Yes	Yes
SVET-4830	Stainless steel Equipment Stand W/Undershelf 3 Sided 2"Riser 48X30	60"	30"	26"	Yes	Yes
SVET-6030	Stainless steel Equipment Stand W/Undershelf 3 Sided 2"Riser 60X30	48"	30"	26"	Yes	Yes
SVET-7230-6	Stainless Equipment Stand, Undershelf 3 Sided 2"Riser ,6 Legs 72X30	72"	30"	26"	Yes	Yes

18 Ga T-430 Equipment Stands

Undershelf with Galvanized Legs

- Equipment Stand
- Front Rolled Edge
- 3 Sided 2" Riser With Hemmed Edged
- 18 ga T-430 Stainless Steel Top Reinforced With 1½" Square Tubing
- Galvanized Undershelf
- Stainless Over Plastic Adjustable 1⅝" Legs (BK-Stainless SteelPAF)

Model	Description	Length	Width	Height	Truckline	NSF
VETS-1530	Stainless Equipment Stand 3 Sided 2"Riser Galvanized Undershelf 15X30	15"	30"	26"		Yes
VETS-1830	Stainless Equipment Stand 3 Sided 2"Riser Galvanized Undershelf 18X30	18"	30"	26"		Yes
VETS-2430	Stainless Equipment Stand 3 Sided 2"Riser Galvanized Undershelf 24X30	24"	30"	26"		Yes
VETS-3630	Stainless Equipment Stand 3 Sided 2"Riser Galvanized Undershelf 36X30	36"	30"	26"	Yes	Yes
VETS-4830	Stainless Equipment Stand 3 Sided 2"Riser Galvanized Undershelf 48X30	48"	30"	26"	Yes	Yes
VETS-6030	Stainless Equipment Stand 3 Sided 2"Riser Galvanized Undershelf 60X30	60"	30"	26"	Yes	Yes
VETS-7230	Stainless Equipment Stand 3 Sided 2"Riser Galvanized Undershelf 72X30	72"	30"	26"	Yes	Yes

Economy 18 Ga T-430 Equipment Stands

Undershelf with Galvanized Legs

- Economy Equipment Stand
- 18 ga T-430 Stainless Steel Top Reinforced With Support Channels
- With 1.5" 90° Turn-Up On Sides And Back
- Galvanized Adjustable Undershelf And 1⅝" Legs
- Plastic Adjustable Bullet Feet (BK-PLAF)

Model	Description	Length	Width	Height	Truckline	NSF
EETS-1530	Stainless Steel Economy Equipment Stand with Undershelf 15X30	15"	30"	25"	-	Yes
EETS-1830	Stainless Steel Economy Equipment Stand with Undershelf 18X30	18"	30"	25"	-	Yes
EETS-2430	Stainless Steel Economy Equipment Stand with Undershelf 24X30	24"	30"	25"		Yes
EETS-3630	Stainless Steel Economy Equipment Stand with Undershelf 36X30	36"	30"	25"	Yes	Yes
EETS-4830	Stainless Steel Economy Equipment Stand with Undershelf 48X30	48"	30"	25"	Yes	Yes
EETS-6030	Stainless Steel Economy Equipment Stand with Undershelf 60X30	60"	30"	25"	Yes	Yes
EETS-7230	Stainless Steel Economy Equipment Stand with Undershelf 72X30	72"	30"	25"	Yes	Yes

14 Ga T-304 Machine Stands

Undershelf with Stainless Steel Legs

- Machine Stand
- With Stainless Steel Base
- 14 ga T-304 Stainless Steel Top Reinforced With Square Tubing
- Marine Edge
- Adjustable Stainless Steel Undershelf
- 1⅝" Stainless Steel Legs
- 1⅝" Stainless Steel Bullet Foot Over White Metal (BK-Stainless SteelAF)

Model	Description	Length	Width	Height	Truckline	NSF
MST-2424SS	Stainless Steel Machine Stand with Stainless Steel Undershelf 24X24	24"	30"	20"		Yes
MST-3024SS	Stainless Steel Machine Stand with Stainless Steel Undershelf 30X24	30"	30"	20"		Yes
MST-3030SS	Stainless Steel Machine Stand with Stainless Steel Undershelf 30X30	30"	30"	20"	Yes	Yes
MST-3630SS	Stainless Steel Machine Stand with Stainless Steel Undershelf 36X30	36"	30"	20"	Yes	Yes

Adjustable Work Shelf for Equipment Stands

- Creates A Work Area Directly In Front Of Your Equipment
- Fits Svet-1530 And Vets-1530 Equipment Stands (Does Not Fit Eets Units)
- Connects To Legs
- Add Eq-Ps15 For A Second Shelf (Plate Shelf).

Single Shelf

Model	Fits	List Price
EQ-WS15	-1530	
EQ-WS18	-1830	
EQ-WS24	-2430	
EQ-WS36	-3630	
EQ-WS48	-4830	
EQ-WS60	-6030	
EQ-WS72	-7230	

Add a Second Shelf

Model	Fits	List Price
EQ-PS15	-1530	
EQ-PS18	-1830	
EQ-PS24	-2430	
EQ-PS36	-3630	
EQ-PS48	-4830	
EQ-PS60	-6030	
EQ-PS72	-7230	

18 Ga T-430 Filler Tables

Undershelf with Stainless Steel Legs

- Filler Table
- 18 ga T-304 Stainless Steel Top
- 1½" Riser At Rear
- Adjustable Stainless Steel Undershelf
- Stainless Steel Legs With Adjustable High Impact Corrosion Resistant Feet

Model	Length	Width	Height	NSF
SFTS-1530	15"	30"	34.75"	Yes
SFTS-1830	18"	30"	34.75"	Yes
SFTS-2430	24"	30"	34.75"	Yes

18 Ga T-430 Filler Tables

Undershelf with Galvanized Legs

- Filler Table
- 18 ga T-304 Stainless Steel Top
- 1½" Riser At Rear
- Adjustable Galvanized Steel Undershelf
- Galvanized Steel Legs With Adjustable High-Impact Corrosion-Resistant Feet

Model	Length	Width	Height	NSF
VFTS-1524	15"	24"	34.75"	Yes
VFTS-1824	18"	24"	34.75"	Yes
VFTS-1530	15"	30"	34.75"	Yes
VFTS-1830	18"	30"	34.75"	Yes
VFTS-2430	24"	30"	34.75"	Yes

18 Ga T-430 Filler Tables

Undershelf with Stainless Steel Legs

- Stainless Steel Filler Table With Drop-in Hand Sink
- 41¾"H Overall Size
- 18/400 Stainless Steel Top With 1½" Riser
- 10" x 14" x 5" Deep-In Sink Bowl With Side Splashes
- Deck Mount Faucet With 3½" Gooseneck Spou
- 3½" Basket Drain
- Stainless Steel Legs & Adjustable Undershelf
- Adjustable High Impact Corrosion Resistant Feet
- Ships Knocked Down
- NSF

Model	Description	Length	Width	Height	NSF
HST-1530-1014-SS	15"x30" Stainless Steel Filler Table With Drop In Hand Sink W/ Side Splash	30"	15"	34.75"	Yes
HST-1830-1014-SS	15"x30" Stainless Steel Filler Table With Drop In Hand Sink W/ Side Splash	30"	18"	34.75"	Yes
HST-2430-1014-SS	15"x30" Stainless Steel Filler With Drop In Hand Sink W/ Side Splash	30"	24"	34.75"	Yes

Stainless Steel Tubing Bundles

- T-304 or T-201
- 16 & 18 Gauge
- Square & Round Options
- Various Dimensions

Tubing is be sold in 20ft long x 75 piece bundles = 1,500 ft. of tubing.

Contact your salesrepresentative today for more information.

Marine Edge Prep Tables

Stainless or Galvanized Undershelf & Legs

- Prep Table With Marine Edge
- 18/304 Stainless Steel Construction
- 16" x 20" x 10" Sink Bowl on Left or Right
- 6" Backsplash
- 4" O.C. Deck Mount Faucet Holes
- Includes Basket Drain
- Adjustable SS or Galv Undershelf
- SS or Galv Legs With Adjustable Bullet Feet

Stainless Legs & Undershelf	Sink Loc.	Mount	NSF	Truckline
BKMPT-3048S-L	Left	Deck	Yes	Yes
BKMPT-3048S-R	Right	Deck	Yes	Yes
BKMPT-3060S-L	Left	Deck	Yes	Yes
BKMPT-3060S-R	Right	Deck	Yes	Yes
BKMPT-3072S-L	Left	Deck	Yes	Yes
BKMPT-3072S-R	Right	Deck	Yes	Yes

Stainless Base with 8" Swing Faucet	Sink Loc.	Mount	NSF	Truckline
BKMPT-3048S-L-P-G	Left	Deck	Yes	Yes
BKMPT-3048S-R-P-G	Right	Deck	Yes	Yes
BKMPT-3060S-L-P-G	Left	Deck	Yes	Yes
BKMPT-3060S-R-P-G	Right	Deck	Yes	Yes
BKMPT-3072S-L-P-G	Left	Deck	Yes	Yes
BKMPT-3072S-R-P-G	Right	Deck	Yes	Yes

Galvanized Legs & Undersshelf	Sink Loc.	Mount	NSF	Truckline
BKMPT-3048G-L	Left	Deck	Yes	Yes
BKMPT-3048G-R	Right	Deck	Yes	Yes
BKMPT-3060G-L	Left	Deck	Yes	Yes
BKMPT-3060G-R	Right	Deck	Yes	Yes
BKMPT-3072G-L	Left	Deck	Yes	Yes
BKMPT-3072G-R	Right	Deck	Yes	Yes

Galv Base with 8" Swing Faucet	Sink Loc.	Mount	NSF	Truckline
BKMPT-3048G-L-P-G	Left	Deck	Yes	Yes
BKMPT-3048G-R-P-G	Right	Deck	Yes	Yes
BKMPT-3060G-L-P-G	Left	Deck	Yes	Yes
BKMPT-3060G-R-P-G	Right	Deck	Yes	Yes
BKMPT-3072G-L-P-G	Left	Deck	Yes	Yes
BKMPT-3072G-R-P-G	Right	Deck	Yes	Yes

Heavy Duty Reinforced Marine Edge Prep Tables

Undershelf with Stainless Steel Legs

- T-304 18Ga Stainless Steelw
- Bowl Size 16" x 20" x 10"(d)
- Reinforced Top
- 3-10 Day Lead Time
- Marine Edge
- All Stainless Steel
- 6" Riser
- 4" O.C. Deck Mount Faucet Holes
- Stainless Steel Legs and Shelf

Model	Description	Length	Width	Height	Truckline	NSF
BKMPT-3048S-LHD	Heavy Duty Reinforced 30" x 48" Marine Edge Left Side Prep Table	48"	30"	41.75"	Yes	Yes
BKMPT-3048S-RHD	Heavy Duty Reinforced 30" x 48" Marine Edge Right Side Prep Table	48"	30"	41.75"	Yes	Yes
BKMPT-3060S-LHD	Heavy Duty Reinforced 30" x 60" Marine Edge Left Side Prep Table	60"	30"	41.75"	Yes	Yes
BKMPT-3060S-RHD	Heavy Duty Reinforced 30" x 60" Marine Edge Right Side Prep Table	60"	30"	41.75"	Yes	Yes
BKMPT-3072S-LHD	Heavy Duty Reinforced 30" x 72" Marine Edge Left Side Prep Table	72"	30"	41.75"	Yes	Yes
BKMPT-3072S-RHD	Heavy Duty Reinforced 30" x 72" Marine Edge Right Side Prep Table	72"	30"	41.75"	Yes	Yes

16 Ga T-304 Prep Tables

TRUCKLINE ONLY

NSF

Undershelf with Stainless Steel Legs

- T-304 16 Ga Stainless Steel
- Bowl Size (2) 16" x 20" x 10"(d) Bowls
- Handsink Bowl Size: 10" x 14" x 10"(d)
- 8" O.C. Deck Mount Faucet Holes
- Stainless Steel Top, Base, and Legs
- 3-10 Day Lead Time

Model	Description	Length	Width	Height	Truckline	NSF
BKPT-2-3084S-L	16 Ga Stainless Steel Prep Tables w/ Left Side 2 Comp Sink & Handsink	84"	30"	39.75"	Yes	Yes
BKPT-2-3084S-R	16 Ga Stainless Steel Prep Tables w/ Right Side 2 Comp Sink & Handsink	84"	30"	39.75"	Yes	Yes
BKPT-2-3096S-L	16 Ga Stainless Steel Prep Tables w/ Left Side 2 Comp Sink & Handsink	96"	30"	39.75"	Yes	Yes
BKPT-2-3096S-R	16 Ga Stainless Steel Prep Tables w/ Right Side 2 Comp Sink & Handsink	96"	30"	39.75"	Yes*	Yes

Drawer Assemblies

- Drawer Assembly
- With or without Lock
- 200 Lb. Capacity
- Self-Closing
- Stainless Steel Assembly With Stainless Steel Pan
- Fits 24"D, 30"D, And 36"D Metal Or Wood Work Tables
- Universal Mounting Kit Included To Attach To Metal Tables
- ADA Compliant

Model	Description	Length	Width	NSF
BKDWR-2015-ASSY-L-SS	Stainless Steel Drawer Assembly W/Lock, Stainless Pan 200lb 20"x15"x5"	17.875"	23"	Yes
BKDWR-2015-ASSY-SS	Stainless Steel Drawer Assembly W/Stainless Steel Pan 200lb 20"x15"x5"	17.875"	23"	Yes
BKDWR-2020-ASSY-L-SS	Stainless Steel Drawer Assembly W/Lock, Stainless Pan 200lb 20"x20"x5"	23.25"	23"	Yes
BKDWR-2020-ASSY-SS	Stainless Steel Drawer Assembly W/Stainless Steel Pan 200lb 20"x20"x5"	23.25"	23"	Yes
BKDWR-1820-ASSY-L-SS	Stainless Steel Drawer Assembly W/Lock, Stainless Pan 200lb 15"x20"x5"	17"	23.25"	Yes
BKDWR-1820-ASSY-SS	Stainless Steel Drawer Assembly W/Stainless Steel Pan 200lb 15"x20"x5"	17"	23.25"	Yes

How Many Drawer Assemblies Will Fit My Work Table?

TABLE WIDTH (Front to Back)	24"	30"	36"	48"	60"	72"	84"	96"
18"	N/A	N/A	(1) 18X20	(1) 18X20	(1) 18X20	(2) 18X20	(2) 18X20	(2) 18X20
24"	N/A	(1) 20X15	(1) 20X20, (1) 20X15	(1) 20X20, (2) 20X15	(1) 20X20, (2) 20X15	(2) 20X20, (3) 20X15	(2) 20X20, (2) 20X15	(2) 20X20, (4) 20X15
30"	N/A	(1) 20X15	(1) 20X20, (1) 20X15	(1) 20X20, (2) 20X15	(1) 20X20, (2) 20X15	(2) 20X20, (3) 20X15	(2) 20X20, (2) 20X15	(2) 20X20, (4) 20X15
36"	N/A	(1) 20X15	(1) 20X20, (1) 20X15	(1) 20X20, (2) 20X15	(1) 20X20, (2) 20X15	(2) 20X20, (3) 20X15	(2) 20X20, (2) 20X15	(2) 20X20, (4) 20X15



Stainless Steel Work Table Adjustable Undershelves

- T-430 18 Ga Stainless Steel
- Each Corner Brace Includes 2 Set Screws for Maximum Stability
- Specifically Designed for BK Resources Tables

Model	Description	Length	Width	Height	Truckline	Fits BK Tables Sized
SVTS-1824	Stainless Steel Work Table Adjustable Undershelf 24"	17.5"	10"	3.125"		18 x 24
SVTS-1830	Stainless Steel Work Table Adjustable Undershelf 30"	23.5"	10"	3.125"		18 x 30
SVTS-1836	Stainless Steel Work Table Adjustable Undershelf 36"	29.5"	10"	3.125"		18 x 36
SVTS-1848	Stainless Steel Work Table Adjustable Undershelf 48"	41.5"	10"	3.125"		18 x 48
SVTS-1860	Stainless Steel Work Table Adjustable Undershelf 60"	53.5"	10"	3.125"	Yes	18 x 60
SVTS-1872	Stainless Steel Work Table Adjustable Undershelf 72"	65.5"	10"	3.125"	Yes	18 x 72
SVTS-1896	Stainless Steel Work Table Adjustable Undershelf 96"	89.5"	10"	3.125"	Yes	18 x 84
SVTS-2424	Stainless Steel Work Table Adjustable Undershelf 24"	17.5"	16"	3.125"		18 x 96
SVTS-3024	Stainless Steel Work Table Adjustable Undershelf 30"	23.5"	16"	3.125"		24 x 24
SVTS-3624	Stainless Steel Work Table Adjustable Undershelf 36"	29.5"	16"	3.125"		24 x 36
SVTS-4824	Stainless Steel Work Table Adjustable Undershelf 48"	41.5"	16"	3.125"		24 x 48
SVTS-6024	Stainless Steel Work Table Adjustable Undershelf 60"	53.5"	16"	3.125"	Yes	24 x 60
SVTS-7224	Stainless Steel Work Table Adjustable Undershelf 72"	65.5"	16"	3.125"	Yes	24 x 72
SVTS-8424	Stainless Steel Work Table Adjustable Undershelf 84"	77.5"	16"	3.125"	Yes	24 x 84
SVTS-9624	Stainless Steel Work Table Adjustable Undershelf 96"	89.5"	16"	3.125"	Yes	24 x 96
SVTS-3030	Stainless Steel Work Table Adjustable Undershelf 30"	23.5"	22"	3.125"		30 x 30
SVTS-3630	Stainless Steel Work Table Adjustable Undershelf 36"	29.5"	22"	3.125"		30 x 36
SVTS-4830	Stainless Steel Work Table Adjustable Undershelf 48"	41.5"	22"	3.125"		30 x 48
SVTS-6030	Stainless Steel Work Table Adjustable Undershelf 60"	53.5"	22"	3.125"	Yes	30 x 60
SVTS-7230	Stainless Steel Work Table Adjustable Undershelf 72"	65.5"	22"	3.125"	Yes	30 x 72
SVTS-8430	Stainless Steel Work Table Adjustable Undershelf 84"	77.5"	22"	3.125"	Yes	30 x 84
SVTS-9630	Stainless Steel Work Table Adjustable Undershelf 96"	89.5"	22"	3.125"	Yes*	30 x 96
SVTS-4836	Stainless Steel Work Table Adjustable Undershelf 48"	41.5"	28"	3.125"	Yes	36 x 48
SVTS-6036	Stainless Steel Work Table Adjustable Undershelf 60"	53.5"	28"	3.125"	Yes	36 x 60
SVTS-7236	Stainless Steel Work Table Adjustable Undershelf 72"	65.5"	28"	3.125"	Yes	36 x 72
SVTS-9636	Stainless Steel Work Table Adjustable Undershelf 96"	89.5"	28"	3.125"	Yes*	36 x 96

Work Table Legs

- 20 ft Randoms Also Available - Call for Pricing
- 1 ⅝" OD Round
- Includes S/S Adjustable Foot (BK-SSAF) in Precut Lengths
- 16 ga. T-304 Stainless`

Model	Description	Material	Total Length
BKL-24SS	Stainless Steel Leg 16 Ga. T-304 1-5/8"	Stainless	24"
BKL-36SS	Stainless Steel Leg 16 Ga. T-304 1-5/8"	Stainless	36"
BKL-6SS	Stainless Steel Leg 16 Ga. T-304 1-5/8"	Stainless	6"
Replacement Legs			
BKT-SSL-3325	Replacement Leg cut to Work Table Height	Stainless	33 ¼"
BKL-G-33-1/4	Replacement Leg cut to Work Table Height	Galvanized	33 ¼"



Work Table Legs with Casters

- (1) Stainless Steel Leg with Caster
- 16 ga. T-304 Stainless
- 1⅝" OD Round
- Includes 5" Wheel Diameter Caster with Toe Lock Brake (5SBR-RA-PLY-TLB)
- 33¼" Tall

Model	Description	Material	Total Length
BKLC-G-34	Single Galvanized Steel Table Leg W/ Caster	Galvanized	33.250"
BKLC-G-34-PS4	Galvanized Steel Table Leg W/ Casters Kit - Qty. 4	Galvanized	33.250"
BKLC-G-34-PS6	Galvanized Steel Table Legs W/ Casters Kit - Qty. 6	Galvanized	33.250"
BKLC-S-34	Single Stainless Steel Leg W/ Casters	Stainless	33.250"
BKLC-S-34-PS4	Stainless Steel Leg W/ Casters Kit - Qty 4	Stainless	33.250"
BKLC-S-34-PS6	Stainless Steel Leg W/ Casters Kit - Qty 6	Stainless	33.250"

Rail Supports & Legs

Model: BKBS-1

Description: 1 Hole Cross Brace Fitting for 1-5/8-Inch OD Legs

Model: BKBS-3

Description: Middle Leg Cross Brace Fitting for 1-5/8-Inch

Model: BKBS-2

Description: 2 Hole Cross Brace Fitting for 1-5/8-Inch OD Legs

Model: BKL-1625-WP

Description: 1-5/8" X 6" Stainless Steel Leg W/ Plate

Sign in to **bk-resources.com** to see your net pricing

1(888)310-4393



Galvanized Work Table Adjustable Undershelves

- T-430 18 Ga Stainless Steel
- Each Corner Brace Includes 2 Set Screws for Maximum Stability
- Specifically Designed for BK Resources Tables

Model	Description	Length	Width	Height	Truckline	Fits BK Table Sized
VTS-1824	Galvanized Steel Work Table Adjustable Undershelf 24"	17.5"	10"	3.125"		18 x 24
VTS-1830	Galvanized Steel Work Table Adjustable Undershelf 30"	23.5"	10"	3.125"		18 x 30
VTS-1836	Galvanized Steel Work Table Adjustable Undershelf 36"	29.5"	10"	3.125"		18 x 36
VTS-1848	Galvanized Steel Work Table Adjustable Undershelf 48"	41.5"	10"	3.125"		18 x 48
VTS-1860	Galvanized Steel Work Table Adjustable Undershelf 60"	53.5"	10"	3.125"	Yes	18 x 60
VTS-1872	Galvanized Steel Work Table Adjustable Undershelf 72"	65.5"	10"	3.125"	Yes	18 x 72
VTS-1884	Galvanized Steel Work Table Adjustable Undershelf 84"	77.5"	10"	3.125"	Yes	18 x 84
VTS-1896	Galvanized Steel Work Table Adjustable Undershelf 96"	89.5"	10"	3.125"	Yes	18 x 96
VTS-2424	Galvanized Steel Work Table Adjustable Undershelf 24"	17.5"	16"	3.125"		24 x 24
VTS-3024	Galvanized Steel Work Table Adjustable Undershelf 30"	23.5"	16"	3.125"		24 x 30
VTS-3624	Galvanized Steel Work Table Adjustable Undershelf 36"	29.5"	16"	3.125"		24 x 36
VTS-4824	Galvanized Steel Work Table Adjustable Undershelf 48"	41.5"	16"	3.125"		24 x 48
VTS-6024	Galvanized Steel Work Table Adjustable Undershelf 60"	53.5"	16"	3.125"		24 x 60
VTS-7224	Galvanized Steel Work Table Adjustable Undershelf 72"	65.5"	16"	3.125"	Yes	24 x 72
VTS-8424	Galvanized Steel Work Table Adjustable Undershelf 84"	77.5"	16"	3.125"	Yes	24 x 84
VTS-9624	Galvanized Steel Work Table Adjustable Undershelf 96"	89.5"	16"	3.125"	Yes	24 x 96
VTS-3030	Galvanized Steel Work Table Adjustable Undershelf 30"	23.5"	22"	3.125"		30 x 30
VTS-3630	Galvanized Steel Work Table Adjustable Undershelf 36"	29.5"	22"	3.125"		30 x 36
VTS-4830	Galvanized Steel Work Table Adjustable Undershelf 48"	41.5"	22"	3.125"		30 x 48
VTS-6030	Galvanized Steel Work Table Adjustable Undershelf 60"	53.5"	22"	3.125"		30 x 60
VTS-7230	Galvanized Steel Work Table Adjustable Undershelf 72"	65.5"	22"	3.125"	Yes	30 x 72
VTS-8430	Galvanized Steel Work Table Adjustable Undershelf 84"	77.5"	22"	3.125"	Yes	30 x 84
VTS-9630	Galvanized Steel Work Table Adjustable Undershelf 96"	89.5"	22"	3.125"	Yes	30 x 96
VTS-3636	Galvanized Steel Work Table Adjustable Undershelf 36"	29.5"	28"	3.125"		36 x 36
VTS-4836	Galvanized Steel Work Table Adjustable Undershelf 48"	41.5"	28"	3.125"		36 x 48
VTS-6036	Galvanized Steel Work Table Adjustable Undershelf 60"	53.5"	28"	3.125"	Yes	36 x 60
VTS-7236	Galvanized Steel Work Table Adjustable Undershelf 72"	65.5"	28"	3.125"	Yes	36 x 72
VTS-8436	Galvanized Steel Work Table Adjustable Undershelf 84"	77.5"	28"	3.125"	Yes	36 x 84
VTS-9636	Galvanized Steel Work Table Adjustable Undershelf 96"	89.5"	28"	3.125"	Yes	36 x 96

Open Base Table Kits

Fits BK Resources Work Tables

- Stainless or Galvanized Open Base Table Bracing Kit
- Replace or Convert any BK Resources Work Table
- Includes Cross Brace Fittings and Support Tubing

Model	Description
SOBK-2424	Stainless Open Base Table Kit, 24 X 24
SOBK-3024	Stainless Open Base Table Kit, 30 X 24
SOBK-3624	Stainless Open Base Table Kit, 36 X 24
SOBK-4824	Stainless Open Base Table Kit, 48 X 24
SOBK-6024	Stainless Open Base Table Kit, 60 X 24
SOBK-7224	Stainless Open Base Table Kit, 72 X 24
SOBK-8424	Stainless Open Base Table Kit, 84 X 24
SOBK-9624	Stainless Open Base Table Kit, 96 X 24
SOBK-3030	Stainless Open Base Table Kit, 30 X 30
SOBK-3630	Stainless Open Base Table Kit, 36 X 30
SOBK-4830	Stainless Open Base Table Kit, 48 X 30
SOBK-6030	Stainless Open Base Table Kit, 60 X 30
SOBK-7230	Stainless Open Base Table Kit, 72 X 30
SOBK-8430	Stainless Open Base Table Kit, 84 X 30
SOBK-9630	Stainless Open Base Table Kit, 96 X 30

Model	Description
VOBK-2424	Galvanized Open Base Table Kit, 24 X 24
VOBK-3024	Galvanized Open Base Table Kit, 30 X 24
VOBK-3624	Galvanized Open Base Table Kit, 36 X 24
VOBK-4824	Galvanized Open Base Table Kit, 48 X 24
VOBK-6024	Galvanized Open Base Table Kit, 60 X 24
VOBK-7224	Galvanized Open Base Table Kit, 72 X 24
VOBK-8424	Galvanized Open Base Table Kit, 84 X 24
VOBK-9624	Galvanized Open Base Table Kit, 96 X 24
VOBK-3030	Galvanized Open Base Table Kit, 30 X 30
VOBK-3630	Galvanized Open Base Table Kit, 36 X 30
VOBK-4830	Galvanized Open Base Table Kit, 48 X 30
VOBK-6030	Galvanized Open Base Table Kit, 60 X 30
VOBK-7230	Galvanized Open Base Table Kit, 72 X 30
VOBK-8430	Galvanized Open Base Table Kit, 84 X 30
VOBK-9630	Galvanized Open Base Table Kit, 96 X 30

Flat Top Wood Tables with Stainless Legs and Undershelf or Open Base

- 1¾" Hard Maple Flat Top
- Penetrating Oil Finish
- Stainless Steel Legs & Base
- Adjustable Shelf (MFTS- Only)
- 1¼" Adjustable Stainless Steel Feet
- 34.75" Height
- NSF Certified

Model	Description	Length	Width	Truckline
MFTS-4830	Hard Maple Flat Top Table W/Stainless Undershelf	48"	30"	
MFTS-6030	Hard Maple Flat Top Table W/Stainless Undershelf	60"	30"	
MFTS-7230	Hard Maple Flat Top Table W/Stainless Undershelf	72"	30"	
MFTS-9630	Hard Maple Flat Top Table W/Stainless Undershelf	96"	30"	
MFTS-4836	Hard Maple Flat Top Table W/Stainless Undershelf	48"	36"	
MFTS-6036	Hard Maple Flat Top Table W/Stainless Undershelf	60"	36"	
MFTS-7236	Hard Maple Flat Top Table W/Stainless Undershelf	72"	36"	
MFTS-9636	Hard Maple Flat Top Table W/Stainless Undershelf	96"	36"	

Open Base	Description	Length	Width	Truckline
MFTSOB-4830	Hard Maple Table Open Base, Stainless Steel Legs	48"	30"	
MFTSOB-6030	Hard Maple Table Open Base, Stainless Steel Legs	60"	30"	
MFTSOB-7230	Hard Maple Table Open Base, Stainless Steel Legs	72"	30"	
MFTSOB-9630	Hard Maple Table Open Base, Stainless Steel Legs	96"	30"	
MFTSOB-4836	Hard Maple Table Open Base, Stainless Steel Legs	48"	36"	
MFTSOB-6036	Hard Maple Table Open Base, Stainless Steel Legs	60"	36"	
MFTSOB-7236	Hard Maple Table Open Base, Stainless Steel Legs	72"	36"	
MFTSOB-9636	Hard Maple Table Open Base, Stainless Steel Legs	96"	36"	

with Galvanized Legs and Undershelf or Open Base

- Galvanized Legs & Base with 1¼" Adjustable High Impact Corrosion Resistant Feet

Model	Description	Length	Width	Truckline
MFTG-4830	Hard Maple Flat Top Table W/Galvanized Undershelf Oil Finish	48"	30"	
MFTG-6030	Hard Maple Flat Top Table W/Galvanized Undershelf Oil Finish	60"	30"	
MFTG-7230	Hard Maple Flat Top Table W/Galvanized Undershelf Oil Finish	72"	30"	
MFTG-9630	Hard Maple Flat Top Table W/Galvanized Undershelf Oil Finish	96"	30"	
MFTG-4836	Hard Maple Flat Top Table W/Galvanized Undershelf Oil Finish	48"	36"	
MFTG-6036	Hard Maple Flat Top Table W/Galvanized Undershelf Oil Finish	60"	36"	
MFTG-7236	Hard Maple Flat Top Table W/Galvanized Undershelf Oil Finish	72"	36"	
MFTG-9636	Hard Maple Flat Top Table W/Galvanized Undershelf Oil Finish	96"	36"	

Open Base	Description	Length	Width	Truckline
MFTGOB-4830	Hard Maple Table Open Base w/ Galvanized Legs Oil Finish	48"	30"	
MFTGOB-6030	Hard Maple Table Open Base w/ Galvanized Legs Oil Finish	60"	36"	
MFTGOB-7230	Hard Maple Table Open Base w/ Galvanized Legs Oil Finish	72"	30"	
MFTGOB-9630	Hard Maple Table Open Base w/ Galvanized Legs Oil Finish	96"	30"	
MFTGOB-4836	Hard Maple Table Open Base w/ Galvanized Legs Oil Finish	48"	36"	
MFTGOB-6036	Hard Maple Table Open Base w/ Galvanized Legs Oil Finish	60"	36"	
MFTGOB-7236	Hard Maple Table Open Base w/ Galvanized Legs Oil Finish	72"	36"	
MFTGOB-9636	Hard Maple Table Open Base w/ Galvanized Legs Oil Finish	96"	36"	

Replacement Wood Flat Tops

- Flat Replacement Top - 1¾" Thick Hard Maple
- Penetrating Oil Finish
- Non-Reversible

Replacement Tops	Description	Truckline
MBT-4830	Hard Maple Bakers Top Table Replacement Top W/Oil Finish 48X30X1¾	Yes
MBT-6030	Hard Maple Bakers Top Table Replacement Top W/Oil Finish 60X30X1¾	Yes
MBT-7230	Hard Maple Bakers Top Table Replacement Top W/Oil Finish 72X30X1¾	Yes
MBT-9630	Hard Maple Bakers Top Table Replacement Top W/Oil Finish 96X30X1¾	Yes*
MBT-4836	Hard Maple Bakers Top Table Replacement Top W/Oil Finish 48X36X1¾	Yes
MBT-6036	Hard Maple Bakers Top Table Replacement Top W/Oil Finish 60X36X1¾	Yes
MBT-7236	Hard Maple Bakers Top Table Replacement Top W/Oil Finish 72X36X1¾	Yes
MBT-9636	Hard Maple Bakers Top Table Replacement Top W/Oil Finish 96X36X1¾	Yes*

Bakers Top Wood Tables *with Stainless Legs and Undershelf or Open Base*

- 1¾" Hard Maple Bakers Top W/ Penetrating Oil Finish
- 4" Coved Risers On Back And Sides
- Stainless Steel Legs & Base
- Adjustable Shelf (MBTS Only)
- Top Reinforced With (2) 5" "C" Channels
- 1¼" Adjustable Stainless Steel Feet
- 38.75" Height
- NSF Certified

Model	Description	Length	Width	Truckline
MBTS-4830	Hard Maple Bakers Top Table, Stainless Undershelf	48"	30"	
MBTS-6030	Hard Maple Bakers Top Table, Stainless Undershelf	60"	30"	
MBTS-7230	Hard Maple Bakers Top Table, Stainless Undershelf	72"	30"	
MBTS-9630	Hard Maple Bakers Top Table, Stainless Undershelf	96"	30"	
MBTS-4836	Hard Maple Bakers Top Table, Stainless Undershelf	48"	36"	
MBTS-6036	Hard Maple Bakers Top Table, Stainless Undershelf	60"	36"	
MBTS-7236	Hard Maple Bakers Top Table, Stainless Undershelf	72"	36"	
MBTS-9636	Hard Maple Bakers Top Table, Stainless Undershelf	96"	36"	

Open Base	Description	Length	Width	Truckline
MBTSOB-4830	Hard Maple Bakers Top Table, Stainless Open Base	48"	36"	
MBTSOB-6030	Hard Maple Bakers Top Table, Stainless Open Base	60"	30"	
MBTSOB-7230	Hard Maple Bakers Top Table, Stainless Open Base	72"	30"	
MBTSOB-9630	Hard Maple Bakers Top Table, Stainless Open Base	96"	30"	
MBTSOB-4836	Hard Maple Bakers Top Table, Stainless Open Base	48"	36"	
MBTSOB-6036	Hard Maple Bakers Top Table, Stainless Open Base	60"	36"	
MBTSOB-7236	Hard Maple Bakers Top Table, Stainless Open Base	72"	36"	
MBTSOB-8436	Hard Maple Bakers Top Table, Stainless Open Base	84"	36"	
MBTSOB-9636	Hard Maple Bakers Top Table, Stainless Open Base	96"	36"	

with Galvanized Legs and Undershelf or Open Base

- Galvanized Legs & Base with 1¼" Adjustable High Impact Corrosion Resistant Feet

Model	Description	Length	Width	Truckline
MBTG-4830	Hard Maple Bakers Top Table W/Galvanized Undershelf	48"	30"	Yes
MBTG-6030	Hard Maple Bakers Top Table W/Galvanized Undershelf	60"	30"	Yes
MBTG-7230	Hard Maple Bakers Top Table W/Galvanized Undershelf	72"	30"	Yes
MBTG-9630	Hard Maple Bakers Top Table W/Galvanized Undershelf	96"	30"	Yes*
MBTG-4836	Hard Maple Bakers Top Table W/Galvanized Undershelf	48"	36"	Yes
MBTG-6036	Hard Maple Bakers Top Table W/Galvanized Undershelf	60"	36"	Yes
MBTG-7236	Hard Maple Bakers Top Table W/Galvanized Undershelf	72"	36"	Yes
MBTG-9636	Hard Maple Bakers Top Table W/Galvanized Undershelf	96"	36"	Yes*

Open Base	Description	Length	Width	List Price	Truckline
MBTGOB-4830	Hard Maple Bakers Top Table W/Galvanized Open Base	48"	30"		Yes
MBTGOB-6030	Hard Maple Bakers Top Table W/Galvanized Open Base	60"	30"		Yes
MBTGOB-7230	Hard Maple Bakers Top Table W/Galvanized Open Base	72"	30"		Yes
MBTGOB-9630	Hard Maple Bakers Top Table W/Galvanized Open Base	96"	30"		Yes*
MBTGOB-4836	Hard Maple Bakers Top Table W/Galvanized Open Base	48"	36"		Yes
MBTGOB-6036	Hard Maple Bakers Top Table W/Galvanized Open Base	60"	36"		Yes
MBTGOB-7236	Hard Maple Bakers Top Table W/Galvanized Open Base	72"	36"		Yes
MBTGOB-9636	Hard Maple Bakers Top Table W/Galvanized Open Base	96"	36"		Yes*

Replacement Bakers Wood Tops

- Bakers Replacement Top - 1¾" Thick Hard Maple
- Penetrating Oil Finish
- Non-Reversible

Replacement Tops	Description	Truckline
MFT-4830	Hard Maple Flat Top Table Replacement Top with Oil Finish 48X30X1¾	Yes
MFT-6030	Hard Maple Flat Top Table Replacement Top with Oil Finish 60X30X1¾	Yes
MFT-7230	Hard Maple Flat Top Table Replacement Top with Oil Finish 72X30X1¾	Yes
MFT-9630	Hard Maple Flat Top Table Replacement Top with Oil Finish 96X30X1¾	Yes*
MFT-4836	Hard Maple Flat Top Table Replacement Top with Oil Finish 48X36X1¾	Yes
MFT-6036	Hard Maple Flat Top Table Replacement Top with Oil Finish 60X36X1¾	Yes
MFT-7236	Hard Maple Flat Top Table Replacement Top with Oil Finish 72X36X1¾	Yes
MFT-9636	Hard Maple Flat Top Table Replacement Top with Oil Finish 96X36X1¾	Yes*



BK RESOURCES

Work Tables

Cabinet Base Chef Tables

Highly functional by design, these cabinet base work tables combine enclosed storage with stainless steel or wood work surfaces. Multiple sizes, door styles, locking options, and adjustable shelving are available. We stock most standard sizes, making these a solid base for EasyMOD modifications with fast turnaround.

CHEF TABLES

CABINET BASE WORK TABLES

- Choose between Single-Sided or Dual-Access Units
- 4 Styles of Work Tops to Choose From
- Open Front or 3 Styles of Doors to Choose From

UNDERSTANDING CHEF TABLE PART NUMBERS

CST-2448-HL2

- (A) Style of Top
- Size (Depth x Width)
- (B) Door Style
- (C) Single Sided or Dual-Access Unit

SCAN TO GO TO EasyMOD 3D Configurator

MODIFY YOUR CHEF TABLE

Style of Top (A)

CST - SS Flat Top

CSTR5 - SS Top w/ 5" Riser

CMT - Hard Maple Flat Top

CMBT- Hard Maple Bakers Top

Door Styles (B)

No Indicator - Open

S - Sliding Doors

H - Hinged Doors

HL- Hinged Doors with Lock

Dual-Access or Single Sided (C)

Single Sided

T-304 Stainless Cabinet Base Chef Tables - Single Sided

- Open Front or Doors on One Side
- 14 Ga Stainless Steel Top
- 18 Ga. Stainless Steel Body
- 6" Stainless Steel Adjustable Legs
- NSF
- 3-10 Day Lead Time When Adding Doors

Shown with optional shelf

Shown with optional shelf

Size: (lxw)	Open Front	Sliding Doors	Hinged Doors	Hinged + Lock	Truckline
24" x 18"	CST-2418	- -	CST-2418H	CST-2418HL	
24" x 24"	CST-2424	- -	CST-2424H	CST-2424HL	
24" x 36"	CST-2436	CST-2436S	CST-2436H	CST-2436HL	
24" x 48"	CST-2448	CST-2448S	CST-2448H	CST-2448HL	
24" x 60"	CST-2460	CST-2460S	CST-2460H	CST-2460HL	
24" x 72"	CST-2472	CST-2472S	CST-2472H	CST-2472HL	
30" x 18"	CST-3018	- -	CST-3018H	CST-3018HL	
30" x 30"	CST-3030	- -	CST-3030H	CST-3030HL	
30" x 36"	CST-3036	CST-3036S	CST-3036H	CST-3036HL	
30" x 48"	CST-3048	CST-3048S	CST-3048H	CST-3048HL	
30" x 60"	CST-3060	CST-3060S	CST-3060H	CST-3060HL	
30" x 72"	CST-3072	CST-3072S	CST-3072H	CST-3072HL	
	CST-3084	CST-3084S	CST-3084H	CST-3084HL	
30" x 96"	CST-3096*	CST-3096S*	CST-3096H*	CST-3096HL*	
30" x 120"	CST-30120*	CST-30120S*	CST-30120H*	CST-30120HL*	
36" x 48"	CST-3648	CST-3648S	CST-3648H	CST-3648HL	
36" x 60"	CST-3660	CST-3660S	CST-3660H	CST-3660HL	
36" x 72"	CST-3672	CST-3672S	CST-3672H	CST-3672HL	
36" x 84"	CST-3684	CST-3684S	CST-3684H	CST-3684HL	
36" x 96"	CST-3696*	CST-3696S*	CST-3696H*	CST-3696HL*	
36" x 120"	CST-36120*	CST-36120S*	CST-36120H*	CST-36120HL*	

Single Sided with 5" Riser

- 5" Riser Top
- 14 Ga Stainless Steel Top
- 18 Ga. Stainless Steel Body
- 6" Stainless Steel Adjustable Legs
- NSF
- 3-10 Day Lead Time When Adding Doors

Size: (lxw)	Open Front	List Price	Sliding Doors	Hinged Doors	Hinged + Lock
24" x 18"	CSTR5-2418		-	CSTR5-2418H	CSTR5-2418HL
24" x 24"	CSTR5-2424		-	CSTR5-2436H	CSTR5-2424HL
24" x 36"	CSTR5-2436		CSTR5-2436S	CSTR5-2424H	CSTR5-2436HL
24" x 48"	CSTR5-2448		CSTR5-2448S	CSTR5-2448H	CSTR5-2448HL
24" x 60"	CSTR5-2460		CSTR5-2460S	CSTR5-2460H	CSTR5-2460HL
24" x 72"	CSTR5-2472		CSTR5-2472S	CSTR5-2472H	CSTR5-2472HL
30" x 18"	CSTR5-3018		-	CSTR5-3018H	CSTR5-3018HL
30" x 30"	CSTR5-3030		-	CSTR5-3030H	CSTR5-3030HL
30" x 36"	CSTR5-3036		CSTR5-3036S	CSTR5-3036H	CSTR5-3036HL
30" x 48"	CSTR5-3048		CSTR5-3048S	CSTR5-3048H	CSTR5-3048HL
30" x 60"	CSTR5-3060		CSTR5-3060S	CSTR5-3060H	CSTR5-3060HL
30" x 72"	CSTR5-3072		CSTR5-3072S	CSTR5-3072H	CSTR5-3072HL
30" x 84"	CSTR5-3084		CSTR5-3084S	CSTR5-3084H	CSTR5-3084HL
30" x 96"	CSTR5-3096		CSTR5-3096S	CSTR5-3096H	CSTR5-3096HL
30" x 120"	CSTR5-30120		CSTR5-30120S	CSTR5-30120H	CSTR5-30120HL
36" x 48"	CSTR5-3648		CSTR5-3648S	CSTR5-3648H	CSTR5-3648HL
36" x 60"	CSTR5-3660		CSTR5-3660S	CSTR5-3660H	CSTR5-3660HL
36" x 72"	CSTR5-3672		CSTR5-3672S	CSTR5-3672H	CSTR5-3672HL
36" x 84"	CSTR5-3684		CSTR5-3684S	CSTR5-3684H	CSTR5-3684HL
36" x 96"	CSTR5-3696		CSTR5-3696S	CSTR5-3696H	CSTR5-3696HL
36" x 120"	CSTR5-36120		CSTR5-36120S	CSTR5-36120H	CSTR5-36120HL

T-304 Stainless Cabinet Base Chef Tables - Dual Sided

TRUCKLINE ONLY

NSF

- Doors On Both Sides
- 14 Ga Stainless Steel Top
- 18 Ga. Stainless Steel Body
- 6" Stainless Steel Adjustable Legs
- NSF
- 3-10 Day Lead Time When Adding Doors

Shown with optional shelf

Size: (lxw)	Sliding Doors	List Price	Hinged Doors	List Price	Hinged + Lock	List Price	Truckline
24" x 18"	-		CST-2418H2		CST-2418HL2		
24" x 24"	-		CST-2424H2		CST-2424HL2		
24" x 36"	CST-2436S2		CST-2436H2		CST-2436HL2		
24" x 48"	CST-2448S2		CST-2448H2		CST-2448HL2		
24" x 60"	CST-2460S2		CST-2460H2		CST-2460HL2		
24" x 72"	CST-2472S2		CST-2472H2		CST-2472HL2		
24" x 18"	-		CST-3018H2		CST-3018HL2		
24" x 24"	-		CST-3030H2		CST-3030HL2		
30" x 36"	CST-3036S2		CST-3036H2		CST-3036HL2		
30" x 48"	CST-3048S2		CST-3048H2		CST-3048HL2		
30" x 60"	CST-3060S2		CST-3060H2		CST-3060HL2		
30" x 72"	CST-3072S2		CST-3072H2		CST-3072HL2		
30" x 84"	CST-3084S2		CST-3084H2		CST-3084HL2		
30" x 96"	CST-3096S2*		CST-3096H2*		CST-3096HL2*		
30" x 120"	CST-30120S2*		CST-30120H2*		CST-30120HL2*		
36" x 48"	CST-3648S2		CST-3648H2		CST-3648HL2		
36" x 60"	CST-3660S2		CST-3660H2		CST-3660HL2		
36" x 72"	CST-3672S2		CST-3672H2		CST-3672HL2		
36" x 84"	CST-3684S2		CST-3684HL2		CST-3684HL2		
36" x 96"	CST-3696S2*		CST-3696H2*		CST-3696HL2*		
36" x 120"	CST-36120S2*		CST-36120H2*		CST-36120HL2*		

OPTIONS

Adjustable/Removable Shelf for Cabinet Base Chef Tables

Fits BK Resources Cabinet Base Tables

- Fully Adjustable And Removable Shelf
- Fits Cabinet Base Chef Tables
- Adjustable Clips Included

Model	Description	Truckline	List Price
SHF-2418	Stainless Steel Adjustable Removable Shelf For 24" x 18" Cabinet 18 ga		
SHF-2424	Stainless Steel Adjustable Removable Shelf For 24" x 24" Cabinet 18 ga		
SHF-2436	Stainless Steel Adjustable Removable Shelf For 24" x 36" Cabinet 18 ga		
SHF-2448	Stainless Steel Adjustable Removable Shelf For 24" x 48" Cabinet 18 ga		
SHF-2460	Stainless Steel Adjustable Removable Shelf For 24" x 60" Cabinet 18 ga	Yes	
SHF-2472	Stainless Steel Adjustable Removable Shelf For 24" x 72" Cabinet 18 ga	Yes	
SHF-3018	Stainless Steel Adjustable Removable Shelf For 30" x 18" Cabinet 18 ga		
SHF-3030	Stainless Steel Adjustable Removable Shelf For 30" x 30" Cabinet 18 ga		
SHF-3036	Stainless Steel Adjustable Removable Shelf For 30" x 36" Cabinet 18 ga		
SHF-3048	Stainless Steel Adjustable Removable Shelf For 30" x 48" Cabinet 18 ga		
SHF-3060	Stainless Steel Adjustable Removable Shelf For 30" x 60" Cabinet 18 ga	Yes	
SHF-3072	Stainless Steel Adjustable Removable Shelf For 30" x 72" Cabinet 18 ga	Yes	
SHF-3642	Stainless Steel Adjustable Removable Shelf For 36" x 84" Cabinet 18 ga	Yes	
SHF-3648	Stainless Steel Adjustable Removable Shelf For 36" x 48" Cabinet 18 ga	Yes	
SHF-3660	Stainless Steel Adjustable Removable Shelf For 36" x 60" Cabinet 18 ga	Yes	
SHF-3672	Stainless Steel Adjustable Removable Shelf For 36" x 72" Cabinet 18 ga	Yes	

Casters

Model: 3SBR-BKDC-4

Description	List Price
3" Swivel Casters With Brake for Chef Table - Qty 4	

Model: 5SBR-BKDC-4

Description	List Price
5" Swivel Casters with Brake Chef Tables - Qty 4	

T-304 Cabinet Base Chef Tables - Flat Hard Maple Top

TRUCKLINE ONLY NSF

Single Sided Cabinet Base

- Flat Hard Maple Top
- 18 Ga. Stainless Steel Body
- 6" Stainless Steel Adjustable Legs
- NSF
- 3-10 Day Lead Time When Adding Doors



Size: (lxw)	Open Front	Sliding Doors		Hinged + Lock	List Price
30" x 48"	CMT-3048	CMT-3048S	CMT-3048H	CMT-3048HL	
30" x 60"	CMT-3060	CMT-3060S	CMT-3060H	CMT-3060HL	
30" x 72"	CMT-3072	CMT-3072S	CMT-3072H	CMT-3072HL	
30" x 96"	CMT-3096*	CMT-3096S*	CMT-3096H*	CMT-3096HL*	
36" x 48"	CMT-3648	CMT-3648S	CMT-3648H	CMT-3648HL	
36" x 60"	CMT-3660	CMT-3660S	CMT-3660H	CMT-3660HL	
36" x 72"	CMT-3672	CMT-3672S	CMT-3672H	CMT-3672HL	
36" x 96"	CMT-3696*	CMT-3696S*	CMT-3696H*	CMT-3696HL*	

T-304 Cabinet Base Tables - Hard Maple Bakers Top

TRUCKLINE ONLY NSF

Single Sided Cabinet Base

- Hard Maple Bakers Top
- 4" Coved Risers On Back And Sides
- 18 Ga. Stainless Steel Body
- 6" Stainless Steel Adjustable Legs
- NSF
- 3-10 Day Lead Time When Adding Doors

Shown with

Size: (lxw)	Open Front	Sliding Doors	Hinged Doors	Hinged Doors
30" x 48"	CMBT-3048	CMBT-3048S	CMBT-3048H	CMBT-3048HL
30" x 60"	CMBT-3060	CMBT-3060S	CMBT-3060H	CMBT-3060HL
30" x 72"	CMBT-3072	CMBT-3072S	CMBT-3072H	CMBT-3072HL
30" x 96"	CMBT-3096*	CMBT-3096S*		CMBT-3096HL*
36" x 48"	CMBT-3648	CMBT-3648S	CMBT-3648H	CMBT-3648HL
36" x 60"	CMBT-3660	CMBT-3660S	CMBT-3660H	CMBT-3660HL
36" x 72"	CMBT-3672	CMBT-3672S	CMBT-3672H	CMBT-3672HL
36" x 96"	CMBT-3696*	CMBT-3696S*	CMBT-3696H*	CMBT-3696HL*

OPTIONS

Adjustable/Removable Shelf for Cabinet Base Chef Tables

Model: 5SBR-BKDC-4

Fits BK Resources Cabinet Base Tables

- Fully Adjustable And Removable Shelf
- Fits Cabinet Base Chef Tables
- Adjustable Clips Included

Model	Description	Truckline
SHF-3048	Stainless Steel Adjustable Removable Shelf For 30" x 48" Cabinet 18 ga	
SHF-3060	Stainless Steel Adjustable Removable Shelf For 30" x 60" Cabinet 18 ga	Yes
SHF-3072	Stainless Steel Adjustable Removable Shelf For 30" x 72" Cabinet 18 ga	Yes
SHF-3648	Stainless Steel Adjustable Removable Shelf For 36" x 48" Cabinet 18 ga	Yes
SHF-3660	Stainless Steel Adjustable Removable Shelf For 36" x 60" Cabinet 18 ga	Yes
SHF-3672	Stainless Steel Adjustable Removable Shelf For 36" x 72" Cabinet 18 ga	Yes

Description

5" Swivel Casters with Brake
Chef Tables - Qty 4

Sign in to **bk-resources.com** to see your net pricing
1(888)310-4393

T-304 Cabinet Base Chef Tables - Flat Hard Maple Top

Dual Sided Cabinet Base

- Hard Maple Top
- Doors On Both Sides
- 18 Ga. Stainless Steel Body
- 6" Stainless Steel Adjustable Legs
- 3-10 Day Lead Time When Adding Doors
- NSF



Shown with optional shelf

Size: (lxw)	Hinged Doors	Hinged Doors	Hinged Doors
30" x 48"	CMT-3048S2	CMT-3048H2	CMT-3048HL2
30" x 60"	CMT-3060S2	CMT-3060H2	CMT-3060HL2
30" x 72"	CMT-3072S2	CMT-3072H2	CMT-3072HL2
30" x 96"	CMT-3096S2*	CMT-3096H2*	CMT-3096HL2*
36" x 48"	CMT-3648S2	CMT-3648H2	CMT-3648HL2
36" x 60"	CMT-3660S2	CMT-3660H2	CMT-3660HL2
36" x 72"	CMT-3672S2	CMT-3672H2	CMT-3672HL2
36" x 96"	CMT-3696S2*	CMT-3696H2*	CMT-3696HL2*

Enclosed Cabinet Base Urn Stands

Single Sided Cabinet Base with 18 Ga Stainless Steel

- 14 Gauge Stainless Steel Top
- 18 Ga. Stainless Steel Body
- Standard Stainless Steel Legs
- 34 ¾" Height
- Drop Tray Slide For Serving Trays
- Includes Adjustable Shelf
- Built In Urn Trough W/ Drain For Drips And Spills
- Self Serve Has Urn Trough On Drop Tray Side
- 3-10 Day Lead Time
- NSF

Self Serve - Urn Trough on Tray Slide Side

Size: (lxw)	Open Front	Sliding Doors	Hinged Doors	Hinged + Lock
30" x 48"	US-3048S	US-3048S-S	US-3048S-H	US-3048S-HL
30" x 60"	US-3060S	US-3060S-S	US-3060S-H	US-3060S-HL
30" x 72"	US-3072S	US-3072S-S	US-3072S-H	US-3072S-HL

Cashier Serve - Urn Trough on Door Side

Size: (lxw)	Hinged Doors	Hinged Doors	Hinged Doors	Hinged Doors
30" x 48"	US-3048C	US-3048C-S	US-3048C-H	US-3048C-HL
30" x 60"	US-3060C	US-3060C-S	US-3060C-H	US-3060C-HL
30" x 72"	US-3072C	US-3072C-S	US-3072C-H	US-3072C-HL

Enclosed Cabinet Base Serving Counters

Single Sided Cabinet Base with 18 Ga Stainless Steel

- 14 Ga. Stainless Steel Top
- 18 Ga. Stainless Steel Body
- Standard Stainless Steel Legs
- 34 ¾" Height
- Drop Shelf For Serving Trays
- 3-10 Day Lead Time
- Shown with optional casters

Size: (lxw)	Hinged Doors	Hinged Doors	Hinged Doors	Hinged Doors
24" x 48"	SECT-2448	SECT-2448S	SECT-2448H	SECT-2448HL
24" x 60"	SECT-2460	SECT-2460S	SECT-2460H	SECT-2460HL
24" x 72"	SECT-2472	SECT-2472S	SECT-2472H	SECT-2472HL
30" x 48"	SECT-3048	SECT-3048S	SECT-3048H	SECT-3048HL
30" x 60"	SECT-3060	SECT-3060S	SECT-3060H	SECT-3060HL
30" x 72"	SECT-3072	SECT-3072S	SECT-3072H	SECT-3072HL

Beverage Table

T-304 Stainless Steel Cabinet Base Table

- Sink On Left Or Right
- 14 Ga. Stainless Steel Top
- 18 Ga. Stainless Steel Body
- 14" x 10" Sink W/ BKF-4DM-5G-G Gooseneck Faucet
- Standard Stainless Steel Legs
- 5" Riser Backsplash W/ GFCI Electric Outlet
- Built-In Urn Trough With Drain For Drips And Spills
- Hinged Door Under Sink
- Includes (1) Standard Adjustable Shelf
- 3-10 Day Lead Time

Size: (lxw)	Sink On Left	Sink On Right
30" x 48"	BEVT-3048L	BEVT-3048R
30" x 60"	BEVT-3060L	BEVT-3060R
30" x 72"	BEVT-3072L	BEVT-3072R
30" x 84"	BEVT-3084L	BEVT-3084R
30" x 96"	BEVT-3096L*	BEVT-3096R*

BEVT-3048L

BEVT-3096L

96" Units have to undercounter compartments for more storage!

Mobile Serving Cart with Ice Bin

T-304 Stainless Steel Cabinet Base Table

- 14 Ga. Stainless Steel Top
- 18 Ga. Stainless Steel Body
- Cabinet Base with Hinged Locking Doors
- Push/Pull Handle
- Two Slanted Overshelves
- Heavy Duty 5" Casters
- Two Tier Slant Shelf for Display
- 3-10 Day Lead Time

Size: (lxw)	Model#	Ice Bin Size
24" X 48"	MSC-2448	18" x 28"
30" X 48"	MSC-3048	25" x 42"

STAINLESS STEEL SLIM LINE BACK BAR

- **Heavy Duty Construction**
  Durable stainless steel top & sealed interior floors
  AISI 430 Stainless Steel exterior
- **Electronic Control System**
  Allows for quick temperature adjustments and defrost frequency.
- **Eco-Friendly Hydro-Carbon Refrigerant**
  R134A Refrigerant with a nominal global warming potential rating.
- **Front Breathing Refrigeration System**
- **Holding Temp Range: 39°F to 54°F**
- **Adjustable Coated-Steel Dividers**
- **LED Interior Lighting**
- **Self Closing Doors with Locks & Stay-Open Feature**
- **Triple Chamber Snap-in Door Gaskets**
  For easy removal and cleaning.
- **Leveling Feet**
- **Warranty - 3 Year Parts - 5 Year Compressor**

SSBB-1G-24 SSBB-3G-53

MODEL	DOORS	SHELVES	AMPS	HP	VOLTAGE	NEMA PLUG	UNIT SIZE (in) (wxd)
GLASS DOOR							
SSBB-1G-24	1	2	3.0	1/6	115	5-15P	25.625 x 20.125 x 35.75
SSBB-2G-36	2	2	3.4	1/5	115	5-15P	35.5 x 20.125 x 35.75
SSBB-3G-53	3	2	4.0	1/4	115	5-15P	53.25 x 20.125 x 35.75

Not intended for residential applications

STAINLESS STEEL BACK BAR

- **Heavy Duty Construction**
  Durable stainless steel top & sealed interior floors
  AISI 430 Stainless Steel exterior.
- **Electronic Control System**
  Allows for quick temperature adjustments and defrost frequency.
- **R290 Refrigerant**
- **Front Breathing Refrigeration System**
- **Holding Temp Range: 33°F to 38°F**
- **Adjustable Coated-Steel Dividers**
- **LED Interior Lighting**
- **Self Closing Doors**
  Self closing swinging solid doors with stay-open feature.
- **Leveling Feet**
- **Warranty - 3 Year Parts - 5 Year Compressor**

SSBB-1G-36 SSBB-2G-61

MODEL	DOORS	CAPACITY 12 Oz Cans (6 Packs)	AMPS	HP	VOLTAGE	NEMA PLUG	UNIT SIZE (in) (wxd)	
GLASS DOOR								
SSBB-1G-36	1	39	3	1/5	115	5-15P	36.25 x 23.75 x 34.5	$7,363.00
SSBB-2G-61	2	32	2.6	1/6	115	5-15P	60.75 x 23.75 x 34.5	$9,838.00
SSBB-3G-85	3	37.5	4.2	1/4	118	5-15P	85.25 x 23.75 x 34.5	$11,738.00

BACK BAR

- **Heavy Duty Construction**
  Durable stainless steel top & interior with a corrosion resistant black vinyl exterior.
- **Electronic control system**
  Allows for quick temperature adjustments and defrost frequency.
- **Eco-Friendly Hydro-Carbon Refrigerant**
  R290 Refrigerant with a nominal global warming potential rating.
- **Easy Access Condenser** allows for easy service, even in tight spaces.
- **Holding Temp Range: 33°F to 41°F**
- **LED Interior Lighting**
- **Self Closing Doors with Locks**
  Self closing swinging solid doors with a 90° stay-open feature.
- **Comes with 4" swivel casters**
- **Warranty - 1 Year Parts - 5 Year Compressor**

MODEL	DOORS	SHELVES	AMPS	HP	VOLTAGE	NEMA PLUG	UNIT SIZE (in) (wxd)
SOLID DOOR							
BB-2-60	2	4	3	1/5	115/60/1	5-15P	58.75 x 25.875 x 42.25
BB-3-72	3	6	3	1/4+	115/60/1	5-15P	72.75 x 25.875 x 42.25
GLASS DOOR							
BB-2G-48	2	4	2.88	1/5	115/60/1	5-15P	48.75 x 25.875 x 42.25
BB-2G-60	2	4	2.88	1/5	115/60/1	5-15P	58.75 x 25.875 x 42.25
BB-3G-72	3	6	3.96	1/4+	115/60/1	5-15P	72.75 x 25.875 x 42.25

Not intended for residential applications

BOTTLE COOLER

- **Heavy Duty Construction**
  Durable stainless steel top & interior with a corrosion resistant black vinyl exterior.
- **Removable bottle cap opener & catcher**
- **Electronic control system**
  Allows for quick temperature adjustments and defrost frequency.
- **Eco-Friendly Hydro-Carbon Refrigerant**
  R290 Refrigerant with a nominal global warming potential rating.
- **Easy Access Condenser** allows for easy service, even in tight spaces.
- **Holding Temp Range: 33°F to 38°F**
- **Adjustable coated-steel dividers**
- **Comes with 4" swivel casters**
- **Warranty - 1 Year Parts - 5 Year Compressor**

MODEL	DOORS	DIVIDERS	CAPACITY 12 Oz Can (cases)	CAPACITY 12 Oz Bottles (cases)	AMPS	HP	VOLTAGE	NEMA PLUG	UNIT SIZE (in) (wxd)
BC-2-50	2	3	16.5	24	2.28	1/4	115/60/1	5-15P	49.5 x 28.125 x 38.75
BC-2-65	2	3	22	32	2.6	1/6	115/60/1	5-15P	64.5 x 28.125 x 38.75
BC-3-95*	3	5	55	37.5	4.2	1/4	118/60/1	5-15P	95.25 x 28.125 x 38.75

Not intended for residential applications

KEGERATOR BEER COOLER

- **Heavy Duty Construction**
  Durable stainless steel top & interior with a corrosion resistant black vinyl exterior.
- **Electronic control system**
  Allows for quick temperature adjustments and defrost frequency.
- **Eco-Friendly Hydro-Carbon Refrigerant**
  R290 Refrigerant with a nominal global warming potential rating.
- **Easy Access Condenser** allows for easy service, even in tight spaces.
- **Holding Temp Range: 33°F to 41°F**
- **LED Interior Lighting**
- **Self Closing Doors with Locks**
  Self closing swinging solid doors with a 90° stay-open feature.
- **Comes with 4" swivel casters**
- **Warranty - 1 Year Parts - 5 Year Compressor**

MODEL	DOORS	TOWERS	TAPS	KEGS (1/2 Keg/50L)	AMPS	HP	VOLTAGE	NEMA PLUG	UNIT SIZE (in) (wxd)
SOLID DOOR									
DBC-11-24	1	1	2	1	1.92	1/6	115/60/1	5-15P	23.5 x 30.38 x 39
DBC-12-60	2	1	2	2	2.88	1/5	115/60/1	5-15P	58.875 x 27.75 x 39
DBC-22-70	2	2	2	2	3.6	1/5	115/60/1	5-15P	69.125 x 27.75 x 39
DBC-23-90	3	2	2	3	4.7	1/4	115/60/1	5-15P	90.375 x 27.75 x 39

Not intended for residential applications

GLASS FROSTER / PLATE CHILLER

- **Heavy Duty Construction**
  Durable stainless steel top & interior with a corrosion resistant black vinyl exterior.
- **Electronic control system**
  Allows for quick temperature adjustments and defrost frequency.
- **Eco-Friendly Hydro-Carbon Refrigerant**
  R290 Refrigerant with a nominal global warming potential rating.
- **Easy Access Condenser** allows for easy service, even in tight spaces.
- **Holding Temp Range: -8°F to 0°F**
- **Adjustable coated-steel dividers**
- **Comes with 4" swivel casters**
- **Warranty - 1 Year Parts - 5 Year Compressor**

MODEL	SLIDING DOORS	DIVIDERS	AMPS	HP	VOLTAGE	NEMA PLUG	CAPACITY (Mugs)	UNIT SIZE (in) (wxd)
GF-25	1	4	3.3	1/6	115/60/1	5-15P	90	26.625 x 26.625 x 38.75
GF-50	2	8	5.3	1/4	115/60/1	5-15P	240	49.5 x 26.625 x 38.75

Not intended for residential applications

UNDERBAR

Three Series To Choose

Die Wall

Pedestal Base

Stainless Legs

Each series contain the same units between each other.

Design the bar you need and upgrade or downgrade as needed!

MODULAR DIE WALL

MODULAR DIE WALL

UBDW

Top of the Line Bar Builds

- Reduces the need for costly millwork
- Creates a clean, finished bar top support
- Delivers a custom-built bar look without custom pricing
- Integrated chaseways for beer, soda, electrical, and plumbing lines
- Sealed base design helps meet sanitation requirements
- Factory assembled and shipped - ready to install
- All-stainless steel bartender-side finish for durability and easy cleaning

DESIGN YOUR BAR WITH US

Bar layout and design is our forte at BK Resources. Our product pros, armed with extensive design & product knowledge are here to guide you every step of the way.

Lets collaborate on you or your customers next dream bar. Contact us today!

PEDESTAL BASE

UBB

Upgrade Your Existing Bar

- Ideal for remodels and upgrades where millwork is not required
- Pedestal base creates a clean, modern bar appearance
- Gives a die wall appearance when a wall has already been constructed
- Eliminates Legs for Easy Cleaning
- Concealed pedestal base with service access for plumbing and utilities
- Freestanding design allows future layout or equipment changes
- All-stainless steel bartender-side finish for durability and easy cleaning

STAINLESS LEGS

UB4

Easy Field Install

- Cost-effective solution for high-volume bar builds
- Stainless steel twist-in legs—no set screws required
- Legs thread directly into the body for fast, secure installation
- Allows units to be moved or reconfigured in the field
- Maximum flexibility for plumbing and floor sink placement
- Open leg design simplifies access for cleaning
- Continuous backsplash creates clean, consistent sightlines
- Proven, value-driven solution for high-volume bar installations

UNDERBAR COMPARTMENT SINKS

18 Ga T-304 Underbar Sinks with Stainless Legs

Call Series - Stainless Legs

- 18" Slim-Line or 21" Standard Underbar Sink
- 18/304 Stainless Steel Construction
- 10" Wide x 14" Front-To-Back x 10" Deep Compartments
- 5½"H Backsplash
- Includes Workforce Faucet - 1 Year Warranty
- Stainless Steel Apron On Front And Sides
- Includes Basket Drains (BKDR-2) And Removable Overflow Standpipes (BK-OT-15075)
- Stainless Legs Install Directly Into The Sink Body
- Stamped & Pitched Drainboards

workFORCE SERIES

- **Includes:**
  - BKF-W2-10-G Faucet
  - 1 Year Faucet Warranty
  - BKDR-2 Basket Drains
  - BK-OT-15075 7" Overflow Tubes

18" SLIM-LINE DEPTH — TRUCKLINE ONLY

21" STANDARD DEPTH — TRUCKLINE ONLY

BKF-W2-10-G

Length	21" Front 2 Back	# of Bowls	# of Faucet Holes	Drainboard
24"	**UB4-21-224S**	2	1	None
48"	**UB4-21-248TS**	2	1	(2) - 13.2"
36"	**UB4-21-336S**	3	1	None
48"	**UB4-21-348LS**	3	1	(1) - 13.6" Left
48"	**UB4-21-348RS**	3	1	(1) - 13.6" Right
60"	**UB4-21-360TS**	3	1	(2) - 13.5"
72"	**UB4-21-372TS**	3	1	(2) - 19"
84"	**UB4-21-384TS**	3	1	(2) - 25"
96"	**UB4-21-396TS**	3	1	(2) - 31"
72"	**UB4-21-472TS**	4	2	(2) - 13.75"
84"	**UB4-21-484TS**	4	2	(2) - 19"
96"	**UB4-21-496TS***	4	2	(2) - 25"

18 Ga T-304 Underbar Sinks with Pedestal Base

TRUCKLINE ONLY

Well Series - Pedestal Base

- 18" Slim-Line or 21" Standard Underbar Sink
- Two, Three, or Four Compartments
- 10" Wide x 14" Front-To-Back x 10" Deep Compartments
- 4½"H Backsplash
- 4" OC Deck Mount Lead-Free Workforce Faucet (BKD-10-G)
- Stainless Steel Apron On Front And Sides Include Basket Drains (BKDR-2)
- And Removable Overflow Standpipes (BK-OT-15075)
- 18/304 Stainless Steel Construction
- Pedestal Base

• Includes:
- BKF-W2-10-G Faucet
- 1 Year Faucet Warranty

- BKDR-2 Basket Drains
- BK-OT-15075 7" Overflow Tubes

workFORCE SERIES

BKF-W2-10-G | BKDR-2 | BK-OT-15075

Length	18" Front to Back	# of Bowls	# of Faucet Holes	Drainboard
24"	UBB-18-224S	2	1	None
36"	UBB-18-236LS	2	1	(1) - 12.75" Left
36"	UBB-18-236RS	2	1	(1) - 12.75" Right
48"	UBB-18-248TS	2	1	(2) - 13.2'
36"	UBB-18-336S	3	1	None
48"	UBB-18-348LS	3	1	(1) - 13.6" Left
48"	UBB-18-348RS	3	1	(1) - 13.6" Right
60"	UBB-18-360TS	3	1	(2) - 13.5"
72"	UBB-18-372TS	3	1	(2) - 19"
84"	UBB-18-384TS	3	1	(2) - 25"
72"	UBB-18-472TS	4	2	(2) - 13.75"
84"	UBB-18-484TS	4	2	(2) - 19"
96"	UBB-18-496TS*	4	2	(2) - 25"

Length	21" Front to Back	# of Bowls	# of Faucet Holes	Drainboard
24"	UBB-21-224S	2	1	None
48"	UBB-21-248TS	2	1	(2) - 13.2"
36"	UBB-21-336S	3	1	None
48"	UBB-21-348LS	3	1	(1) - 13.6" Left
48"	UBB-21-348RS	3	1	(1) - 13.6" Right
60"	UBB-21-360TS	3	1	(2) - 13.5"
72"	UBB-21-372TS	3	1	(2) - 19"
84"	UBB-21-384TS	3	1	(2) - 25"
96"	UBB-21-396TS	3	1	(2) - 31"
72"	UBB-21-472TS	4	2	(2) - 13.75"
48"	UBB-21-484TS	4	2	(2) - 19"
96"	UBB-21-496TS*	4	2	(2) - 25"

18 Ga T-304 Underbar Sinks with Die Wall

TRUCKLINE ONLY

Top Shelf Series - Die Wall & Pedestal Base

- 18" Slim-Line or 21" Standard Underbar Sink
- 18/304 Stainless Steel Construction
- Die Wall And Base
- 10" Wide x 14" Front-To-Back x 10" Deep Compartments
- 4½"H Backsplash
- Includes Workforce Faucet - 1 Year Warranty
- Stainless Steel Apron On Front And Sides
- Includes Basket Drains (BKDR-2) And Removable Overflow Standpipes (BK-OT-15075)

• Includes:
- EVO-4SM-10 Faucet
- Lifetime Faucet Warranty

- BKDR-2 Basket Drains
- BK-OT-15075 7" Overflow Tubes

EVOLUTION SERIES

LIFETIME WARRANTY

EVO-4SM-10

BKDR-2

BK-OT-15075

Length	Model#	# of Bowls	# of Faucet Holes	Drainboard
24"	UBDW-18-224S	2	1	None
36"	UBDW-18-236LS	2	1	(1) - 12.75" Left
36"	UBDW-18-236RS	2	1	(1) - 12.75" Right
48"	UBDW-18-248TS	2	1	(2) - 13.2"
36"	UBDW-18-336S	3	1	None
48"	UBDW-18-348LS	3	1	(1) - 13.6" Left
48"	UBDW-18-348RS	3	1	(1) - 13.6" Right
60"	UBDW-18-360TS	3	1	(2) - 13.5"
72"	UBDW-18-372TS	3	1	(2) - 19"
84"	UBDW-18-384TS	3	1	(2) - 25"
72"	UBDW-18-472TS	4	2	(2) - 13.75"
84"	UBDW-18-484TS	4	2	(2) - 19"
96"	UBDW-18-496TS*	4		(2) - 25"

Length	Model#	# of Bowls	# of Faucet Holes	Drainboard
24"	UBDW-21-224S	2		None
48"	UBDW-21-248TS	2		(2) - 13.2"
36"	UBDW-21-336S	3		None
48"	UBDW-21-348LS	3		(1) - 13.6" Left
48"	UBDW-21-348RS	3		(1) - 13.6" Right
60"	UBDW-21-360TS	3		(2) - 13.5"
72"	UBDW-21-372TS	3		(2) - 19"
84"	UBDW-21-384TS	3		(2) - 25"
96"	UBDW-21-396TS	3		(2) - 31"
72"	UBDW-21-472TS	4		(2) - 13.75"
84"	UBDW-21-484TS	4		(2) - 19"
96"	UBDW-21-496TS*	4		(2) - 25"

21" Underbar Cabinets with Flat Top or Raised Edge

TRUCKLINE ONLY

Call Series - Stainless Legs

- T-304 18 Ga Stainless Steel Construction
- Flat Top or Raised Edge
- Cabinet Base Door Options - Open Front, Hinged Door, or Hinged with Lock
- 6" Adjustable Legs, Pedestal Base, Or Die Wall
- Accepts Optional Adjustable Shelf
- 4" Backsplash

Size: (lxw)	Top	Open Front	Hinged Doors	Hinged + Lock
21" x 18"	Flat	UBC-21-F18	UBC-21-F18H	UBC-21-F18HL
21" x 24"	Flat	UBC-21-F24	UBC-21-F24H	UBC-21-F24HL
21" x 18"	Raised Edge	UBC-21-W18	UBC-21-W18H	UBC-21-W18HL
21" x 24"	Raised Edge	UBC-21-W24	UBC-21-W24H	UBC-21-W24HL

Well Series - Pedestal Base



Size: (lxw)	Top	Open Front	Hinged Doors	Hinged Doors + Lock
21" x 18"	Flat	UBC-B-21-F18	UBC-B-21-F18H	UBC-B-21-F18HL
21" x 24"	Flat	UBC-B-21-F24	UBC-B-21-F24H	UBC-B-21-F24HL
21" x 18"	Raised Edge	UBC-B-21-W18	UBC-B-21-W18H	UBC-B-21-W18HL
21" x 24"	Raised Edge	UBC-B-21-W24	UBC-B-21-W24H	UBC-B-21-W24HL

Top Shelf Series - Die Wall & Pedestal Base





Size: (lxw)	Top	Open Front	Hinged Doors	Hinged Doors + Lock
21" x 18"	Flat	UBC-DW-21-F18	UBC-DW-21-F18H	UBC-DW-21-F18HL
21" x 24"	Flat	UBC-DW-21-F24	UBC-DW-21-F24H	UBC-DW-21-F24HL
21" x 18"	Raised Edge	UBC-DW-21-W18	UBC-DW-21-W18H	UBC-DW-21-W18HL
21" x 24"	Raised Edge	UBC-DW-21-W24	UBC-DW-21-W24H	UBC-DW-21-W24HL

T-304 21" Underbar Cabinet with Drainboard Top

Model	Description	Doors	Truckline
UBC-1821	21" x 18" Underbar Drainboard Top Cabinet	Open Front	Yes
UBC-1821H	21" x 18" Underbar Drainboard Top Cabinet	Hinged Doors	Yes
UBC-1821HL	21" x 18" Underbar Drainboard Top Cabinet	Hinged + Lock	Yes
UBB-21-DBC18	21" x 18" Underbar Drainboard Top Cabinetw/ Pedestal Base	Open Front	Yes
UBDW-21-DBC18	21" x 18" Underbar Drainboard Top Cabinetw/ DieWall	Open Front	Yes

T-304 24" Underbar Cabinet with Flat Top

- Under Bar Cabinet
- 4" Backsplash
- Flat Top
- 18 Ga Stainless Steel
- 5" Riser
- Seal to Floor

Model	Doors	Length	Width	Height	Truckline
UBC-2424	Open Front	24"	24"	34"	
UBC-2424H	Hinged Doors	24"	24"	34"	
UBC-2424HL	Hinged Doors + Lock	24"	24"	34"	

UBC-2424H

UBC-2424

18 Ga T-304 Underbar Drainboards

- Stamped Drainboards
- 18ga T-304Stainless Steel Stamped Drainboard Drain (BKDR-15CP)
- Stainless Steel Legs, Pedestal Base, Or Die Wall
- Adjustable High Impact Corrosion Resistant Bullet Feet on the UB4/Legs version.

Call Series - Stainless Legs

18" Front 2 Back	Size	Truckline
UB4-18-DB12	18" x 12" x 33.5"	Yes
UB4-18-DB18	18" x 18" x 33.5"	Yes
UB4-18-DB24	18" x 24" x 33.5"	Yes
UB4-18-DB30	18" x 30" x 33.5"	Yes
UB4-18-DB36	18" x 36" x 33.5"	Yes
UB4-18-DB48	18" x 48" x 33.5"	Yes

21" Front 2 Back	Size	Truckline
UB4-21-DB12	21.25" x 12" x 33.5"	Yes
UB4-21-DB18	21.25" x 18" x 33.5"	Yes
UB4-21-DB24	21.25" x 24" x 33.5"	Yes
UB4-21-DB30	21.25" x 30" x 33.5"	Yes
UB4-21-DB36	21.25" x 36" x 33.5"	Yes
UB4-21-DB48	21.25" x 48" x 33.5"	Yes

Well Series - Pedestal Base

18" Front 2 Back	Size	Truckline
UBB-18-DB12	18" x 12" x 34"	Yes
UBB-18-DB18	18" x 18" x 34"	Yes
UBB-18-DB24	18" x 24" x 34"	Yes
UBB-18-DB30	18" x 30" x 34"	Yes
UBB-18-DB36	18" x 36" x 34"	Yes
UBB-18-DB48	18" x 48" x 34"	Yes

21" Front 2 Back	Size	Truckline
UBB-21-DB12	21.25" x 12" x 34"	Yes
UBB-21-DB18	21.25" x 18" x 34"	Yes
UBB-21-DB24	21.25" x 24" x 34"	Yes
UBB-21-DB30	21.25" x 30" x 34"	Yes
UBB-21-DB36	21.25" x 36" x 34"	Yes
UBB-21-DB48	21.25" x 48" x 34"	Yes

Top Shelf Series - Die Wall & Base

18" Front 2 Back	Size	Truckline
UBDW-18-DB12	23.5" x 12" x 41"	Yes
UBDW-18-DB18	23.5" x 18" x 41"	Yes
UBDW-18-DB24	23.5" x 24" x 41"	Yes
UBDW-18-DB30	23.5" x 30" x 41"	Yes
UBDW-18-DB36	23.5" x 36" x 41"	Yes
UBDW-18-DB48	23.5" x 48" x 41"	Yes

21" Front 2 Back	Size	Truckline
UBDW-21-DB12	26.75" x 12" x 41"	Yes
UBDW-21-DB18	26.75" x 18" x 41"	Yes
UBDW-21-DB24	26.75" x 24" x 41"	Yes
UBDW-21-DB30	26.75" x 30" x 41"	Yes
UBDW-21-DB36	26.75" x 36" x 41"	Yes
UBDW-21-DB36	26.75" x 48" x 41"	Yes

Corner Drainboards

Size: (lxw)	Top			
18" x 18"	Drainboard	UB4-18-CDB	UBB-18-CDB	UBDW-18-CDB
21" x 21"	Drainboard	UB4-21-CDB	UBB-21-CDB	UBDW-21-CDB

GLASS RINSER HANDSINK

UBDW - DieWall Per Foot

- Add DieWall to Your Bar Design
- Sold by The Foot
- Custom Sizes Available

Part Number
UBDW-12

UAF - 21" Underbar Rear Angle Filler

TRUCKLINE ONLY

- 18 ga Stainless Steel
- Attaches to sides of (2) Underbar Units
- Riser

Part Number	Angle
UAF-I-0521	5°
UAF-I-1021	10°
UAF-I-1521	15°
UAF-I-2021	20°
UAF-I-2521	25°
UAF-I-4521	45°

UAF-I-2521

UB-TC - Stainless Steel Trash Chute

- 18 ga Stainless Steel
- Attaches to sides of (2) Underbar Units



Part Number	Unit Size (l x w x h)
UB-TC	12" x 21 ¼" x 5 ½"

UB-SS8 - Stainless Steel 8" Speed Station

TRUCKLINE ONLY

- 18 ga Stainless Steel
- Push Down Glass Rinser
- Dipper Well Faucet
- Dipper Well Bowl w/ Basket Drain
- UB- Model Attaches to sides of (2) Underbar Units
- UBB- Model with Pedestal Base

PEDESTAL BASE

Part Number	Unit Size (l x w x h)
UB-SS8	8" x 18 ¼" x 15 ½"
UBB-18-SS8	8" x 18 ¼" x 34"

We Got The Goods

Bar layout and design is our forte at BK Resources. Our expert team, armed with extensive design & product knowledge is here to guide you every step of the way.

Lets collaborate on you or your customers next dream bar. Contact us today!

WELL SERIES - UB4 - Glass Rinser Handsink w/ Legs

TRUCKLINE ONLY NSF

- Bowl Dimensions : 10" (l) x 14" (w) x 6" (d)
- Adjustable High Impact Corrosion Resistant Bullet Feet
- Stainless Steel Legs
- 10" Wide x 14" Front-To-Back x 6" Deep Bowl
- 28.5" Working Height / 33.5" Overall Height
- Splash Mount Lead-Free Faucet (BKF-W2-6-G)
- Push Down Glass Rinser

Model:	Overall: (l x w)
18" Deep	
UB4-18-SS12-GR-PG	12" x 26"
21" Deep	
UB4-21-SS12-GR-PG	12" x 29.5"

CALL SERIES - UBB - Glass Rinser Handsink w/ Base

TRUCKLINE ONLY

- T-304 18 ga Stainless Steel
- 18ga SS Front Panels w/ Galv Base
- Removable SS Front Panel on Base
- 10" Wide x 14" Front-To-Back x 6" Deep Bowl
- 28.5" Working Height / 34" Overall Height
- Splash Mount Lead-Free Faucet (BKF-W2-6-G)
- Push Down Glass Rinser

Model:	Overall: (l x w)
18" Deep	
UBB-18-SS12-GR-PG	12" x 26"
21" Deep	
UBB-21-SS12-GR-PG	12" x 29.5"

TOP SHELF SERIES - UBDW - Glass Rinser Handsink w/ Die Wall and Base

TRUCKLINE ONLY

- T-304 18 ga Stainless Steel
- 18ga SS Front Panels w/ Galv Die Wall & Base
- Removable SS Front Panel on Base
- 28.5" Working Height / 34" Overall Height
- 10" Wide x 14" Front-To-Back x 6" Deep Bowl
- Splash Mount Lead-Free Faucet (BKF-W2-6-G)
- Push Down Glass Rinser

Model:	Overall: (l x w)
18" Deep	
UBDW-18-SS12-GR-PG	12" x 18"
21" Deep	
UBDW-21-SS12-GR-PG	12" x 21"

WELL SERIES - UB4 - Stainless Steel Glass Rack w/ Legs

- T-304 18 ga Stainless Steel
- Stainless Steel Legs
- Adjustable Shelf or Rack Slides
- Holds Glass Racks
- Top Drainboard
- Includes BKDR-15CP Drain

Model#	Size	Adjustable Shelf Included	Truckline
UB4-21-GC240	21.25" x 24" x 33.5"		Yes
UB4-21-GC241	21.25" x 24" x 33.5"		Yes
UB4-21-GC242	21.25" x 24" x 33.5"		Yes
UB4-21-GC301	21.25" x 30" x 33.5"		Yes
UB4-21-GC361	21.25" x 36" x 33.5"		Yes
UB4-21-GC481	21.25" x 48" x 33.5"		Yes

Fully Adjustable Rack Slides

UB4-21-GC242
*Includes Rack Slides

UB4-21-GC241
*Includes 1 Shelf

Fully Adjustable Shelf

SHF - Optional/Replacement Shelf & Rack Slides

Model#	Fits Glass Rack	Description
SHF-241	All Units	Rack Slides
SHF-242	UBX-21-GC241	Shelf
SHF-301	UBX-21-GC301	Shelf
SHF-361	UBX-21-GC361	Shelf
SHF-481	UBX-21-GC481	Shelf

EasyMOD™ Creations

ADD Hinged Doors to Glass Rack

Use EasyMOD Part # EM-52

See Pg. 7 for EasyMOD Options

EasyMOD #	For	List Price
EM-52A		
EM-52B		
EM-52C		
EM-52D		

CALL SERIES - UBB - Stainless Steel Glass Rack w/ Base

- T-304 18 ga Stainless Steel
- 18ga SS Front Panels w/ Galv Base
- Removable SS Front Panel on Base
- Adjustable Shelf or Rack Slides
- Holds Glass Racks
- Top Drainboard
- Includes BKDR-15CP Drain

Model#	Size	Adjustable Shelf Included	Truckline
UBB-21-GC240	21.25" x 24" x 34"	No	Yes
UBB-21-GC241	21.25" x 24" x 34"	Yes	Yes
UBB-21-GC242	21.25" x 24" x 34"	Rack Slides	Yes
UBB-21-GC301	21.25" x 30" x 34"	Yes	Yes
UBB-21-GC361	21.25" x 36" x 34"	Yes	Yes
UBB-21-GC481	21.25" x 48" x 34"	Yes	Yes

TOP SHELF SERIES - UBDW - Stainless Steel Glass Rack w/ Die Wall and Base

- T-304 18 ga Stainless Steel
- 18ga SS Front Panels w/ Galv Die Wall & Base
- Removable SS Front Panel on Base
- Adjustable Shelf or Rack Slides
- Holds Glass Racks
- Top Drainboard
- Includes BKDR-15CP Drain

Model#	Size	Adjustable Shelf Included	Truckline
UBDW-21-GC240	21.25" x 24" x 41"	No	Yes
UBDW-21-GC241	21.25" x 24" x 41"	Yes	Yes
UBDW-21-GC242	21.25" x 24" x 41"	Rack Slides	Yes
UBDW-21-GC301	21.25" x 30" x 41"	Yes	Yes
UBDW-21-GC361	21.25" x 36" x 41"	Yes	Yes
UBDW-21-GC481	21.25" x 48" x 41"	Yes	Yes



BK RESOURCES

Underbar

ICE BINS

A full lineup of commercial stainless ice bins — leg, pedestal, and die-wall models — plus accessories, cold plates, and mobile ice bins allow for flexible layouts.

Sign in to **bk-resources.com** to see your customer Net pricing

1(888)310-4393

18 Ga T-304 Insulated Ice Bins

- 18ga T-304 Stainless Steel Construction 5"H Backsplash
- 12-9/16" Deep Insulated Ice Bin Stainless Steel Lid
- 1½" NPS Drain With Drain Plug
- Stainless Steel Legs With Adjustable High-Impact Corrosion-Resistant Feet

Call Series - Stainless Legs

TRUCKLINE ONLY

18" Front to Back

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 12"	UB4-18-IB12	25 lbs	-
18" x 24"	UB4-18-IB24	66 lbs	Yes
18" x 30"	UB4-18-IB30	80 lbs	Yes
18" x 36"	UB4-18-IB36	100 lbs	Yes
18" x 24"	UB4-18-IB48	140 lbs	Yes

21" Front to Back

Model#	Ice Capacity	Truckline
-	-	-
UB4-21-IB24	80lbs	Yes
UB4-21-IB30	97 lbs	Yes
UB4-21-IB36	120 lbs	Yes
UB4-21-IB48	167 lbs	Yes

Well Series - Pedestal Base

TRUCKLINE ONLY

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 12"	UBB-18-IB12	25 lbs	Yes
18" x 24"	UBB-18-IB24	66 lbs	Yes
18" x 30"	UBB-18-IB30	80 lbs	Yes
18" x 36"	UBB-18-IB36	100 lbs	Yes
18" x 48"	UBB-18-IB48	140 lbs	Yes

Model#	Ice Capacity	Truckline
-	-	-
UBB-21-IB24	80 lbs	Yes
UBB-21-IB30	97 lbs	Yes
UBB-21-IB36	120 lbs	Yes
UBB-21-IB48	167 lbs	Yes

Top Shelf Series - Die Wall & Base

TRUCKLINE ONLY

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 12"	UBDW-18-IB12	33 lbs	Yes
18" x 24"	UBDW-18-IB24	66 lbs	Yes
18" x 30"	UBDW-18-IB30	80 lbs	Yes
18" x 36"	UBDW-18-IB36	100 lbs	Yes
18" x 48"	UBDW-18-IB48	140 lbs	Yes

Model#	Ice Capacity	Truckline
-	-	-
UBDW-21-IB24	80 lbs	Yes
UBDW-21-IB30	97 lbs	Yes
UBDW-21-IB36	120 lbs	Yes
UBDW-21-IB48	167 lbs	Yes

Other Ice Bins and Accessories

8" Ice Bin for Bottle Storage

- For Liquor, Wine, & Mixer Storage
- No Lid Included

Size: (lxw)	Model#	Ice Capacity	Truckline
18.25" x 8"	UB4-18-IB8	22 lbs	
18.25" x 8"	UBB-18-IB8	22 lbs	
18.25" x 8"	UBDW-18-IB8	22 lbs	Yes

Removable Ice Bin Divider/Partition

- Fits our Underbar Ice Bins
- All Stainless Steel

Model#	Fits
UB-18-IBD	18" Ice Bins
UB-21-IBD	21" Ice Bins

Ice Bin Bottle Organizer for 18" Ice Bins

- Fits our 18" Underbar Ice Bins
- All Stainless Steel

Model#	Fits
IBOC-145-155	18" Ice Bins

Ice Bin Bottle Organizer for 12" Ice Bins

- Fits Our 12" Underbar Ice Bins
- All Stainless Steel



Model#	Fits
UB-18-IBO-6	12" Ice Bins

Bottle Well Holder

- Fits Our Underbar Ice Bins
- All Stainless Steel

Model#	Fits
BK-IBBH-18	18" Ice Bins
BK-IBBH	21" Ice Bins

Ice Bin Lids

- Fits our Underbar Ice Bins
- All Stainless Steel

Model#	Fits Ice Bins	Model#	Fits Ice Bins
BKIB-L-2418	18" x 12"	BKIB-L-2421	18" x 12"
BKIB-L-3018	18" x 24"	BKIB-L-3021	18" x 24"
BKIB-L-3618	18" x 36"	BKIB-L-3621	18" x 36"
BKIB-L-4818	18" x 48"	BKIB-L-4821	18" x 48"

18 Ga T-304 Insulated Ice Bins with Cold Plate

Call Series - Stainless Legs

- 18/304 Stainless Steel Construction
- 7, 8, or 10 Circuit Aluminum Cold Plate
- 3-5 Day Lead Time
- Ice Bin is 12⁹⁄₁₆ Front to Back
- Twist-in Quick Install Stainless Legs
- ½" NPT Drain With Drain Plug
- 33½" Standard Height

7 CIRCUIT

18" Front to Back

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 24"	UB4-18-IBCP24-7	66 lbs	Yes
18" x 30"	UB4-18-IBCP30-7	80 lbs	Yes
18" x 36"	UB4-18-IBCP36-7	100 lbs	Yes
18" x 48"	UB4-18-IBCP48-7	140 lbs	Yes

21" Front to Back

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 24"	UB4-21-IBCP24-7	80 lbs	Yes
21" x 30"	UB4-21-IBCP30-7	97 lbs	Yes
21" x 36"	UB4-21-IBCP36-7	120 lbs	Yes
21" x 48"	UB4-21-IBCP48-7	167 lbs	Yes

8 CIRCUIT

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 24"	UB4-18-IBCP24-8	66 lbs	Yes
18" x 30"	UB4-18-IBCP30-8	80 lbs	Yes
18" x 36"	UB4-18-IBCP36-8	100 lbs	Yes
18" x 48"	UB4-18-IBCP48-8	140 lbs	Yes

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 24"	UB4-21-IBCP24-8	80 lbs	Yes
21" x 30"	UB4-21-IBCP30-8	97 lbs	Yes
21" x 36"	UB4-21-IBCP36-8	120 lbs	Yes
21" x 48"	UB4-21-IBCP48-8	167 lbs	Yes

10 CIRCUIT

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 30" x	UB4-18-IBCP30-10	80 lbs	Yes
18" x 36" x	UB4-18-IBCP36-10	100 lbs	Yes
18" x 48" x	UB4-18-IBCP48-10	140 lbs	Yes

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 30"	UB4-21-IBCP30-10	97 lbs	Yes
21" x 36"	UB4-21-IBCP36-10	120 lbs	Yes
21" x 48"	UB4-21-IBCP48-10	167 lbs	Yes

18 Ga T-304 Insulated Ice Bins With Cold Plate

Well Series - Pedestal Base

- 18/304 Stainless Steel Construction
- 7, 8, or 10 Circuit Aluminum Cold Plate
- 3-5 Day Lead Time
- Ice Bin is 12⁹⁄₁₆ Front to Back
- Pedestal Base Upgrade
- ½" NPT Drain With Drain Plug
- Stainless Steel Legs with
- 33½" Standard Height

7 CIRCUIT

18" Front to Back

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 24"	UBB-18-IBCP24-7	66 lbs	Yes
18" x 30"	UBB-18-IBCP30-7	80 lbs	Yes
18" x 36"	UBB-18-IBCP36-7	100 lbs	Yes
18" x 48"	UBB-18-IBCP48-7	140 lbs	Yes

21" Front to Back

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 24"	UBB-21-IBCP24-7	80 lbs	Yes
21" x 30"	UBB-21-IBCP30-7	97 lbs	Yes
21" x 36"	UBB-21-IBCP36-7	120 lbs	Yes
21" x 48"	UBB-21-IBCP48-7	167 lbs	Yes

8 CIRCUIT

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 24"	UBB-18-IBCP24-8	66 lbs	
18" x 30" x	UBB-18-IBCP30-8	80 lbs	Yes
18" x 36" x	UBB-18-IBCP36-8	100 lbs	Yes
18" x 48" x	UBB-18-IBCP48-8	140 lbs	Yes

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 24"	UBB-21-IBCP24-8	80 lbs	
21" x 30"	UBB-21-IBCP30-8	97 lbs	Yes
21" x 36"	UBB-21-IBCP36-8	120 lbs	Yes
21" x 48"	UBB-21-IBCP48-8	167 lbs	Yes

10 CIRCUIT

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 30"	UBB-18-IBCP30-10	80 lbs	
18" x 36" x	UBB-18-IBCP36-10	100 lbs	Yes
18" x 48" x	UBB-18-IBCP48-10	140 lbs	Yes

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 30"	UBB-21-IBCP30-10	97 lbs	
21" x 36"	UBB-21-IBCP36-10	120 lbs	Yes
21" x 48"	UBB-21-IBCP48-10	167 lbs	Yes

18 Ga T-304 Insulated Ice Bins with Cold Plate

Top Shelf Series - Die Wall & Base

- 18/304 Stainless Steel Construction
- 7, 8, or 10 Circuit Aluminum Cold Plate
- 3-5 Day Lead Time
- Ice Bin is 12⅝ Front to Back
- Die Wall & Pedestal Base
- ½" NPT Drain With Drain Plug
- 33½" Standard Height

7 CIRCUIT

18" Front to Back

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 24"	UBDW-18-IBCP24-7	66 lbs	Yes
18" x 30"	UBDW-18-IBCP30-7	80 lbs	Yes
18" x 36"	UBDW-18-IBCP36-7	100 lbs	Yes
18" x 48"	UBDW-18-IBCP48-7	140 lbs	Yes

21" Front to Back

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 24"	UBDW-21-IBCP24-7	80 lbs	Yes
21" x 30"	UBDW-21-IBCP30-7	97 lbs	Yes
21" x 36"	UBDW-21-IBCP36-7	120 lbs	Yes
21" x 48"	UBDW-21-IBCP48-7	167 lbs	Yes

8 CIRCUIT

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 24"	UBDW-18-IBCP24-8	66 lbs	Yes
18" x 30"	UBDW-18-IBCP30-8	80 lbs	Yes
18" x 36"	UBDW-18-IBCP36-8	100 lbs	Yes
18" x 48"	UBDW-18-IBCP48-8	140 lbs	Yes

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 24"	UBDW-21-IBCP24-8	80 lbs	Yes
21" x 30"	UBDW-21-IBCP30-8	97 lbs	Yes
21" x 36"	UBDW-21-IBCP36-8	120 lbs	Yes
21" x 48"	UBDW-21-IBCP48-8	167 lbs	Yes

10 CIRCUIT

Size: (lxw)	Model#	Ice Capacity	Truckline
18" x 30"	UBDW-18-IBCP30-10	80 lbs	Yes
18" x 36"	UBDW-18-IBCP36-10	100 lbs	Yes
18" x 48"	UBDW-18-IBCP48-10	140 lbs	Yes

Size: (lxw)	Model#	Ice Capacity	Truckline
21" x 30"	UBDW-21-IBCP30-10	97 lbs	Yes
21" x 36"	UBDW-21-IBCP36-10	120 lbs	Yes
21" x 48"	UBDW-21-IBCP48-10	167 lbs	Yes

18 Ga T-304 Mobile Ice Bins

- Mobile Ice Bin
- With Sliding Lid
- 29"H
- Stainless Steel
- Removable Bottom Tray
- Drain Valve In Rear Of Unit
- 3" Casters With Brake
- NSF
- Foamed In Insulation

Size: (lxw)	Model#	Unit Size	Ice Capacity	Truckline
11" x 24" x	BK-MIB-2411	11" x 24" x 29"	53 lbs	Yes
22" x 24" x	BK-MIB-2422	22" x 24" x 29"	117 lbs	Yes

18 Gauge Stainless Steel Speed Rails

- Single Or Double Speed Rail
- Keyhole Mount, 18 ga T-304 Stainless Steel
- Installed with Self Tapping Screws(Not Included)

Model#	Length
BKUBSR-12	12"
BKUBSR-18	18"
BKUBSR-24	24"
BKUBSR-30	30"
BKUBSR-36	36"
BKUBSR-42	42"
BKUBSR-48	48"

Model#	Length
BKUBSR-2-12	12"
BKUBSR-2-18	18"
BKUBSR-2-24	24"
BKUBSR-2-30	30"
BKUBSR-2-36	36"
BKUBSR-2-42	42"
BKUBSR-2-48	48"

Mixing Station w/ Legs *Call Series - Stainless Legs*

NSF All-in-One

- T-304 18 ga Stainless Steel
- Drainboard with Add-On Blender Station Shelf
- Stainless Steel Legs
- Adjustable High Impact Corrosion Resistant Bullet Feet
- 33 ½" Standard Height

18" DEEP	Size	List Price	Truckline
UB4-18-BDMX12	18" x 12"		-
UB4-18-BDMX18	18" x 18"		-

21" DEEP	Size	List Price	Truckline
UB4-21-BDMX12	21.250" x 12"		-
UB4-21-BDMX18	21.250" x 18"		-

Mixing Station w/ Base *Well Series - Pedestal Base*

All-in-One

- T-304 18 ga Stainless Steel
- Drainboard with Add-On Blender Station Shelf
- Stainless Steel Base
- Removable Front Panel on Base
- 34" Standard Height

TRUCKLINE ONLY

18" DEEP	Size	List Price	
UBB-18-BDMX12	18" x 12" x		Yes
UBB-18-BDMX18	18" x 18" x		Yes

18" DEEP	Size	List Price	
UBB-21-BDMX12	21" x 12" x		Yes
UBB-21-BDMX18	21" x 18" x		Yes

Mixing Station w/ Die Wall & Base *Top Shelf Series - Die Wall & Base*

All-in-One

- T-304 18 ga Stainless Steel
- Drainboard with Add-On Blender Station Shelf
- Stainless Steel Die Wall & Base
- Removable Front Panel on Base
- 41" Standard Height

TRUCKLINE ONLY

18" DEEP	Size	
UBDW-18-BDMX12	18" x 12"	Yes
UBDW-18-BDMX18	18" x 18"	Yes

21" DEEP	Size	
UBDW-21-BDMX12	21" x 12"	Yes
UBDW-21-BDMX18	21" x 18"	Yes

18 Ga Frozen Drink Machine Stands

Stainless Legs with

- 18 Ga Stainless Steel Construction Open Base Underbar Frozen Drink Machine Stand
- Low Work Surface Fits Most Machines
- Rear Drain with Raised Sides to Prevent Spillage
- Stainless Steel Legs with Adjustable Foot

Model	Description	Length	Width	Truckline
UB4-24-FDM18	18" x 29" Stainless Steel Open Base Underbar Frozen Drink Machine Stand	18"	29"	-
UB4-24-FDM30	30" x 29" Stainless Steel Open Base Underbar Frozen Drink Machine Stand	30"	29"	-
UB4-24-FDMCB18	18" x 29" Stainless Steel Cabinet Base Underbar Frozen Drink Machine Stand	18"	29"	-
UB4-24-FDMCB30	30" x 29" Stainless Steel Cabinet Base Underbar Frozen Drink Machine Stand	30"	29"	Yes

4 Step Liquor Display w/ Stainless Legs

Call Series - Stainless Legs

- T-304 18 ga Stainless Steel
- 1 ⅝" SS Legs
- 33 ⅕" Height
- Approx. Capacities Based on 1L Bottle Diameter of 3.5"
- Adjustable High Impact Corrosion Resistant Bullet Feet

18" DEEP	Size	Bottle Capacity	Truckline
UB4-18-LD12	18.25" x 12" x		-
UB4-18-LD18	18.25" x 18" x		-
UB4-18-LD24	18.25" x 24" x		-
UB4-18-LD36	18.25" x 36" x		-

21" DEEP	Size	Bottle Capacity	
UB4-21-LD12	21.25" x 12"		-
UB4-21-LD18	21.25" x 18"		-
UB4-21-LD24	21.25" x 24"		-
UB4-21-LD36	21.25" x 36"		Yes

4 Step Liquor Display w/ Base

Well Series - Pedestal Base

- T-304 18 ga Stainless Steel
- 18ga SS Front Panels w/ Galv Base
- Removable SS Front Panel on Base
- Approx. Capacities Based on a 1L Bottle Diameter of 3.5"

18" DEEP	Size	Bottle Capacity	
UBB-18-LD12	18.25" x 12"		Yes
UBB-18-LD18	18.25" x 18"		Yes
UBB-18-LD24	18.25" x 24"		Yes
UBB-18-LD36	18.25" x 36"		Yes

21" DEEP	Size	Bottle Capacity	
UBB-21-LD12	21.25" x 12"		Yes
UBB-21-LD18	21.25" x 18"		Yes
UBB-21-LD24	21.25" x 24"		Yes
UBB-21-LD36	21.25" x 36"		Yes

4 Step Liquor Display w/ Die Wall and Base

Top Shelf Series - Die Wall & Base

- T-304 18 ga Stainless Steel
- 18ga SS Front Panels w/ Galv Die Wall & Base
- Removable SS Front Panel on Base
- Approx. Capacities Based on a 1L Bottle Diameter of 3.5"

18" DEEP	Size	Bottle Capacity	Truckline
UBDW-18-LD12	18.25" x 12"		Yes
UBDW-18-LD18	18.25" x 18"		Yes
UBDW-18-LD24	18.25" x 24"		Yes
UBDW-18-LD36	18.25" x 36"		Yes

21" DEEP	Size	Bottle Capacity	Truckline
UBDW-21-LD12	21.25" x 12"		Yes
UBDW-21-LD18	21.25" x 18"		Yes
UBDW-21-LD24	21.25" x 24"		Yes
UBDW-21-LD36	21.25" x 36"		Yes

Underbar Dump Sink with Integral Towel & Soap Dispenser

Stainless Legs

NSF

- T-304 18 ga Stainless Steel
- Adjustable High Impact Corrosion Resistant Bullet Feet
- Stainless Steel Legs
- 32.5" Overall Height
- Includes: Strainer Basket, BK-UCSD-1 Soap Dispenser, Basket Drain (BKDR-2)
- 1 Year Faucet Warranty workFORCE SERIES

18" DEEP	Overall: (l x w)	Splash Mount Faucet
UB4-18-1012HST-15	15" x 18"	N/A
UB4-18-1012HST-15-PG	15" x 18"	BKF-W2-3G-G
UB4-18-1012HST-12	12" x 18"	N/A
UB4-18-1012HST-12-PG	12" x 18"	BKF-W2-3G-G

21" DEEP	Overall: (l x w)	Splash Mount Faucet
UB4-21-1012HST-15	15" x 18"	N/A
UB4-21-1012HST-15-PG	15" x 18"	BKF-W2-3G-G
UB4-21-1012HST-12	12" x 18"	N/A
UB4-21-1012HST-12-PG	12" x 18"	BKF-W2-3G-G

14 "x 10" Stainless Steel Dump Sink

Stainless Legs

NSF

- Bowl Dimensions : 10" (l) x 14" (w) x 6" (d)
- Adjustable High Impact Corrosion Resistant Bullet Feet
- Stainless Steel Legs
- 28.5" Working Height / 33.5" Overall Height
- Accepts 4" O.C. Faucet
- 1 Year Faucet Warranty workFORCE SERIES

18" DEEP	Overall: (l x w)	Splash Mount Faucet
UB4-18-1014HS	15"x18"	N/A
UB4-18-1014HS-P-G	15"x18"	BKF-W2-6-G
UB4-18-1014HS12	12"x18"	N/A
UB4-18-1014HS12-P-G	12"x18"	BKF-W2-6-G

21" DEEP	Overall: (l x w)	Deck Mount Faucet
UB4-21-1014HSS	15"x21"	N/A
UB4-21-1014HSS-P-G	15"x21"	BKD-6-G
UB4-21-1014HSS12	12"x21"	N/A
UB4-21-1014HSS12-P-G	12"x21"	BKD-6-G

14 "x 10" Stainless Steel Blender Station with Sink

Stainless Legs

NSF

- Bowl Dimensions : 14" (l) x 10" (w) x 6" (d)
- Overall Dimensions : 18" (l) x 21" (w) x 32 1/2" (h)
- Blender Station Area: 17 3/4" (l) x 8" (w) x 7 1/2" (h)
- 28.5" Working Height
- Accepts 4" O.C. Splash Mount Faucet
- 1 Year Faucet Warranty workFORCE SERIES

21" DEEP	Faucet
UB4-21-1410BSS	N/A
UB4-21-1410BSS-P-G	BKF-W2-3G-G

BKHS - Deck Mount Hand Sink w/ Integrated Towel Dispenser

NSF

- T-304 18 ga Stainless Steel
- Mounting Bracket Included
- Includes: BKDR-2 Basket Drain
- 1 Year Faucet Warranty workFORCE SERIES

Part Number	Bowl Size: (l x w x d)	Overall: (l x w x h	Faucet
BKHS-D-SS-SKTS	9"x9x5"	12"x16"x22"	N/A
BKHS-D-SS-SKTS-P-G	9"x9x5"	12"x16"x22"	BKD-3G-G
BKHS-D-1410-SKTS	14"x10x5"	17"x17"x22"	N/A
BKHS-D-1410-SKTS-P-G	14"x10"x5"	17"x17"x22"	BKD-3G-G

Underbar Dump Sink with Integral Towel & Soap Dispenser

Pedestal Base

- T-304 18 ga Stainless Steel
- 18ga SS Front Panels w/ Galv Base
- Removable Front Panel on Base
- 34" Overall Height
- Includes: Strainer Basket, BK-UCSD-1 Soap Dispenser, Basket Drain (BKDR-2)
- 1 Year Faucet Warranty workFORCE SERIES

18" DEEP	Overall: (l x w)	Splash Mount Faucet
UBB-18-1012HST-15	15"x18"	N/A
UBB-18-1012HST-15-PG	15"x18"	BKF-W2-3G-G
UBB-18-1012HST-12	12"x18"	N/A
UBB-18-1012HST-12-PG	12"x18"	BKF-W2-3G-G

21" DEEP	Overall: (l x w)	Splash Mount Faucet
UBB-21-1012HST-15	15"x21"	N/A
UBB-21-1012HST-15-PG	15"x21"	BKF-W2-3G-G
UBB-21-1012HST-12	12"x21"	N/A
UBB-21-1012HST-12-PG	12"x21"	BKF-W2-3G-G

14 "x 10" Stainless Steel Dump Sink

Pedestal Base

- Bowl Dimensions : 10" (l) x 14" (w) x 6" (d)
- 18ga SS Front Panels w/ Galv Base
- Removable SS Front Panel on Base
- 28.5" Working Height / 34" Overall Height
- Accepts 4" O.C. Faucet
- 1 Year Faucet Warranty workFORCE SERIES

18" DEEP	Overall: (l x w)	Splash Mount Faucet
UBB-18-1014HS	15"x18"	N/A
UBB-18-1014HS-P-G	15"x18"	BKF-W2-6-G
UBB-18-1014HS12	12"x18"	N/A
UBB-18-1014HS12-P-G	12"x18"	BKF-W2-6-G

21" DEEP	Overall: (l x w)	Deck Mount Faucet
UBB-21-1014HSS	15"x21"	N/A
UBB-21-1014HSS-P-G	15"x21"	BKD-6-G
UBB-21-1014HSS12	12"x21"	N/A
UBB-21-1014HSS12-P-G	12"x21"	BKD-6-G

14 "x 10" Stainless Steel Blender Station with Sink

Pedestal Base

- Bowl Dimensions : 14" (l) x 10" (w) x 6" (d)
- Overall Dimensions : 18" (l) x 21" (w) x 32 1/2" (h)
- Blender Station Area: 17 3/4" (l) x 8" (w) x 7 1/2" (h)
- 28.5" Working Height
- Accepts 4" O.C. Splash Mount Faucet
- 1 Year Faucet Warranty workFORCE SERIES

21" DEEP	Faucet
UBB-21-1410BSS	N/A
UBB-21-1410BSS-P-G	BKF-W2-3G-G

Accessories

Prep Basket

- Designed to fit Fabricated Bowl, Drop-In Sink, Underbar Sinks and Compartment Sinks
- T-304 16 ga Stainless Steel
- 2" Deep

Part #	Fits Bowl Size (l x w)
BK-PB1014	14"x10"
BK-PB1620	20"x16"
BK-PB1515	15"x15"
BK-PB1818	18"x18"

Add-On Blender Station

- T-304 18 ga Stainless Steel
- 8" Deep Platform

Part #	Shelf Width
AOBS-12	12"
AOBS-18	18"

Pass-Thru Cocktail Station - CKTST

- **Smart Design**
  - Includes 10.5" deep pass thru ice bin with 10 circuit cold plate
  - Center drainboard
  - Includes BKD-8-G 4" O.C. Workforce Faucet with 8" swing spout
  - Included soda gun holder
  - Dual service/sided wet waste dump sinks with lead free faucet.
  - OS unit includes fixed drain shelf positioned at comfortable working height with perforated surface for drying and draining
  - OS unit includes 2 adjustable shelves to maximize glass storage Adjustable to fit any type of glassware
- **Bar Staff Efficiency**
  - Accessible from both sides of the bar.
  - Provides a work area for both bartenders and wait staff
  - Reduce bartender stress, promote teamwork and reduce drink wait times

Part #		LIST PRICE
CKTST-3554	Standard Unit	
CKTST-3554OS	Fixed & Adjustable Shelf Unit With Side Panels	

TRUCKLINE ONLY

Add -A- Faucet

Options

- **Bar Side**
  - Blender Station - **AOBS-XX**
  - Double speed rail - **BKUBSR**
- **Server Side**
  - Speed rail - **BKUBSR**

Upgrade Faucet

EVO-4DM-8 $232
4" O.C Stainless Steel Deck Mount Faucet 8" Swing Spout

Portable Beverage Center - PBC

NSF

- **Heavy Duty Construction**
  Top is made of solid 14 gauge stainless steel for durability
  Body is 18 gauge stainless steel for easy cleaning
- **Indoor/Outdoor Capability**
  Supplied with 2 rigid and 2 swivel 6" heavy duty casters for portability on uneven & outdoor areas
- **Add Another Profit Center**
  The portability of this unit allows you to serve Ice Cold Beverages in new places
- **Promote Your Brand**
  Optional wrap allows you to print whatever you want on each unit

Options

- Wrap your beverage center with branded vinyl

MODEL	CAPACITY 12 Oz Can	CAPACITY 12 Oz Bottles	UNIT SIZE (lxw)
WITHOUT Sliding Doors			
PBC-3048	96	90	48" x 30"
PBC-3060	144	135	60" x 30"
WITH Sliding Doors			
PBC-3048S	96	90	48" x 30"
PBC-3060S	144	135	60" x 30"

Die Wall - UBDW- Underbar Dump Sink with Integral Towel & Soap Dispenser

TRUCKLINE ONLY

- T-304 18 ga Stainless Steel
- 18ga SS Front Panels w/ Galv Die Wall & Base
- Removable Front Panel on Base
- 41" Overall Height
- Includes: Strainer Basket, BK-UCSD-1 Soap Dispenser, Basket Drain (BKDR-2)
- Lifetime Faucet Warranty

EVOLUTION SERIES

18" DEEP	Overall: (l x w)	Splash Mount Faucet	List Price
UBDW-18-1012HST-15PG	15"x18"	EVO-4SM-3G	
UBDW-18-1012HST-12PG	12"x18"	EVO-4SM-3G	

21" DEEP	Overall: (l x w)	Splash Mount Faucet
UBDW-21-10w12HST-15PG	15"x21"	EVO-4SM-3G
UBDW-21-1012HST-12PG	12"x21"	EVO-4SM-3G

Die Wall - UBDW - 14 "x 10" Stainless Steel Dump Sink w/ Die Wall

All-in-One

- Bowl Dimensions : 10" (l) x 14" (w) x 6" (d)
- 18ga SS Front Panels w/ Galv Die Wall & Base
- Removable Front Panel on Base
- 41" Overall Height
- Accepts 4" O.C. Faucet
- Lifetime Faucet Warranty

EVOLUTION SERIES

18" DEEP	Overall: (l x w)	Splash Mount Faucet	List Price
UBDW-18-1014HS-P-G	15"x18"	EVO-4SM-6	
UBDW-18-1014HS12-P-G	12"x18"	EVO-4SM-6	

21" DEEP	Overall: (l x w)	Deck Mount Faucet
UBDW-21-1014HSS-P-G	15"x21"	EVO-4DM-6
UBDW-21-1014HSS12-PG	12"x21"	EVO-4DM-6

Die Wall - UBDW - 14 "x 10" Stainless Steel Blender Station with Sink & Die Wall

TRUCKLINE ONLY

EVOLUTION SERIES

All-in-One

- Bowl Dimensions : 14" (l) x 10" (w) x 6" (d)
- Overall Dimensions : 18" (l) x 21" (w) x 41" (h)
- Blender Station Area: 17 3/4" (l) x 8" (w) x 7 1/2" (h)
- Accepts 4" O.C. Splash Mount Faucet
- Lifetime Faucet Warranty

21" DEEP	Faucet
UBDW-21-1410BSS-P-G	EVO-4SM-3G

Cords run through holes for less clutter

CST-2424-2H

Point of Sale Work Station

- T-304 18 ga Stainless Steel
- Hole and rubber grommet in top and back for cord management
- (1) Adjustable shelf
- Stainless Steel Legs

Description	Part#	List Price
PoS Workstation	CST-2424- 2H	
Add Casters	3SBR-BKDC-4	

BK
RESOURCES

SHELVING & STORAGE

From dry storage shelving to 16 gauge wall shelves, BK stainless steel storage supports everything from prep to service. Utility carts, pot racks, overshelves, wall shelves, dry storage, pass-thru shelves, and wall-mounted cabinets are all available in wide range of sizes and configurations.

Stainless Steel Utility Carts - BKC

- **BKC-1524S-3S & BKC-1827S-3S** Includes:
  - (4) 3 1/2" Swivel Casters
- **BKC-2133S-2H** Includes:
  - (2) 3 1/2" Swivel Casters, (2) Fixed Casters
- Ships Fully Assembled Or Knocked down

BKC-1524S-3S

BKC-2133S-2H

Part #	Shelf Size (l x w)	Ships	Shelves	Material	Weight Cap.	List Price	Truckline
BKC-1524S-3S	15.5" x 27.5" x 32.125"	Fully Assembled	3	T-430 S/S	300 lbs		TRUCKLINE ONLY
BKC-1524S-3S-KD	15.5" x 27.5" x 32.125"	Knocked Down	3	T-430 S/S	300 lbs		
BKC-1827S-3S	18" x 30.75" x 33"	Fully Assembled	2	T-430 S/S	300 lbs		TRUCKLINE ONLY
BKC-1827S-3S-KD	18" x 30.75" x 33"	Knocked Down	3	T-430 S/S	300 lbs		
BKC-2133S-2H	21" x 38.375" x 37.125"	Fully Assembled	3	T-430 S/S	700 lbs		TRUCKLINE ONLY
BKC-2133S-2H-KD	21" x 30.75" x 38.375"	Knocked Down	2	T-430 S/S	700 lbs		

All Shelving Units Include Adjustable Shelves

VS - Dry Storage Shelving Unit

- 2, 3 & 4 shelf options
- Adjustable galvanized shelves and posts
- Adjustable bullet feet

Part #	Unit Size (l x w x h)	Shelves		
VSU6-3124	31" x 24" x 72"	4	Yes	TRUCKLINE ONLY
VSU6-4324	43" x 24" x 72"	4	Yes	TRUCKLINE ONLY
VSU6-5524	55" x 24" x 72"	4	Yes	TRUCKLINE ONLY
VSU6-6724	67" x 24" x 72"	4	Yes	TRUCKLINE ONLY
VSU5-3124	31" x 24" x 60"	3	Yes	TRUCKLINE ONLY
VSU5-4324	43" x 24" x 60"	3	Yes	TRUCKLINE ONLY
VSU5-5524	55" x 24" x 60"	3	Yes	TRUCKLINE ONLY
VSU5-6724	67" x 24" x 60"	3	Yes	TRUCKLINE ONLY
VSU3-3124	31" x 24" x 38"	2	-	
VSU3-4324	43" x 24" x 38"	2	-	
VSU3-5524	55" x 24" x 38"	2	-	
VSU3-6724	67" x 24" x 38"	2	Yes	TRUCKLINE ONLY

SS - Dry Storage Shelving Unit

- 2, 3 & 4 shelf options
- Adjustable Stainless Steel shelves and posts
- Adjustable bullet feet

Part #	Unit Size (l x w x h)	Shelves	
SSU6-3124	31" x 24" x 72"	4	TRUCKLINE ONLY
SSU6-4324	43" x 24" x 72"	4	TRUCKLINE ONLY
SSU6-5524	55" x 24" x 72"	4	TRUCKLINE ONLY
SSU6-6724	67" x 24" x 72"	4	TRUCKLINE ONLY
SSU5-3124	31" x 24" x 60"	3	TRUCKLINE ONLY
SSU5-4324	43" x 24" x 60"	3	TRUCKLINE ONLY
SSU5-5524	55" x 24" x 60"	3	TRUCKLINE ONLY
SSU5-6724	67" x 24" x 60"	3	TRUCKLINE ONLY
SSU3-3124	31" x 24" x 38"	2	
SSU3-4324	43" x 24" x 38"	2	
SSU3-5524	55" x 24" x 38"	2	
SSU3-6724	67" x 24" x 38"	2	TRUCKLINE ONLY

BKWS6
T-304 16 Ga. Premium Stainless Steel Wall Shelf

- Width of 14"
- 14" (w) Shelves Have 9-3/4" Angle Supports
- T-304 16 ga. Stainless Steel
- 1 1/2" Turn Up

14" Width	Length:	# of Support Brackets
BKWS6-1436	36"	2
BKWS6-1448	48"	2
BKWS6-1460	60"	2
BKWS6-1472	72"	3
BKWS6-1496	96"	3

BKWS6
T-304 16 Ga. Premium Stainless Steel Wall Shelf w/ Pot Rack

- Includes 1 double prong pot hook (BKSSDPH) for every 12" of pot rack
- T-304 Stainless Steel Flat Bar
- 16 ga. T-304 Stainless Steel Shelf

14" Width	Length:	# of Support Brackets	# of Pot Hooks
BKWS6-1436-PR	36"	2	3
BKWS6-1448-PR	48"	2	4
BKWS6-1460-PR	60"	2	5
BKWS6-1472-PR	72"	3	6
BKWS6-1496-PR	96"	3	8

BKWS
T-304 18 Ga. Premium Stainless Steel Wall Shelf

- T-304 18 ga. Stainless Steel
- Available in Depths of 12" and 16"
- 1 1/2" Turn Up
- 12" (w) Shelves Have 8" Angle Supports
- 16" (w) Shelves Have 11 1/2" Angle Supports

12" Width	Length:	# of Support Brackets
BKWS-1224	24"	2
BKWS-1230	30"	2
BKWS-1236	36"	2
BKWS-1248	48"	2
BKWS-1260	60"	2
BKWS-1272	72"	3
BKWS-1284	84"	3
BKWS-1296	96"	3

16" Width	Length:	# of Support Brackets
BKWS-1624	24"	2
BKWS-1630	30"	2
BKWS-1636	36"	2
BKWS-1648	48"	2
BKWS-1660	60"	2
BKWS-1672	72"	3
BKWS-1684	84"	3
BKWS-1696	96"	3

BKWS
T-304 18 Ga. Premium Stainless Steel Wall Shelf w/ Pot Rack

- Includes 1 double prong pot hook (BKSSDPH) for every 12" of pot rack
- T-304 Stainless Steel Flat Bar
- 18 ga. T-304 Stainless Steel Shelf

12" Width	Length:	# of Support Brackets	# of Pot Hooks
BKWS-1224-PR	24"	2	2
BKWS-1230-PR	30"	2	2
BKWS-1236-PR	36"	2	3
BKWS-1248-PR	48"	2	4
BKWS-1260-PR	60"	2	5
BKWS-1272-PR	72"	3	6
BKWS-1284-PR	84"	3	7
BKWS-1296-PR	96"	3	8

16" Width	Length:	# of Support Brackets	# of Pot Hooks
BKWS-1624-PR	24"	2	2
BKWS-1630-PR	30"	2	2
BKWS-1636-PR	36"	2	3
BKWS-1648-PR	48"	2	4
BKWS-1660-PR	60"	2	5
BKWS-1672-PR	72"	3	6
BKWS-1684-PR	84"	3	7
BKWS-1696-PR	96"	3	8

T-430 ECONOMY Stainless Steel Wall Shelves

BKWSE
T-430 Economy Stainless Steel Wall Shelf

- Available in Depths of 12" and 16"
- 12" (d) Shelves Have 8" Angle Supports
- 16" (d) Shelves Have 11 1/2" Angle Supports
- T-430 18 ga. Stainless Steel
- 1 1/2" Turn Up

12" Width		Length:	# of Support Brackets	
BKWSE-1224	$155.00	24"	2	
BKWSE-1232	$165.00	32"	2	
BKWSE-1236	$192.00	36"	2	
BKWSE-1248	$237.00	48"	2	
BKWSE-1260	$287.00	60"	2	
BKWSE-1272	$327.00	72"	3	
BKWSE-1284	$374.00	84"	3	
BKWSE-1296	$421.00	96"	3	

16" Width		Length:	# of Support Brackets	
BKWSE-1624	$162.00	24"	2	
BKWSE-1632	$202.00	32"	2	
BKWSE-1636	$248.00	36"	2	
BKWSE-1648	$268.00	48"	2	
BKWSE-1660	$362.00	60"	2	
BKWSE-1672	$407.00	72"	3	
BKWSE-1684	$472.00	84"	3	
BKWSE-1696	$541.00	96"	3	

BKWSE
T-430 Economy Stainless Steel Wall Shelf w/ Pot Rack

TRUCKLINE ONLY

- Includes 1 double prong pot hook (BKSSDPH) for every 12" of pot rack
- T-304 Stainless Steel Flat Bar
- 18 ga. T-430 Stainless Steel Shelf

12" Width	Length:	# of Support Brackets	# of Pot Hooks	
BKWSE-1224-PR	24"	2	2	
BKWSE-1236-PR	36"	2	3	
BKWSE-1248-PR	48"	2	4	
BKWSE-1260-PR	60"	2	5	
BKWSE-1272-PR	72"	3	6	
BKWSE-1284-PR	84"	3	7	
BKWSE-1296-PR	96"	3	8	

16" Width	Length:	# of Support Brackets	# of Pot Hooks	
BKWSE-1624-PR	24"	2	2	
BKWSE-1636-PR	36"	2	3	
BKWSE-1648-PR	48"	2	4	
BKWSE-1660-PR	60"	2	5	
BKWSE-1672-PR	72"	3	6	
BKWSE-1684-PR	84"	3	7	
BKWSE-1696-PR	96"	3	8	

Adjustable Installation allows for up to 1" gap from shelf to wall on all wall shelves.
*** Can be installed directly against wall which requires shelf to be caulked**
*** Can be installed with a 1" gap for easy cleaning and does not require caulking**

Heavy Duty Pass Thru Shelves

PTS - Single Tier Pass Thru Shelf

- T-304 16 ga. stainless steel top
- Create an easy access from kitchen to server area
- 18" uses L shape bracket 24" uses angle bracket
- Ready to install with wall mounting brackets & hardware

Part Number	Size: (l x w)	
PTS-1824	18" x 24"	
PTS-1836	18" x 36"	
PTS-1848	18" x 48"	
PTS-1860	18" x 60"	
PTS-1872	18" x 72"	
PTS-1896	18" x 96"	
PTS-18108	18" x 108"	
PTS-18120	18" x 120"	
PTS-2424	24" x 24"	
PTS-2436	24" x 36""	
PTS-2448	24" x 48"	
PTS-2460	24" x 60"	
PTS-2472	24" x 72"	
PTS-2496	24" x 96"	
PTS-24108	24" x 108"	
PTS-24120	24" x 120"	

PTS - Double Tier Pass Thru Shelf

- T-304 16 ga. stainless steel top
- Create an easy access from kitchen to server area
- 18" uses L shape bracket 24" uses angle bracket
- Ready to install with wall mounting brackets & hardware

Part Number	Size: (l x w)	
PTS-1824-2	18" x 24"	
PTS-1836-2	18" x 36"	
PTS-1848-2	18" x 48"	
PTS-1860-2	18" x 60"	
PTS-1872-2	18" x 72"	
PTS-1896-2	18" x 96"	
PTS-18108-2	18" x 108"	
PTS-18120-2	18" x 120"	
PTS-2424-2	24" x 24"	
PTS-2436-2	24" x 36""	
PTS-2448-2	24" x 48"	
PTS-2460-2	24" x 60"	
PTS-2472-2	24" x 72"	
PTS-2496-2	24" x 96"	
PTS-24108-2	24" x 108"	
PTS-24120-2	24" x 120"	

BKWCH - Wall Cabinet w/ Hinged Doors & Adjustable Shelf

- T-304 18 ga Stainless Steel
- 15" Deep
- (1) Fully Adjustable Shelf
- Available With or Without Door Locks
- Solid Double-Pan Hinged Doors
- Sloped Top For Easy Cleaning



Part Number	NSF	Door Lock	Size: (w x d x h)	
BKWCH-1524	✓	NO	24" x 15" x 32 1/2"	
BKWCH-1530	✓	NO	30" x 15" x 32 1/2"	
BKWCH-1536	✓	NO	36" x 15" x 32 1/2"	
BKWCH-1548	✓	NO	48" x 15" x 32 1/2"	
BKWCH-1524HL		YES	24" x 15" x 32 1/2"	
BKWCH-1530HL		YES	30" x 15" x 32 1/2"	
BKWCH-1536HL		YES	36" x 15" x 32 1/2"	
BKWCH-1548HL		YES	48" x 15" x 32 1/2"	

Extra Adjustable Shelf	Fits
SHF-BKWCH-24	BKWCH-1524/HL
SHF-BKWCH-30	BKWCH-1530/HL
SHF-BKWCH-36	BKWCH-1536/HL
SHF-BKWCH-48	BKWCH-1548/HL

BKDC- Stainless Steel Dish Cabinet

NSF TRUCKLINE ONLY

- Heavy Gauge Stainless Steel Top
- 18 ga Stainless Steel Body
- 1 5/8" x 6" Straight S/S Leg
- Legs Adjust 1" in Height
- Fixed Position Shelf
- 15" & 18" Width Available

15" Deep

Part Number	NSF	Size: (l x w)	
BKDC-1536	✓	36" x 15"	
BKDC-1548	✓	48" x 15"	
BKDC-1560	✓	60" x 15"	
BKDC-1572	✓	72" x 15"	

18" Deep

Part Number	NSF	Size: (l x w)	
BKDC-1836	✓	36" x 18"	
BKDC-1848	✓	48" x 18"	
BKDC-1860	✓	60" x 18"	
BKDC-1872	✓	72" x 18"	

Welded Bowl #	Size
BKFB-1410-8-14	14 x 10 x 8 (d)

EasyMOD Part#	Size
EM-3W	14 x 10 x 8 (d)

EasyMOD™ Creations

Use EasyMOD *EM-3W*

To Drop in a 14" x 10" welded bowl to any BKDC dish table

See Pg. 8 for EasyMOD Options

APQ - 360 Table Mount Pot Rack

- Adjustable to any height
- 4 hooks per every 12" of pot rack
- Includes: Pot rack & Uprights
- Mounts directly to table with self-tapping screws (included)
- Uprights are 50" high

Part #	Length
APQ-36	36"
APQ-48	48"
APQ-60	60"
APQ-72	72"



APU - Table Mount Pot Rack

- Adjustable to any height
- Extends 8" out from uprights
- 2 hooks per every 12" of pot rack
- Includes: Pot rack & Uprights
- Mounts directly to table with self-tapping screws (included)
- Uprights are 50" high

Part #	Length
APU-36	36"
APU-48	48"
APU-60	60"
APU-72	72"

APR - Table Mount Utensil Rack

NSF

- Adjustable to any height
- 1 hook per every 12" of rack
- Includes: Pot Rack & Uprights
- Mounts directly to table with self-tapping screws (included)
- Uprights are 50" high

Part #	Length
APR-36	36"
APR-48	48"
APR-60	60"
APR-72	72"

Add a Rack!

APR-BAR- Utensil Bar Add On

- Add an extra utensil rack to your table mount
- 1 hook per every 12" of rack

Part #	Length
APR-36BAR	36"
APR-48BAR	48"
APR-60BAR	60"
APR-72BAR	72"

BK-ICT Condiment/Spice Rack

- Fits APR Utensil Rack
- More info on page 84

BK-ICT

RSAA-24 Multi-Angle Shelf

- Fits APR Utensil Rack
- More info on page 84

Sign in to **bk-resources.com** to see your net pricing

1(888)310-4393

IGB - Stainless Steel Ingredient Bin

- Includes: (4) 3 1/2" Swivel Casters, w/ Brakes
- Commercial Grade Stainless Steel
- Protective Rubber Corner Bumpers
- Sliding Lid

Part #	Unit Size (l x w x h)	Capacity
IGB-84	14 3/8" x 29 1/16" x 24 1/2	84 Quart
IGB-100	18 5/8" x 26 3/64" x 29 1/2	124 Quart
IGB-124	12 3/8" x 26 1/8" x 27 1/2	100 Quart

MCD - Mobile Cup Dispenser

- Stainless Steel Cabinet
- Accepts 8 to 46oz Size Cups
- Bumper Guards
- 4 Swivel Casters with Locks

MCD-4X2

Part #	Unit Size (l x w x h)
MCD-2X2	17" x 17" x 31"
MCD-4X1	12" x 33" x 31"
MCD-4X2	17.5" x 33" x 31"

BK-WPR1 - Single Bar Pot Rack

- Includes 1 double prong pot hook (BKSSDPH) for every 12" of pot rack
- 2"T-304 Stainless Steel Flat Bar
- 12" Deep

Part #	Length	Pot Hooks
BK-WPR1-48	48"	4
BK-WPR1-60	60"	5
BK-WPR1-72	72"	6

BK-WPR2 - Double Bar Pot Rack

- Includes 1 double prong pot hook (BKSSDPH) for every 12" of pot rack
- 2"T-304 Stainless Steel Flat Bar
- Top Bar 12" (d), Bottom Bar 6" (d), 16" O.A (h)

Part #	Length	Pot Hooks
BK-WPR2-48	48"	8
BK-WPR2-60	60"	10
BK-WPR2-72	72"	12

Pot Hooks

- T-304 Stainless Steel
- Single & Double Pot Hooks Available

Part Number	Hook Type
BKSSDPH	Double
BKSSPH	Single

BKSSDPH Shown

BKSSPH Shown

TRUCKLINE ONLY

OVER LENGTH PALLET

*96" Units
See Pg 4

BK-OSD / OSS - Stainless Steel Overshelves

NSF

- 18 ga. Stainless Steel
- Adjustable Lower Shelves
- Mounts directly on table with included self-tapping screws
- Shipped Knocked Down
- 96" has 3 Upright Supports

BK-OSD-1248 Shown

Double Overshelves 31 1/4" (h)

Double Overshelves

Length	12" Width Part Number	18" Width Part Number
36"	BK-OSD-1236	BK-OSD-1836
48"	BK-OSD-1248	BK-OSD-1848
60"	BK-OSD-1260	BK-OSD-1860
72"	BK-OSD-1272	BK-OSD-1872
84"	BK-OSD-1284	BK-OSD-1884
96"	BK-OSD-1296	BK-OSD-1896

BK-OSS-1248 Shown

Single Overshelves 18" (h)

Single Overshelves

Length	12" Width Part Number	18" Width Part Number
36"	BK-OSS-1236	BK-OSS-1836
48"	BK-OSS-1248	BK-OSS-1848
60"	BK-OSS-1260	BK-OSS-1860
72"	BK-OSS-1272	BK-OSS-1872
84"	BK-OSS-1284	BK-OSS-1884
96"	BK-OSS-1296	BK-OSS-1896

Heavy Duty Bullnose Overshelves

TRUCKLINE ONLY

BK-OSS-XXXXBN - Heavy Duty Bullnose Stainless Steel Overshelves

TRUCKLINE ONLY

- T-304 16 Ga. Stainless Steel Top
- Bullnose / Rounded Edge
- Mounts Directly On Table With Included Self-Tapping Screws
- Shipped Knocked Down
- 84" - 120" Have 3 Upright Supports

NSF

Single Heavy Duty Bullnose Overshelves

Length	18" Width Part Number	24" Width Part Number
24"	BK-OSS-1824BN	BK-OSS-2424BN
36"	BK-OSS-1836BN	BK-OSS-2436BN
48"	BK-OSS-1848BN	BK-OSS-2448BN
60"	BK-OSS-1860BN	BK-OSS-2460BN
72"	BK-OSS-1872BN	BK-OSS-2472BN
84"	BK-OSS-1884BN	BK-OSS-2484BN
96"	BK-OSS-1896BN	BK-OSS-2496BN
120"	BK-OSS-18120BN	BK-OSS-24120BN

STACK CUSTOM SHELVES ON OUR CHEF TABLES TO CREATE YOUR IDEAL CHEF STATION

EasyMOD™ Creations:

EM-31 Add Heat Strip Mounting Provision to Any Overshelf

- Create a hot zones by adding EM-31 to any overshelf.

⚠ See Pg. 8 for EasyMOD Options

CST-2424-2H
Point of Sale Work Station

- T-304 18 ga Stainless Steel
- Hole and rubber grommet in top and back for cord management
- (1) Adjustable shelf
- Stainless Steel Legs

Cords run through holes for less clutter and easier access to outlets

Description	Part#
PoS Workstation	CST-2424- 2H
Add Casters	3SBR-BKDC-4

BK-ICT
Condiment/Spice Rack

- T-304 18 ga Stainless Steel
- 18.5" Overall Length
- Various Uses: Holds Spice Containers, Condiment Bins and many more uses

Attaches to any BK Resources Pot Rack. Designed to be used with the APR - Adjustable Table Mount Utensil Rack (See pg. <?>)

RSAA-24
Multi-Angle Shelf

- T-304 18 ga Stainless Steel
- 12" x 24" Overall Size
- Fits perfectly on our APR Utensil Rack (sold separately)
- Can be set up as a Flat Shelf or at a 30° Angle with bottom lip
- Maximize your work space with this Versatile Shelf

Attaches to any BK Resources Pot Rack. Designed to be used with the APR - Adjustable Table Mount Utensil Rack

BKPS-1410
Printer Shelf

- T-304 16 ga Stainless Steel
- 14" Overall Length
- 10" Overall Width
- Perfect for ticket printers
- Hole towards rear for cords

IGS-
Wall Mount Ingredient Shelf for Food Pans

- T-304 18 ga Stainless Steel
- Angled Mount to Provide Easy Access
- Self service or Food Prep Applications
- Pans Not Included

Part Number	Length	Holds
IGS-836	8" x 36"	(5) 1/6 Pans
IGS-842	8"x 42"	(6) 1/6 Pans

BKMWS
Microwave Shelves

- T-304 16 & 18 ga Stainless Steel
- 1 1/2" Mounting Back Lip
- 15" Angle Supports
- Mounting Template Included
- Solid Base

Part Number	Gauge	Size: (l x w)
BKMWS-1824	16 ga.	24" x 20"
BKMWS-2024	16 ga.	30" x 20"
BKMWS-2030	18 ga.	24" x 24"
BKMWS-2424	18 ga.	24" x 18"

BK-SSH
Stainless Steel Slant Rack Shelf

- T-304 18 ga Stainless Steel
- Mounting Brackets Included
- S/S Weep Accepts 1" Nylon Tubing (Nylon Tubing Not Included)



Part Number	Size: (l x h)
BK-SSH-21	21" x 22"
BK-SSH-42	42" x 22"
BK-SSH-63	63" x 22"

BK-TSH
Stainless Steel Tubular Dish Shelf

- T-304 18 ga Stainless Steel
- 11 1/4" Tall
- 18 3/4" Deep
- 1 5/8" O.D. Stainless Tubing
- Slotted Mounting Holes For Easier Mounting

Part Number	Length
BK-TSH-22	22"
BK-TSH-42	42"
BK-TSH-63	63"

CARE & MAINTENANCE

BK-SETSCREW
Set Screws

- Exclusively for BK Resources Products
- M8 x 8mm

Part #	Qty.
BK-SETSCREW-25	25
BK-SETSCREW-100	100
BK-SETSCREW-250	250

BK-BKFCLEANER
Stainless Steel Cleaner

- Net Weight 12 oz.
- Cleans & Polishes S/S
- Sold individually
- Sold in Case

Part #	Qty.
BK-BKFCLEANER-12	ea.
BK-BKFCLEANER-CASE	12

BK-SS-CAREKIT
Stainless Steel Care & Maintenance Mini Kit

- 2 oz. S/S Polish
- S/S Cleaner
- Scotch Brite Pad
- S/S Care Kit Instruction
- BK-SS-CAREKIT-SS incl: BK-SETSCREW-25

Part #
BK-SS-CAREKIT
BK-SS-CAREKIT-SS

BK-SBPAD
Scotch Brite Cleaning Pads

- Helps Remove Foreign Surfaces from S/S
- Can Be Used To Remove Light Scratches

Part #		Qty.
BK-SBPAD	$116.00	Box (20 ea.)
BK-SBPAD-CASE	$344.00	Case (3 boxes)

BK-SSCLNR
Stainless Steel Polish

- Polishes Stainless Steel To High Gloss Shine
- Helps Preserve Stainless Steel Finish
- Low VOC Formulation

Part #	Size
BK-SSCLNR-10	10 oz. Can
BK-SSCLNR-10-CASE	Case (12ea. 10 oz. cans)

BK-SC
Silicone Sealant

- 10.1 oz bottle for caulking gun
- Also available in 2 oz. hand held tube

Part #	Color	Size
BK-SC-CL	Clear	10.1 oz.
BK-SC-AL	Aluminum	10.1 oz.
100711	Clear	2.8 oz.

Sign in to **bk-resources.com** to see your net pricing

BK RESOURCES

Appliances

Commercial appliances for hot holding and service line applications. Steam tables, shelf and drawer warmers, heater proofers, drop-in food wells, and buffet stations available in multiple configurations.

ESW- Shelf Warmers

- Keep Hot Food Easily Accessible for any Pass Through, Self Serve or Buffet Area
- T-304 Stainless Steel Housing
- 80-212°F temperature range
- 120 Volts

MODEL	Power	UNIT SIZE (lxw)
EBW-2420SN	860W	24" x 20"
EBW-3620SN	1390W	36" x 20"
EBW-4820SN	1920W	48" x 20"
EBW-7220SN	2805W	78" x 20



ESW- Shelf Warmers

- Keep Hot Food Easily Accessible for any Pass Through, Self Serve or Buffet Area
- T-304 Stainless Steel Housing
- 80-212°F temperature range
- 120 Volts

MODEL	Power	UNIT SIZE (lxwx)
ESW-1612	144W	16" x 12"
ESW-2420	360W	24" x 20"
ESW-3020	450W	30" x 20"
ESW-3620	540W	36" x 20"
ESW-4820	720W	48" x 20"
ESW-6020	900W	60" x 20"

DW - Electric Heated Drawer Warmers

- Fits Full Size12"x20"x6"Food Pan or Any Combination of Fractional Pans Up To 6"
- Thermostatic Control
- **Use EasyMOD EM-47 to Add to Any Chef Table(CST)**
- Create a Standalone Drawer Warm

⚠ *See Pg. 133 for more details.*

Part Number	Dimensions	# of Drawers
DW-1-1	10 3/8"x 27 3/4"x 20 5/8"	1
DW-2-1	19 3/4"x 27 3/4"x 20 5/8"	2

DWCST - Electric Standalone Heated Drawer Warmer

- 30" x 36" Overall Size
- Stainless Steel Construction
- Fits Full Size12"x20"x6"Food Pan or Any Combination of Fractional Pans Up To 6"
- Thermostatic Control

Part Number	Dimensions	# of Drawers
DWCST-3036	30" x 36" x 34.75"	2

DROP-IN HOT FOOD WELLS

TRUCKLINE ONLY

ANSI/NSF2

- Engineered By BK Resources for EasyMOD™ applications
- Serve hot food safely and efficiently with the BK Resources Drop In Hot Food Well
- Provide optimal holding temperatures with an adjustable thermostat that can be flush-mounted into the counter or a location out of sight from customers
- 4" deep pans
- Gentle radiant heat technology evenly surrounds food without the use of extremely hot elements, added humidity or fans.
- Drop in to BK Resources CST Cabinet Base Chef Table
- Stocked Item

E-HP- Standard Hot Food Wells

- Fits many of our 30" or 36" CST cabinets

MODEL	Wells
Standard Sizes	
E-HP-1	1
E-HP-2	2
E-HP-3	3
E-HP-4	4
E-HP-5	5

E-HP-1

E-HP-2

E-HP-3

E-HP-4

E-HP-5

EasyMOD™ Creations

Drop in any Food Well to our Chef Tables

- We offer light in-house modification work on select tables and cabinets.

Use Easy Mod **EM-4FW** to add a hot or cold food well to our cabinets.

Part #	
EM-4FW	$721.00

See Pg. 77 for example

DROP-IN HOT/COLD FOOD WELLS DUAL TEMP

TRUCKLINE ONLY

NSF c UL us

- 3" recessed top edge to comply with NFS-7 requirements
- Single control for changing from hot to cold operation
- Pans are raised in the rear for improved visibility and access to food products
- Easy access temperature & function control panel attached to a 24" long flexible conduit for optional counter mounting
- Holds standard 12" by 20" food pans and fractional sized pans
- 1" drains for ease of cleaning
- Type 134A or 404A CFC free refrigerant
- Fully insulated, CFC free, foamed-in place insulation keeps food cold
- Limited 1 year parts and labor warranty
- Adapter bars provided for food pans
- 3-6 Week lead time based on market conditions

E-DT - Standard Dual Temp Food Wells

- Fits many of our 30" and 36" CST cabinets

MODEL	Wells	UNIT SIZE (lxwxh)
Standard Sizes		
E-DT-1	1	19 ⅛" x 27 ⅛" x 25 ⅛"
E-DT-2	2	32 ¾" x 27 ⅛" x 25 ⅛"
E-DT-3	3	46 ½" x 27 ⅛" x 25 ⅛"
E-DT-4	4	60 ¼" x 27 ⅛" x 25 ⅛"
E-DT-5	5	74" x 27 ⅛" x 25 ⅛"
E-DT-6	6	87 ¾" x 27 ⅛" x 25 ⅛"

Not intended for residential applications

DROP-IN COLD FOOD WELLS
REFRIGERATED - 1" RAILS

- Self contained drop-in design
- Features 1" deep pan rails
- Stainless steel top and liner for maximum strength and durability
- Meets NSF Standard 7
- Hold standard 12" by 20" food pans and fractional sized pans
- 1" drains for ease of cleaning
- On-off switch with 8 ft. cord & plug for ease of installation and operation
- Type 134A or 404A CFC free refrigerant
- Fully insulated, CFC free, foamed-in place insulation keeps food cold
- Limited 1 year parts and labor warranty
- 3-6 Week lead time based on market conditions


E-CP1-2

E-CP1 - Standard Cold Food Wells - 1"

- Fits many of our 30" and 36" CST cabinets

MODEL	PRICE	Wells	UNIT SIZE (lxwxh)
Standard Sizes			
E-CP1-1		1	17 ⅜" x 25 ⅜" x 24 ½"
E-CP1-2		2	31" x 25 ⅜" x 24 ½"
E-CP1-3		3	44 ¾" x 25 ⅜" x 24 ½"
E-CP1-4		4	58 ½" x 25 ⅜" x 24 ½"
E-CP1-5		5	72 ¼" x 25 ⅜" x 24 ½"
E-CP1-6		6	86" x 25 ⅜" x 24 ½"

E-SL-CP1 - Slim Line Dual Cold Food Wells - 1"

- Fits our 24", 30" and 36" CST cabinets
- Slim line drop-in design for narrow counters

MODEL	PRICE	Wells	UNIT SIZE (lxwxh)
Slim Line Sizes			
E-SL-CP1-2	$19,761.00	2	46 ¼" x 17 ⅜" x 24 ½"
E-SL-CP1-3	$18,200.00	3	67" x 17 ⅜" x 24 ½"
E-SL-CP1-4	$18,568.00	4	87 ¾" x 17 ⅜" x 24 ½"

DROP-IN COLD FOOD WELLS
REFRIGERATED - 3" RAILS

- Self contained drop-in design
- Features 3" deep pan rails
- Stainless steel top and liner for maximum strength and durability
- Meets NSF Standard 7
- Hold standard 12" by 20" food pans and fractional sized pans
- 1" drains for ease of cleaning
- On-off switch with 8 ft. cord & plug for ease of installation and operation
- Type 134A or 404A CFC free refrigerant
- Fully insulated, CFC free, foamed-in place insulation keeps food cold
- Limited 1 year parts and labor warranty
- 3-6 Week lead time based on market conditions

E-CP3-1

E-CP3 - Standard Cold Food Wells - 3"

- Fits many of our 30" and 36" CST cabinets

MODEL	PRICE	Wells	UNIT SIZE (lxwxh)
Standard Sizes			
E-CP3-1		1	19 ⅛" x 27 ⅛" x 26 ⅛"
E-CP3-2		2	32 ¾" x 27 ⅛" x 26 ⅛"
E-CP3-3		3	46 ½" x 27 ⅛" x 26 ⅛"
E-CP3-4		4	60 ¼" x 27 ⅛" x 26 ⅛"
E-CP3-5		5	74" x 27 ⅛" x 26 ⅛"
E-CP3-6		6	87 ¾" x 27 ⅛" x 26 ⅛"

E-SL-CP3 - Slim Line Cold Temp Food Wells - 3"

- Fits our 24", 30" and 36" CST cabinets
- Slim line drop-in design for narrow counters

MODEL	PRICE	Wells	UNIT SIZE (lxwxh)
Slim Line Sizes			
E-SL-CP3-2		2	48 3/4" x 19 1/8" x 26 1/8"
E-SL-CP3-3		3	70 1/2" x 19 1/8" x 26 1/8"
E-SL-CP3-4		4	92" x 19 1/8" x 26 1/8"

Insulated Heater Proofer - Full Size

- Fits 18" x 26" Pans
- Door Lifts Off for Easy Cleaning
- LED Thermostat
- **1 Year Parts Warranty**
- Dual Heat/Proof Control
- Proof Mode: Humidity from 30% to 95% Temperature up to 115ºF
- Heat Mode: Temperatures up to 185ºF

Versatile units great for keeping hot foods at the perfect temperature to serve at a moment's notice! With a proofing mode and adjustable humidity settings, you can also proof dough before it's ready to bake. The insulated design of this full height holding/proofing cabinet saves up to 35% on energy costs compared to a non-insulated model! It has an output of 1500W and requires a 120V electrical connection.

More Heater Proofer Parts on Page 77

Model#	Power	Size: (l x w x h)	Capacity
HPC1I	1500 Watts	22.75" x 32.5" x 67.5"	36 Pans

HPC1 Replacement Gasket

- Fits HPC1 Heater/Proofers

Model#

HPC1-GASK

Heater Proofer - Full Size

- Fits 18" x 26" Pans
- Door Lifts Off for Easy Cleaning
- LED Thermostat
- **1 Year Parts Warranty**
- Dual Heat/Proof Control
- Proof Mode: Humidity from 30% to 95% Temperature up to 115ºF
- Heat Mode: Temperatures up to 185ºF

This versatile, full height unit is great for keeping hot foods at the perfect temperature to serve at a moment's notice! With a proofing mode and adjustable humidity settings, you can also proof dough before it's ready to bake. It has an output of 1500W and requires a 120V electrical connection.

Model#	Power	Size: (l x w x h)	Capacity
HPC1N	1500 Watts	23" x 33.15" x 66.5"	36 Pans

Replacement Control Box

- Fits all BK Heater Proofers

Model#

HPC-CONTLBX

Heater Proofer - Half Size

- Fits 18" x 26" Pans
- Door Lifts Off for Easy Cleaning
- LED Thermostat
- **1 Year Parts Warranty**
- Dual Heat/Proof Control
- Proof Mode: Humidity from 30% to 95% Temperature up to 115ºF
- Heat Mode: Temperatures up to 185ºF

Perfect for banquet halls, catering companies, and a variety of other food service operations, this proofing and holding cabinet ensures that food is properly held prior to service. Easy to access and easy to use, the unit lets you quickly change from holding mode to proofing mode at the flip of a switch, providing your business with the ultimate convenience and versatility!

Model#	Power	Size: (l x w x h)	Capacity
HPC2N	1500 Watts	23" x 33.15" x 30.5"	12 Pans

HPC2 Replacement Gasket

- Fits HPC2 Heater/Proofers

Model#

HPC2-GASK

WARNING: Cancer and Reproductive Harm P65Warnings.ca.gov - all products on this page

Heater Proofer - Replacement Parts

Part Number	Style
HPC-111	Black Plastic Pan
HPC-222	5" Caster w/ Brake
HPD-016	Main Switch w/ Light
HPD-024	Thermometer
HPD-034	Temp. Thermostat
HPD-035	Control Knob
HPD-036	Switch Heat/Proof

Part Number	Style
HPC1-GASK	HPC1 Gasket
HPC2-GASK	HPC2 Gasket
HPC-CONTLBX	Replacement Control Box
HPC1-DOOR	HPC1 Replacement Door

HPC-11

HPC-222

HPD-024

HPD-035

HPD-016

HPD-019

Heat Strip - Replacement Parts

Part Number	Style
HS-002	Right Bracket
HS-003	Left Bracket
HS-013	Tobble Switch
HS-014	Power Indicator Light
HS-017	Cord and Plug

Part Number	Style
HS-024	Heat Pipe-24"
HS-036	Heat Pipe-36"
HS-048	Heat Pipe-48"
HS-060	Heat Pipe-60"
HS-072	Heat Pipe-72"

HS-002/003

HS-013

HS-014

HS-017


Heat Pipe

Drawer Warmer - Replacement Parts

Part Number	Style
DW-111	Drawer Vent Knc
DW-222	Thermostat
DW-333	Knob
DW-444	Mechanical Temp Indicator

Part Number	Style
DW-555	Power Indicator Light
DW-777	Cord and Plug
DWFRGB-120	Heating Elements

HS-002/003

DW-222

DW-333


DWFRGB-120

DW-4444

DW-555

DW-777

EBW - Buffet Warmer Replacement Parts

Heating Tube Replacement

Part Number	Style
EBW024-2420	24 x 20 Heating Tube
EBW024-3620	36 x 20 Heating Tube
EBW024-4820	48 x 20 Heating Tube
EBW024-7220	72 x 20 Heating Tube

Power Cord Replacement

Part Number	Style
EBW008-2420	Power Cord for 24 x 20
EBW008-3620	Power Cord for 36 x 20
EBW008-4820	Power Cord for 48 x 20
EBW008-7220	Power Cord for 72 x 20

Heating Element Replacement

Part Number	Style
EBW005-2420	24 x 20 Heating Element
EBW005-3620	36 x 20 Heating Element
EBW005-4820	48 x 20 Heating Element
EBW005-7220	72 x 20 Heating Element

EBW005-4820



EBW024-4820

Other Replacement Parts

Part Number	Style
EBW004	Knob
EBW006	Thermostat
EBW009	Metal Foot
EBW010	Rubber Foot Cover
EBW026	Power Switch

EBW009
EBW006
EBW0010
EBW004
EBW0026

FBS-P-H-4

FBS-P-H-2

FBS-P-H - Portable Hot Food Buffet Station

Serve hot food safely and efficiently with the BK Resources Portable Hot Food Buffet Station.`

- Designed and assembled in BK Resources midwest factory
- Exterior: 20-gauge 430 Stainless Steel Construction for Both Front-of-House and Back-of-House Use
- Top and Well Liner: 18 Gauge 304 Stainless for Corrosion Resistance and Easy Cleaning
- Dual-sided Caffeteria Style Sneeze Guard
- 1, 2, 3, or 4 Heated Wells
- Locking Storage and Secured Thermostatic Controls (Behind Doors)
- ¾" NPT drains with removable screens
- Locking casters make it easy to move
- Perfect for buffets, cafeterias, catering, and events

MODEL	Wells	UNIT SIZE	Voltage	Wattage	Amps	Plug
FBS-P-H-2	2	48" x 36" x 59"	240	2000	8.3A	NEMA 6-15P
FBS-P-H-3	3	48" x 36" x 59"	240	3000	12.5	NEMA 6-15P
FBS-P-H-4	4	60" x 36" x 59"	240	4000	16.7	NEMA 6-20P
FBS-P-H-5	**5**	84" x 36" x 59"	240	5000	20.8	NEMA 6-20P

FBS-P-H-5

Thermostatic Controls Securely Positioned Behind Lockable Doors

*Shown with spillage pans (sold separately)

Add a Gas Connector Kit
See pg. 91

STE-NG/LP - Gas Steam Table

TRUCKLINE ONLY

- **2, 3, 4, or 5 Pan Open Well Design**
  - Accommodates 2, 3, 4, or 5 full size food pans which can be used dry or wet. (Spillage pan sold separately)
- **Infinite Temperate Control**
  - Independently controlled wells with indicator lights
- **Cutting Board Shelf**
  - Removable 8" wide poly cutting board on stainless steel support shelf
- **Stainless Steel Construction**
  - 20 Ga. Stainless Steel
  - Galvanized Legs
- **Adjustable Undershelf**
  - Store your water pans, lids, and utensils when not in use
- **Spillage Pans Not Included**
  (Order Separately STP-SSF)
- **3500 BTUs Per Burner**
- **1 Year Parts Warranty**

- **Spillage Pans Not Included**
  *(Order Separately STP-SSF)

*Spillage Pan

- Stainless Steel
- Fits our STE steam tables
- Not Included with Steam Table Purchase

Part #
STP-SSF

MODEL	Wells	UNIT SIZE	BTU	Gas Type
Natural Gas				
STE-NG-2	2	29" x 30" x 34"	7000	Natural Gas
STE-NG-3	3	43" x 30" x 34"	10500	Natural Gas
STE-NG-4	4	57" x 30" x 34"	14000	Natural Gas
STE-NG-5	5	71" x 30" x 34"	17500	Natural Gas
Propane				
STE-LP-2	2	29" x 30" x 34"	7000	LP
STE-LP-3	3	43" x 30" x 34"	10500	LP
STE-LP-4	4	57" x 30" x 34"	14000	LP
STE-LP-5	5	71" x 30" x 34"	17500	LP

Sign in to **bk-resources.com** to see your net pricing
1(888)310-4393

ST-SW-3

ST-SW-3-EN

ST-SW - Electric Sealed Well Steam Table

TRUCKLINE ONLY

- **Convenience of Sealed Wells**
  - Individual drain valves for easy cleanup
  - Water is added directly to the sealed wells (no water pans needed)
- **2, 3, 4, or 5 Pan Sealed Well Design**
  - Accommodates 2, 3, 4, or 5 full size food pans.
  - For wet heating only
  - Sealed Compartments
- **Partially Enclosed or Open Base with Shelf**
  - Both designs offer a shelf for storage of food pans, lids, and other cooking or serving utensils.

  Partially closed base allows for secure storage.
- **Infinite Temperate Control**
  - Independently controlled wells indicator lights
  - Made with European components
- **Cutting Board Shelf**
  - Removable poly cutting board on stainless steel support shelf
- **Stainless Steel Construction**
  - 20 Ga. Stainless Steel
  - Die-stamped openings
- **Undershelf**
  - Store your water pans, lids, and utensils when not in use
- **750W Per Well**
- ***500W for 2 Well**
- **1 Year Parts Warranty**

c UL us NSF

Additional Accessories

- Sneeze Guards *pg. 82*
- Overshelves *pg. 82*
- Parts *pg. 81*

Add Casters to any Unit!

Optional Casters

Part #	
3SBR-BKDC-4	3" Wheels
5SBR-BKDC-4	5" Wheels

Sealed Well Steam Tables with Open Base

MODEL	Wells	UNIT SIZE	Voltage	Wattage	Amps	Plug
ST-SW-2	2	30.3" x 29.5" x 33.25"	120	1000	8.3	NEMA 5-15
ST-SW-3	3	44.3" x 29.5" x 33.25"	240	2250	9.4	NEMA 6-20
ST-SW-4	4	58.3" x 29.5" x 33.25"	240	3000	12.5	NEMA 6-20
ST-SW-5	5	72.3" x 29.5" x 33.25"	240	3750	15.6	NEMA 6-20

Sealed Well Steam Tables with Partially Enclosed Base

MODEL	Wells	UNIT SIZE	Voltage	Wattage	Amps	Plug
ST-SW-2-EN	2	30.3" x 29.5" x 33.25"	120	1500	8.3	NEMA 5-15
ST-SW-3-EN	3	44.3" x 29.5" x 33.25"	240	2250	9.4	NEMA 6-20
ST-SW-4-EN	4	58.3" x 29.5" x 33.25"	240	3000	12.5	NEMA 6-20
ST-SW-5-EN	5	72.3" x 29.5" x 33.25"	240	3750	15.6	NEMA 6-20

ST-5

ST-4-EN

TRUCKLINE ONLY

Additional Accessories
- Sneeze Guards *pg. 82*
- Overshelves *pg. 82*

ST - Electric Open Well Steam Table

- **2, 3, 4, or 5 Pan Open Well Design**
  - Accommodates 2, 3, 4, or 5 full size food pans which can be used dry or wet. (Spillage pans sold separately)
  - Die stamped openings
- **Partially Enclosed or Open Base with Shelf**
  - Both designs offer a shelf for storage of food pans, lids, and other cooking or serving utensils. Partially closed base allows for secure storage.
- **Infinite Temperate Control**
  - Independently controlled wells with indicator lights
  - Made with European components
- **Cutting Board Shelf**
  - Removable poly cutting board on stainless steel support shelf
- **Stainless Steel Construction**
  - 20 Ga. Stainless Steel
  - Die-stamped openings
- **Heat Compartments**
  - Galvanized Liner
  - Insulated with 1" thick fiberglass
- **Undershelf**
  - Store your water pans, lids, and utensils when not in use
- **500W Per Well**
- **1 Year Parts Warranty**
- **Spillage Pans Not Included**
  *(Order Separately STP-SSF)

*Spillage Pan

- Stainless Steel
- Fits our STE steam tables
- Not Included with Steam Table Purchase

Part #
STP-SSF

Open Well Steam Tables

MODEL	Wells	UNIT SIZE	Voltage	Wattage	Amps	Plug
ST-2	2	30.3" x 29.5" x 33.25"	120	1000	8.3	NEMA-5-15
ST-3	3	44.3" x 29.5" x 33.25"	120	1500	12.5	NEMA-5-15
ST-4	4	58.3" x 29.5" x 33.25"	120	2000	16.7	NEMA L5-30
ST-5	5	72.3" x 29.5" x 33.25"	120	2500	20.8	NEMA L5-30

Open Well Steam Tables with Partially Enclosed Base

MODEL	Wells	UNIT SIZE	Voltage	Wattage	Amps	Plug
ST-2-EN	2	30.3" x 29.5" x 33.25"	120	1000	8.3	NEMA-5-15
ST-3-EN	3	44.3" x 29.5" x 33.25"	120	1500	12.5	NEMA-5-15
ST-4-EN	4	58.3" x 29.5" x 33.25"	120	2000	16.7	NEMA L5-30
ST-5-EN	5	72.3" x 29.5" x 33.25"	120	2500	20.8	NEMA L5-30

Not intended for residential applications

Sign in to **bk-resources.com** to see your net pricing
1(888)310-4393

ST - Electric Steam Tables - Replacement Parts

Part Number	Style	Fits
ST-PC12023	Power Cord - 120V	ST-2, ST-3
ST-PC12045	Power Cord - 120V	ST-4, ST-5
ST-TS	Thermostat - 120V	ST-2 ST-3 ST-4 ST-5 ST-SW-2
ST-TK	Thermostat Knob	ST-2 3 4 5 ST-SW-2 3 4 5
ST-HE500	Heating Element - 120V 500W	ST-2 ST-3 ST-4 ST-5
ST-IL	Indicator Light Yellow	ST-2, 3, 4, 5 - ST-SW-2 3 4 5

ST-IL

ST-PC12045

ST-TK

ST-TS


ST-PC12023

ST-HE500

ST-SW - Electric Steam Tables - Replacement Parts

Part Number	Style	Fits
ST-SW-PC120V	Power Cord - 120V	ST-SW-2
ST-SW-PC240V	Power Cord - 240V	ST-SW-3, ST-SW-4, ST-SW-5
ST-SW-TS	Thermostat - 240V	ST-SW-3, ST-SW-4, ST-SW-5
ST-TK	Thermostat Knob	ST-2 3 4 5 ST-SW-2 3 4 5
ST-SW-HE500	Heating Element - 120V 500W	ST-SW-2
ST-SW- HE750	Heating Element- 240V 750W	ST-SW-3, ST-SW-4, ST-SW-5

ST-SW-PC240V

ST-SW-PC120V

ST-SW-HE500

ST-SW-TS

ST-TK

ST-SW-HE750

ST & ST-SW - Other Replacement Parts

Part Number	Style	Fits
ST-SW-WV	BALL VALVE	ST-SW-2 ST-SW-3 ST-SW-4 ST-SW-5
ST-PB2	Cutting Board - 2 Well	ST-2 ST-SW-2
ST-PB3	Cutting Board - 3 Well	ST-3 ST-SW-3
ST-PB4	Cutting Board - 4 Well	ST-4 ST-SW-4
ST-PB5	Cutting Board - 5 Well	ST-5 ST-SW-5
ST-SW-WT	Sealed Water Tank	ST-SW-2 ST-SW-3 ST-SW-4 ST-SW-5

ST-SW-WV

ST-SW-WT

ST-PB2

SHELF WITH MULTI-USE SNEEZE GUARD - ADJUSTABLE

SG-MUS - Cafeteria Style Single Sided Sneeze Guards For Steam Tables

- 1/4" Tempered Glass On Front and Side
- Adjustable Front Glass
  - Turn unit into Self Serve Or Cafeteria
- 18 Ga Stainless Steel Construction
- 12" Deep Shelf
- 13" From Table to Top of Shelf
- Surface mounts directly to table wit included self-tapping screws
- Shipped Knocked Down
- Fits any BK Resources Steam Table
- Protects Against Germs and Other C taminants

Part#	Fits
SG-MUS-2	2 Well Steamtable
SG-MUS-3	3 Well Steamtable
SG-MUS-4	4 Well Steamtable
SG-MUS-5	5 Well Steamtable

Shown Installed on Steam Table

CAFETERIA SHELF WITH SNEEZE GUARD

SG-FCS - Cafeteria Style Single Sided Sneeze Guards For Steam Tables

- Acrylic On Front and Side
- Cafeteria Style Single Sided Sneeze Guard
- 18 Ga Stainless Steel Construction
- 12" Deep Shelf
- 13" From Table to Top of Shelf
- Surface mounts directly to table with included self-tapping screws
- Shipped Knocked Down
- Fits any BK Resources Steam Table
- Protects Against Germs and Other Contaminants

Part#	Fits
SG-FCS-2	2 Well Steamtable
SG-FCS-3	3 Well Steamtable
SG-FCS-4	4 Well Steamtable
SG-FCS-5	5 Well Steamtable

Shown Installed on Steam Table

STEAM TABLE OVERSHELF

STE-X-OSS - Overshelf for Steam Tables

- 18 Ga Stainless Steel Construction
- 12" Deep Shelf
- 13" From Table to Top of Shelf
- Surface mounts directly to table with included self-tapping screws
- Shipped Knocked Down
- Fits any BK Resources Steam Table

Part#	Fits
STE-2-OSS	2 Well Steamtable
STE-3-OSS	3 Well Steamtable
STE-4-OSS	4 Well Steamtable
STE-5-OSS	5 Well Steamtable

Sign in to **bk-resources.com** to see your net pricing
1(888)310-4393

Multi-Use Sneeze Guard with Stainless Shelf

SG-MUS - Overshelf for Steam Tables

- 18 Ga Stainless Steel Construction
- 12" Deep Shelf
- 18" From Table to Top of Shelf
- Tempered Glass Panels
- Surface mounts directly to table with included self-tapping screws
- Shipped Knocked Down
- Fits any BK Resources Work Table
- Adjustable Vertically & Horizontally
- Quick release buttons allows you to adjust and easily lock sneeze guard in 10° intervals.
- 2- 4 Week Lead time For Glass
- 3-5 Day Lead Time for Kits without Glass
- Patent Pending



Part#	Fits	LIST PRICE
SG-MUS-36	36" Wide Tables	
SG-MUS-48	48" Wide Tables	
SG-MUS-60	60" Wide Tables	
SG-MUS-72	72" Wide Tables	

Part#	Fits
Kits - No Glass	
SG-MUS-1236-KIT	36" Wide Tables
SG-MUS-1248-KIT	48" Wide Tables
SG-MUS-1260-KIT	60" Wide Tables
SG-MUS-1272-KIT	72" Wide Tables

Cafeteria Sneeze Guard with Stainless Shelf

SG-FCS - Sneeze Guard Overshelf for Steam Tables

- 18 Ga Stainless Steel Construction
- Fixed Tempered Glass Panels
- 12" Deep Shelf
- 18" From Table to Top of Shelf
- Surface mounts directly to table with included self-tapping screws
- Shipped Knocked Down
- Fits any BK Resources Work Table
- 2- 4 Week Lead time For Glass
- 3-5 Day Lead Time for Kits without Glass

Part#	Fits	LIST PRICE
SG-FCS-36	36" Wide Tables	
SG-FCS-48	48" Wide Tables	
SG-FCS-60	60" Wide Tables	
SG-FCS-72	72" Wide Tables	

Part#	Fits
Kits - No Glass	
SG-FCS-1236-KIT	36" Wide Tables
SG-FCS-1248-KIT	48" Wide Tables
SG-FCS-1260-KIT	60" Wide Tables
SG-FCS-1272-KIT	72" Wide Tables

Sneeze Guard Parts

SGCAM - Glass Clamps For Tubing or Surface Mount

- Multiple Tubing Sizes Available
- Tubing Or Flat Surface Mount Available
- Secure Glass Panels to Partitions/Sneeze Guards
- SGC-001 is Our Standard Sneeze Guard Clamp

Fits	Knuckle + Mount
1" OD Tubing	SGC-001
1-1/2" OD Tubing	SGCAC-150
1-5/8" OD Tubing	SGCAC-1625
2" OD Tubing	SGCAC-1SQ
Square/Flat Tubing or Surface Mount	SGCAC-2

Sneeze Guard with Glass Shelf

SG-90 - Cafeteria Style or Multi-Use Sneeze Guard

- Cafeteria Style Single Sided Sneeze Guard
- 1" 18 Gauge Stainless Steel Posts and End Caps
- Tempered Glass Panels
- Surface Mounts Directly to Table with Included Self-Tapping Screws and Flange Base
- Patent Pending
- 2- 4 Week Lead time For Glass
- 3-5 Day Lead Time for Kits without Glass

Adjustable or Fixed Front Panel

SG-90CS-48
Fixed Front Glass Shown

End Pieces

Part#		
SG-90END	(1) End Piece	$304

Center Post

Part#		
SG-90CS-CPKIT	(1) Center Post	$402

Fixed Glass - Cafeteria Style

- Fixed front and top glass makes this a cafeteria style unit

Part#	Fits
SG-90CS-24G	24" Wide Tables
SG-90CS-36G	36" Wide Tables
SG-90CS-48G	48" Wide Tables
SG-90CS-60G	60" Wide Tables
SG-90CS-72G	72" Wide Tables
SG-90CS-84G	84" Wide Tables
SG-90CS-120G	120" Wide Tables
Kits	
SG-90CS-KIT	No Glass - Parts Only

Multi-Use Front Glass

- Adjustable front panel can change unit from cafeteria style to self serve
- Quick release button allows you to easily adjust front panel in 10º intervals.

Part#	Fits
SG-90MU-24G	24" Wide Tables
SG-90MU-36G	36" Wide Tables
SG-90MU-48G	48" Wide Tables
SG-90MU-60G	60" Wide Tables
SG-90MU-72G	72" Wide Tables
SG-90MU-84G	84" Wide Tables
SG-90MU-120G	120" Wide Tables
Kits	
SG-90MU-KIT	No Glass - Parts Only

ADJUSTABLE FRONT PANEL

Portable Countertop Sneeze Guard - Adjustable

SG-P - Portable Countertop Sneeze Guard

- 18 Ga Stainless Steel Construction
- Full Adjustable Sneeze Guard
- Pivoting • Tempered Glass Panel
- Adjustable Vertically & Horizontally
- Shipped Knocked Down
- Quick release button allows you to adjust and easily lock sneeze guard in 10° intervals.
- Patent Pending
- 2- 4 Week Lead time For Glass
- 3-5 Day Lead Time for Kits without Glass

Quick release button allows you to adjust and easily lock sneeze guard in 10° intervals.

Part#	
SG-P-24	24" Wide
SG-P-36	36" Wide
SG-P-48	48" Wide
SG-P-60	60" Wide
SG-P-72	72" Wide

Kits - No Glass	
SG-P-24KIT	24" Wide - No Glass Parts Only
SG-P-36KIT	36" Wide - No Glass Parts Only
SG-P-48KIT	48" Wide - No Glass Parts Only
SG-P-60KIT	60" Wide - No Glass Parts Only
SG-P-72KIT	72" Wide - No Glass Parts Only





Vertically adjustable with quick turn of an allen wrench.

45° Angled Cafeteria Style Sneeze Guard

SG-45CS-48

SG-45CS-48
Shown with end pieces
Sold separately

SG-45CS - Cafeteria Style

- 1" 18 Gauge Stainless Steel Posts and End Caps
- Surface Mounts Directly to Table with Included Self-Tapping Screws and Flange Base
- Tempered Glass Panels
- Shipped Knocked Down
- Patent Pending
- 2- 4 Week Lead time For Glass
- 3-5 Day Lead Time for Kits without Glass

Part#	Fits
SG-45CS-24	24" Wide Tables
SG-45CS-36	36" Wide Tables
SG-45CS-48	48" Wide Tables
SG-45CS-60	60" Wide Tables
SG-45CS-72	72" Wide Tables
SG-45CS-84	84" Wide Tables
SG-45CS-120	120" Wide Tables
Kits	
SG-45CS-KIT	No Glass - Parts Only

End Pieces

Part#	
SG-45END	(1) End Piece

Center Post

Part#	
SG-45CS-CPKIT	(1) Center Post

45° Angled Self Serve Sneeze Guard

SG-45SS-48

SG-45SS-48
Shown with end pieces
Sold separately

SG-45SS - Self Serve Style

- 1" 18 Gauge Stainless Steel Posts and End Caps
- Surface Mounts Directly to Table with Included Self- Tapping Screws and Flange Base
- Tempered Glass Panels
- Shipped Knocked Down
- Patent Pending
- 2- 4 Week Lead time For Glass
- 3-5 Day Lead Time for Kits without Glass

Part#	Fits
SG-45SS-24	24" Wide Tables
SG-45SS-36	36" Wide Tables
SG-45SS-48	48" Wide Tables
SG-45SS-60	60" Wide Tables
SG-45SS-72	72" Wide Tables
SG-45SS-84	84" Wide Tables
SG-45SS-120	120" Wide Tables
Kits	
SG-45SS-KIT	No Glass - Parts Only

End Pieces

Part#	
SG-45END	(1) End Piece

Center Post

Part#	
SG-45CS-CPKIT	(1) Center Post



SG-D - Divider Screens

- 1" 18 Gauge Stainless Steel Posts and End Caps
- 24" High
- Tempered Glass Panel
- Surface Mounts Directly to Table with Included Self-Tapping Scre and Flange Base
- Shipped Knocked Down
- Can Cut to Custom Heights
- Patent Pending
- 2- 4 Week Lead time For Glass
- 3-5 Day Lead Time for Kits without Glass

Versitile divider can be installed anywhere. Use as a booth divider, table divider, counter screen. Custom heights available.



Part#	
SG-D-24	24" Wide
SG-D-36	36" Wide
SG-D-48	48" Wide
SG-D-60	60" Wide
SG-D-72	72" Wide
Kits - No Glass	
SG-D-KIT	No Glass - Parts Only (2) Posts
SG-CC-CPKIT	No Glass - Parts Only (1) Post

SG-CC - Cooking / Carving Sneeze Guards

- 1" 18 Gauge Stainless Steel Posts and End Caps
- 24" High
- Tempered Glass Panels
- Surface Mounts Directly to Table with Included Self-Tapping Screws and Flange Base
- Shipped Knocked Down
- Patent Pending
- 2- 4 Week Lead time For Glass
- 3-5 Day Lead Time for Kits without Glass

Part#	Fits
SG-CC-36	36" wide tables
SG-CC-48	48" wide tables
SG-CC-60	60" wide tables
SG-CC-72	72" wide tables
SG-CC-84	84" wide tables
SG-CC-120	120" wide tables
Kits - No Glass	
SG-CC-KIT	No Glass - Parts Only
SG-CC-CPKIT	No Glass - Parts Only (1) Post

GrillCook PRO
Patent Pending

Take Control of your Grill.

SCAN ME

WATCH A VIDEO OF GRILLCOOK PRO IN ACTION

Organize and Maximize your grill's workspace.

Organize:

- Provide quick and easy access for all of your grill tools
- Universal tool box fits anywhere and adjusts to fit most anything
- Multiple levels allow for easy prioritizing of frequently used items
- Three different sizes to fit any application
- Easily removable for cleaning and storage
- Helps make grills safe

Maximize:

- Turn tight work areas into a grill cook's oasis
- Fully adjustable attachments to personalize your workflow
- Universal uprights fit onto most side or back splash
- Take advantage of unused vertical space
- Installs in seconds
- Double boiler application

GCP-2S-6P

GCP-3S-9P

GCP-18TB
ToolBox Fits onto Uprights or Grill Sidesplash

Fit uprights on side or back of griddle

GCP-1-6P

Sign in to **bk-resources.com** to see your net pricing

Easy on. Easy Off. Easy Clean.

GCP-3



GCP-6PH

GCP-18SH

ToolBox

- Holds Your Grill Utensils
- Universal Design - Fits Sidesplash or
- Upright
- Removable Drip Tray for Easy Cleaning

18" Wide x 8" Tall x 3" Deep

Universal Uprights

- 3 Sizes - Small, Medium, Large
- Universal Design - Fits any Sidesplash
- Adjust Attachments to Multiple Levels

Pan Holder

- 1/9th or 1/6th Pan Attachment
- Fits all Uprights
- Easily Removable for Cleaning

Shelf Attachment

- Medium & Large Sizes
- Easily Removable for Cleaning

GrillCook Pro Packages

NSF

- All stainless steel
- Universal uprights fit on grill/griddle splashes or equipment stand risers
- Choose from 3 sizes to fit your application
- Dishwasher safe
- Patent Pending

Model#	Includes
GCP-18TB	GrillCook Pro 18" Tool Box - Grill Accessory Holder
GCP-1-9P	Small 8.5" Wide Upright Shelf Stand, 1/9th Pan Holder
GCP-1-6P	Small 8.5" Wide Upright Shelf Stand, 1/6th Pan Holder
GCP-2S	Medium 12" Wide Upright Shelf Stand & 12" Shelf
GCP-2S-9P	Medium 12" Wide Upright Shelf Stand. 12" Shelf, & 1/9th Pan Holder
GCP-2S-6P	Medium 12" Wide Upright Shelf Stand. 12" Shelf, & 1/6th Pan Holder
GCP-3S	Large 18" Wide Upright Shelf Stand & 18" Shelf
GCP-3S-9P	Large 18" Wide Upright Shelf Stand, 18" Shelf, & 1/9th Pan Holder
GCP-3S-6P	Large 18" Wide Upright Shelf Stand, 18" Shelf, & 1/6th Pan Holder



Single Pieces - Replacement Pieces

NSF

- All stainless steel
- Add extra or replace package pieces
- Dish room safe

Model#	Includes
GCP-18TB	GrillCook Pro 18" Tool Box - Grill Utensil Holder
GCP-1	Small 8.5" Wide Universal Upright Shelf Stand
GCP-2	Medium 12" Wide Universal Upright Shelf Stand
GCP-3	Large 18" Wide Upright Universal Shelf Stand
GCP-9PH	1/9th Pan Holder Attachment
GCP-6PH	1/6th Pan Holder Attachment
GCP-12SH	Shelf Attachment for Medium 12" Upright
GCP-18SH	Shelf Attachment for Large 18" Upright

Food Truck Wash Station - FTWS

TRUCKLINE ONLY

Federal health and saftey regulations require 3 compartment sinks and Handwash Stations. Getting all of that into a food truck can be a challenge. This is why we came up with our new Food Truck Wash Station. We combined a 3 compartment sink, hand wash sink, perforated drain board, and still have room for storage space.

- **Smart Design**
  - 3 Compartment Sink & Hand Washing Sink with Side Splashes All in one station
  - Perforated Removable Drain Board
  - Mountable Flange Feet Adjustable up to 1.25"
  - Hinged Doors Access Storage

Part #	Description
FTWS-4829L	Standard Unit - Hard Plumbing
FTWS-M-4829L	Mobile Unit - Water Heater, Fresh & Waste Water Tank Included

Recommended Faucets

3 Compartment Sink

workFORCE™ SERIES — WARRANTIED 1 YEAR

BKD-10-G
4" O.C
Deck Mount Faucet
10" Swing Spout

Hand Wash Sink

workFORCE™ SERIES — WARRANTIED 1 YEAR

BKD-3G-G
4" O.C
Deck Mount Faucet
3.5" Gooseneck Spout

Add -A- Mini Pre-Rinse

MINI PRE-RINSE

- Perfect for food trucks.
- Optional add -a- faucet

OptiFlow SERIES — WARRANTIED 3 YEARS

BKF-4DM-MINI
4" O.C
Deck Mount
Mini Pre-Rinse

`Add -a- Faucet

Optional Casters

Part #
3SBR-BKDC-4

Other Food Truck Products:

3 Comp Convenience Store Sink

- 12" Drainboards
- Accomodates 8" O.C. Faucet

Part #
BKS-3-1014-10-12T

Deck Mount Hand Sink

- 9" x 9" x 5" Bowl
- Overall Dimensions 12" x 16"

Part #
BKHS-D-SS-P-G

Wall Mount Hand Sink w/ Side Splashes

- 9" x 9" x 5" Bowl
- Overall Dimensions 12" x 14.5"

Part #
BKHS-W-SS-SS-P-G

3 Comp Drop-In Sink

- Overall Size: 35.75" x 18.5"
- Accomodates 4" O.C. Faucet

Part #
DDI3-10141024

PSC- Poly Board Sink Covers

- Creates a Prep and/or Working Surface
- Designed to Fit a 1 Compartment or 3 Compartment Sink
- Custom Sizes Available - Call For Quote

Size	Part Number	Fits: Bowl (lxw)
1 Comp	PSC-1620	16" x 20"
1 Comp	PSC-1818	18" x 18"
1 Comp	PSC-2424	24" x 24"
3 Comp	PSC-3-1014	10" x 14"

GAS HOSE CONNECTORS

Gas hose connectors for caster-mounted commercial equipment installations. Suitable for ranges, fryers, ovens, grills, and other gas appliances. Combine with a Quick Disconnect for safe disconnection during maintenance or cleaning.

Gas Connector Parts & Accessories

Swivel Pro™

Set-Pro™

90° Female Elbows

Threaded Nipples

Restraining Cable & Hardware

Shut-Off Ball Valve

Quick Disconnect

90° Street Elbows

Gas Hose Break Down

WARRANTED 5 YEARS

C SA® US

MASS. APPROVED MASSACHUSETTS

Meets ANSI Codes:
Z21.69a
Z21.69b
Z21.69-2002
Z21.41a-2005
Z21.41b-2010
Z21.41-2003

ANSI Z21.69 STATES:

Caster mounted equipment shall be installed with a restraining device, which prevents the transmission of stress to the hose.

SET-PRO™

PROFESSIONAL EQUIPMENT PLACEMENT SYSTEM

- Comes in a set of two (2)
- Consistent Placement of Caster-mounted Equipment
- 16ga T-304 Stainless Steel
- Includes Mounting Hardware & Caulk
- Reduces Gas Hose Wear & Tear
- Meets NFPA codes 17A (5.6.4) and 96 (12.1.2.3)
- Patented Product # D 817,161

Available in sets of 2 or in our most popular kit sizes

Set-Pro™

Part #
BKG-CS

swivel PRO™



Does not restrict flow!
2 points of 360° Rotation!

Available Individually or in SW3 Kits!

Swivel Pro™

Size	Part #
1/2"	BKG-50SW
3/4"	BKG-75SW
1"	BKG-100SW

Complete Set-Pro™ & Swivel Pro™ Connection Kits

New Kits Available!



Set-Pro™ Connection Kit

Inside Diameter	Length	Gas Hose & Hardware
1/2"	48"	BKG-GHC-5048-SWSP3
3/4"	36"	BKG-GHC-7536-SWSP3
3/4"	48"	BKG-GHC-7548-SWSP3
3/4"	60"	BKG-GHC-7560-SWSP3

Set-Pro™ Connection Kit #3

Inside Diameter	Length	Gas Hose & Hardware
1/2"	48"	BKG-GHC-5048-SP3
3/4"	36"	BKG-GHC-7536-SP3
3/4"	48"	BKG-GHC-7548-SP3
3/4"	60"	BKG-GHC-7560-SP3

Swivel Pro™ Connection Kit

Packaged in POP Box

Inside Diameter	Length	Gas Hose & Hardware
1/2"	24"	BKG-GHC-5024-SW3
1/2"	36"	BKG-GHC-5036-SW3
1/2"	48"	BKG-GHC-5048-SW3
1/2"	60"	BKG-GHC-5060-SW3
1/2"	72"	BKG-GHC-5072-SW3
3/4"	24"	BKG-GHC-7524-SW3
3/4"	36"	BKG-GHC-7536-SW3
3/4"	48"	BKG-GHC-7548-SW3
3/4"	60"	BKG-GHC-7560-SW3
3/4"	72"	BKG-GHC-7572-SW3
1"	24"	BKG-GHC-10024-SW3
1"	36"	BKG-GHC-10036-SW3
1"	48"	BKG-GHC-10048-SW3
1"	60"	BKG-GHC-10060-SW3
1"	72"	BKG-GHC-10072-SW3

2x Swivel Pro™ Connection Kit

Packaged in POP Box

Inside Diameter	Length	Gas Hose & Hardware
1/2"	24"	BKG-GHC-5024-2SW3
1/2"	36"	BKG-GHC-5036-2SW3
1/2"	48"	BKG-GHC-5048-2SW3
1/2"	60"	BKG-GHC-5060-2SW3
1/2"	72"	BKG-GHC-5072-2SW3
3/4"	24"	BKG-GHC-7524-2SW3
3/4"	36"	BKG-GHC-7536-2SW3
3/4"	48"	BKG-GHC-7548-2SW3
3/4"	60"	BKG-GHC-7560-2SW3
3/4"	72"	BKG-GHC-7572-2SW3
1"	24"	BKG-GHC-10024-2SW3
1"	36"	BKG-GHC-10036-2SW3
1"	48"	BKG-GHC-10048-2SW3
1"	60"	BKG-GHC-10060-2SW3
1"	72"	BKG-GHC-10072-2SW3

Gas Hose Connection Kit #9

Packaged in POP Box

Inside Diameter	Length	Gas Hose & Hardware
1/2"	24"	BKG-GHC-5024-SCK9
1/2"	36"	BKG-GHC-5036-SCK9
1/2"	48"	BKG-GHC-5048-SCK9
1/2"	60"	BKG-GHC-5060-SCK9
1/2"	72"	BKG-GHC-5072-SCK9
3/4"	24"	BKG-GHC-7524-SCK9
3/4"	36"	BKG-GHC-7536-SCK9
3/4"	48"	BKG-GHC-7548-SCK9
3/4"	60"	BKG-GHC-7560-SCK9
3/4"	72"	BKG-GHC-7572-SCK9
1"	24"	BKG-GHC-10024-SCK9
1"	36"	BKG-GHC-10036-SCK9
1"	48"	BKG-GHC-10048-SCK9
1"	60"	BKG-GHC-10060-SCK9
1"	72"	BKG-GHC-10072-SCK9

Packaged in POP Box

Gas Hose Connection Kit #2

Inside Diameter	Length	Gas Hose & Hardware
1/2"	24"	BKG-GHC-5024-SCK2
1/2"	36"	BKG-GHC-5036-SCK2
1/2"	48"	BKG-GHC-5048-SCK2
1/2"	60"	BKG-GHC-5060-SCK2
1/2"	72"	BKG-GHC-5072-SCK2
3/4"	24"	BKG-GHC-7524-SCK2
3/4"	36"	BKG-GHC-7536-SCK2
3/4"	48"	BKG-GHC-7548-SCK2
3/4"	60"	BKG-GHC-7560-SCK2
3/4"	72"	BKG-GHC-7572-SCK2
1"	24"	BKG-GHC-10024-SCK2
1"	36"	BKG-GHC-10036-SCK2
1"	48"	BKG-GHC-10048-SCK2
1"	60"	BKG-GHC-10060-SCK2
1"	72"	BKG-GHC-10072-SCK2

Packaged in POP Box

Gas Hose Connection Kit #3

Inside Diameter	Length	Gas Hose & Hardware
1/2"	24"	BKG-GHC-5024-SCK3
1/2"	36"	BKG-GHC-5036-SCK3
1/2"	48"	BKG-GHC-5048-SCK3
1/2"	60"	BKG-GHC-5060-SCK3
1/2"	72"	BKG-GHC-5072-SCK3
3/4"	24"	BKG-GHC-7524-SCK3
3/4"	36"	BKG-GHC-7536-SCK3
3/4"	48"	BKG-GHC-7548-SCK3
3/4"	60"	BKG-GHC-7560-SCK3
3/4"	72"	BKG-GHC-7572-SCK3
1"	24"	BKG-GHC-10024-SCK3
1"	36"	BKG-GHC-10036-SCK3
1"	48"	BKG-GHC-10048-SCK3
1"	60"	BKG-GHC-10060-SCK3
1"	72"	BKG-GHC-10072-SCK3

Packaged in Plastic Tube

Gas Hose Quick Disconnect Connection Kit

Diameter	Length	Gas Hose & Hardware
1/2"	24"	BKG-GHC-5024-QD-PT
1/2"	36"	BKG-GHC-5036-QD-PT
1/2"	48"	BKG-GHC-5048-QD-PT
1/2"	60"	BKG-GHC-5060-QD-PT
1/2"	72"	BKG-GHC-5072-QD-PT
3/4"	24"	BKG-GHC-7524-QD-PT
3/4"	36"	BKG-GHC-7536-QD-PT
3/4"	48"	BKG-GHC-7548-QD-PT
3/4"	60"	BKG-GHC-7560-QD-PT
3/4"	72"	BKG-GHC-7572-QD-PT
1"	24"	BKG-GHC-10024-QD-PT
1"	36"	BKG-GHC-10036-QD-PT
1"	48"	BKG-GHC-10048-QD-PT
1"	60"	BKG-GHC-10060-QD-PT
1"	72"	BKG-GHC-10072-QD-PT

Packaged in Plastic Tube

GAS HOSE ONLY in POP Merchandising Plastic Tube

Inside Diameter	Length	Gas Hose & P.O.P Display Tube
1/2"	24"	BKG-GHC-5024-PT
1/2"	36"	BKG-GHC-5036-PT
1/2"	48"	BKG-GHC-5048-PT
1/2"	60"	BKG-GHC-5060-PT
1/2"	72"	BKG-GHC-5072-PT
3/4"	24"	BKG-GHC-7524-PT
3/4"	36"	BKG-GHC-7536-PT
3/4"	48"	BKG-GHC-7548-PT
3/4"	60"	BKG-GHC-7560-PT
3/4"	72"	BKG-GHC-7572-PT
1"	24"	BKG-GHC-10024-PT
1"	36"	BKG-GHC-10036-PT
1"	48"	BKG-GHC-10048-PT
1"	60"	BKG-GHC-10060-PT
1"	72"	BKG-GHC-10072-PT

swivel PRO™

Does not restrict flow!
2 points of 360° Rotation!

Swivel Pro™

Size	Part #
1/2"	BKG-50SW
3/4"	BKG-75SW
1"	BKG-100SW

SET-PRO™

PROFESSIONAL EQUIPMENT PLACEMENT SYSTEM

Set-Pro™

Part #	
BKG-CS	$155.00 per set of (2)

Shut-Off "Ball-Valve"

Required by code to allow for manual shut-off of gas within six feet of appliance.

Size	Part #
1/2"	BKG-BV50
3/4"	BKG-BV75
1"	BKG-BV100

Quick Disconnect

Easily connects and disconnects gas hose from wall and or appliance for equipment maintenance and cleaning. ANSI Z21.41.2003

Size	Part #
1/2"	BKG-QDC-50
3/4"	BKG-QDC-75
1"	BKG-QDC-100

Restraining Cable Kit

Secures appliance from exceeding recommended distance from wall. ANSI Z21.69b

Fits Hose Length	Part #
24"	BKG-RCK-24
36"	BKG-RCK-36
48"	BKG-RCK-48
60"	BKG-RCK-60
72"	BKG-RCK-72

WARRANTED 5 YEARS

Stationary Gas Hose Kit

Inside Diameter	Length	Model #	Connectors included
3/4"	36"	BKG-SHC-7536-MM	(2) Male
3/4"	36"	BKG-SHC-7536-FF	(2) Female
3/4"	36"	BKG-SHC-7536-MF	(1) Male (1) Female
3/4"	48"	BKG-SHC-7548-MM	(2) Male
3/4"	48"	BKG-SHC-7548-FF	(2) Female
3/4"	48"	BKG-SHC-7548-MF	(1) Male (1) Female

90° Male to Female Fitting

Size	Part #
1/2"	BKG-90E50
3/4"	BKG-90E75
1"	BKG-90E100

Individual Gas Hose

Inside Diameter	Length	PVC Gas Hose
1/2"	24"	BKG-GHC-5024
1/2"	36"	BKG-GHC-5036
1/2"	48"	BKG-GHC-5048
1/2"	60"	BKG-GHC-5060
1/2"	72"	BKG-GHC-5072
3/4"	24"	BKG-GHC-7524
3/4"	36"	BKG-GHC-7536
3/4"	48"	BKG-GHC-7548
3/4"	60"	BKG-GHC-7560
3/4"	72"	BKG-GHC-7572
1"	24"	BKG-GHC-10024
1"	36"	BKG-GHC-10036
1"	48"	BKG-GHC-10048
1"	60"	BKG-GHC-10060
1"	72"	BKG-GHC-10072

Gas Hose Connection Kit Parts List

Swivel Pro™

Set-Pro™

90° Female Elbows

Threaded Nipples

Restraining Cable & Hardware

Shut-Off Ball Valve

Quick Disconnect

90° Street Elbows

Fast and Free Freight

- BK Resources Premier program offers free freight for every one case ordered
- Easily order individual items or case packs without having to worry about delivery costs
- Cannot Ship U.P.S. Oversized

premier

3/4" x 48" Gas Hose Connection Kit

Order 1 Case

5 per case
Item# CP-7548-SCK3

3/4" x 48" GOtek Gas Hose Connector Kits

Order 1 Case

5 per case
Item# CP-10-754-1

Gotek gas connectors

BK RESOURCES

3/4" x 48" Gas Hose Connector Kit

FOR STATIONARY & MOBILE COMMERCIAL EQUIPMENT

The Most FLEXIBLE Gas Connector On The Market

Restraining Cable & Hardware

Female To Male 90° Elbow

See the Strength

Trust The Braided Stainless Steel Stripe!

- Protective Translucent Coating
- Transparent Stripe Reveals Braided Stainless Steel
- Braided Stainless Steel Over a 304 Corrugated Stainless Steel Connector
- Corrugated Construction Allows for Ultimate Flexibility
- T-304 Stainless Steel Swivel Couplings



Shut Off Ball Valve

Quick Connect Fitting

Inside Diameter	Length	PVC Gas Hose
3/4"	36"	10-753-1
3/4"	48"	10-754-1
3/4"	48"	10-754-1-70

Meets ANSI Codes:
Z21.69a
Z21.69b
Z21.69-2002
Z21.41a-2005
Z21.41b-2010
Z21.41-2003

WARRANTED 5 YEARS

FREE BK Resources Display Stand

CONTACT YOUR LOCAL SALES REPRESENTATIVE FOR MORE INFO ON THIS PROGRAM

Merchandising Display Opportunities Available

***Items available for this special promotion include:**

- All Plumbing Products ("Lead Free Plumbing" section in this catalog)
- Plumbing Parts
- Gas Hoses, Kits, & Accessories
- Hand Sinks (9"x9" & 14"x10") & New Antimicrobial Hand Sink

Possible Merchandising Configuration
24" Wide

Other Configurations available. Give us a Call!

* Program subject to change at any time.

Sign in to **bk-resources.com** to see your net pricing

1(888)310-4393

LEAD FREE PLUMBING

WE OFFER 3 LINES OF PLUMBING PRODUCTS

CHOOSE THE BEST OPTION TO FIT YOUR NEEDS

EVOLUTION™ SERIES

Heavy Duty

- Built to last
- Stainless Steel
- Longest Lasting Material
- Most Durable Valve
- Lifetime Warranty

LEAD FREE

WARRANTY LIFETIME WARRANTY

OptiFlow™ SERIES

Heavy Duty

- Built for High Volume Environments
- Heavy Duty Faucet Body
- Long Lasting Material
- Stainless Steel Housing On Valve
- 3 Year Warranty

LEAD FREE

WARRANTIED 3 YEARS

workFORCE™ SERIES

Standard Duty

- Built for Low Volume Environments
- Economically Friendly
- 1 Year Warranty

LEAD FREE

WARRANTIED 1 YEAR

* Pre-Rinse hoses not included in faucet warranty.

BK Resources has complied with and has been certified by:

NSF International to NSF/ANSI/CAN Standard 61 Section 9, Drinking Water System Components – Health Effects. NSF International evaluated both the leaching of contaminants into drinking water from faucets.

Look for the G logo accompanied by the "NSF 61 Section 9" logo in our literature.

NSF Certified to NSF/ANSI/CAN 61-G & 372

G LEAD FREE

ANSI

EVOLUTION™ SERIES

Heavy Duty

- Built to last
- Stainless Steel
- Longest Lasting Material
- Most Durable Valve
- Lifetime Warranty

LEAD FREE

WARRANTY LIFETIME WARRANTY

WARRANTY LIFETIME WARRANTY

All Evolution Pre-rinse Units Are Provided With Evolution Spray Head & Faucet Body



Wide Fan Spray

Jet Spray

Dual Spray Patterns

Sign in to **bk-resources.com** to see your net pricing

EVOLUTION SERIES

Pre-Rinse

WARRANTY LIFETIME WARRANTY

Our Evolution Pre-Rinse units include an all stainless steel faucet and spout and dual pattern stainless steel spray head. These heavy duty constructed faucets and spray heads boast a lifetime warranty.

Wall Bracket
Secures unit to wall. Cut to needed length.

Stainless Steel Dual Pattern Spray Head
Superior spray head backed by a lifetime warranty. Cleans and uses water effeciently at 1.15GPM.

Optional Stainless Steel Add-On Faucet
Included with -AF12 units. Can also be added to other pre-rinse units with different spout sizes. Lifetime Warranty Applies

Stainless Steel Faucet
Stainless steel housing and waterways. Longer lasting material and suitable for all types of water.
Lifetime warranty.

1/4 Turn Ceramic Cartridge with Integral Check Valve
Our longest lasting valve. T-304 stainless steel housing and stem.

C US Energy Verified

NSF/ANSI/CAN 61: G < 1

8" Deck Mount Pre-Rinse

- Dual Pattern Spray Head
- Spray Head & Faucet Base Waterways are T-304 Cast Stainless Steel
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Lifetime Faucet Warranty
- Lifetime Spray Head Warranty
- 1 Year Hose Warranty

Part Number

EVO-8DMPR

8" Deck Mount Pre-Rinse

with 12" Spout Add-a-Faucet

- Dual Pattern Spray Head
- Spray Head & Faucet Base Waterways are T-304 Cast Stainless Steel
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Lifetime Faucet Warranty
- Lifetime Spray Head Warranty
- 1 Year Hose Warranty

Part Number

EVO-8DMPR-AF12

8" Splash Mount Pre-Rinse

- Dual Pattern Spray Head
- Spray Head & Faucet Base Waterways are T-304 Cast Stainless Steel
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Lifetime Faucet Warranty
- Lifetime Spray Head Warranty
- 1 Year Hose Warranty

Part Number

EVO-8SMPR

8" Splash Mount Pre-Rinse

with 12" Spout Add-a-Faucet

- Dual Pattern Spray Head
- Spray Head & Faucet Base Waterways are T-304 Cast Stainless Steel
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Lifetime Faucet Warranty
- Lifetime Spray Head Warranty
- 1 Year Hose Warranty

Part Number

EVO-8SMPR-AF12

4" Deck Mount Pre-Rinse

- Dual Pattern Spray Head
- Spray Head & Faucet Base Waterways are T-304 Cast Stainless Steel
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Lifetime Faucet Warranty
- Lifetime Spray Head Warranty
- 1 Year Hose Warranty

Part Number

EVO-4DMPR

4" Deck Mount Pre-Rinse

with 12" Spout Add-a-Faucet

- Dual Pattern Spray Head
- Spray Head & Faucet Base Waterways are T-304 Cast Stainless Steel
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Lifetime Faucet Warranty
- Lifetime Spray Head Warranty
- 1 Year Hose Warranty

Part Number

EVO-4DMPR-AF12

4" Splash Mount Pre-Rinse

- Dual Pattern Spray Head
- Spray Head & Faucet Base Waterways are T-304 Cast Stainless Steel
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Lifetime Faucet Warranty
- Lifetime Spray Head Warranty
- 1 Year Hose Warranty

Part Number

EVO-4SMPR

4" Splash Mount Pre-Rinse

with 12" Spout Add-a-Faucet

- Dual Pattern Spray Head
- Spray Head & Faucet Base Waterways are T-304 Cast Stainless Steel
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Lifetime Faucet Warranty
- Lifetime Spray Head Warranty
- 1 Year Hose Warranty

Part Number

EVO-4SMPR-AF12

MINI PRE-RINSE

- Reduced Size for Food Trucks and other Tight Spaces
- Triple-Ply Hose Rated to 300 PSI
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- 3 Year Faucet Warranty
- 1 Year Hose Warranty



OptiFlow™ SERIES — WARRANTED 3 YEARS — NSF G — CSA C US Energy Verified

Part Number	Description
BKF-4DM-MINI	4" O.C. Faucet (BKF-4DM)
BKF-4HD-MINI	4" O.C. Faucet (BKF4HD)
BKF-DMPR-MINI	Single Hole (DMPR)
BKF-SMPR-MINI	8" O.C. PreRinse (SSMPR)
BKF-8DM-MINI	8" O.C. Faucet (BKF-8DM)
BKF-8HD-MINI	8" O.C. Faucet (BKF8HD)

FOR REPLACEMENT PARTS & ADD-A-FAUCETS
See Page 121-122

BKF-VSMPR-G

8" Value Splash Mount Pre-Rinse

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets

workFORCE™ SERIES — WARRANTED 1 YEAR — NSF G — CSA C US Energy Verified



Part Number	Description
BKF-VSMPR-MINI	Mini Pre-Rinse 8" O.C. PreRinse
BKF-VSMPR-WB-G	No Add-a-Faucet
BKF-VSMPR-WB-AF6-G	6" Add-a-Faucet
BKF-VSMPR-WB-AF8-G	8" Add-a-Faucet
BKF-VSMPR-WB-AF10-G	10" Add-a-Faucet
BKF-VSMPR-WB-AF12-G	12" Add-a-Faucet
BKF-VSMPR-WB-AF14-G	14" Add-a-Faucet

BKF-SMPR-WB-G

8" Splash Mount Heavy Duty Pre-Rinse

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- 3 Year Faucet Warranty
- 1 Year Hose Warranty
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- Low Flow

OptiFlow™ SERIES — WARRANTED 3 YEARS — NSF G — NSF — CSA C US Energy Verified

Part Number	Description
BKF-SMPR-WB-C (NSF)	No Add-a-Faucet
* BKF-SMPR-WB-AF8-G	8" Add-a-Faucet
* BKF-SMPR-WB-AF10-G	10" Add-a-Faucet
* BKF-SMPR-WB-AF12-G	12" Add-a-Faucet
* BKF-SMPR-WB-AF14-G	14" Add-a-Faucet

BKF-DMPR-WB-G

Deck Mount Pre-Rinse

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 3 Year Faucet Warranty
- 1 Year Hose Warranty

OptiFlow™ SERIES — WARRANTED 3 YEARS — NSF G — NSF — CSA C US Energy Verified



Part Number	
BKF-DMPR-WL (NSF) G	No Add-a-Faucet
* BKF-DMPR-WB-AF8-G	8" Add-a-Faucet
* BKF-DMPR-WB-AF10-G	10" Add-a-Faucet
* BKF-DMPR-WB-AF12-G	12" Add-a-Faucet
* BKF-DMPR-WB-AF14-G	14" Add-a-Faucet

NOTE: ( ) We have combined NSF Certified components to offer you a greater value. (Example: BKF-SMPR-WB-AF12-G) **Though these part numbers are not Certified by NSF, each component that makes up the following part numbers are individually Certified by NSF and are thereby approved for use in your facility. For more information, please call 888-310-4393.**

BKF-SWMPR-WB-G

Single Valve Wall Mount

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridge
- Integral Check Valve
- 1/2" Female Inlet
- 3 Year Faucet Warranty
- 1 Year Hose Warranty

Part Number

BKF-SWMPR-WB-G

BKF-SDMPR-WB-G

Single Valve Deck Mount

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- 3 Year Faucet Warranty
- 1 Year Hose Warranty

Part Number

BKF-SDMPR-WB-G

BKF-BWMPR-WB-G

Wall Mount Base - No Valve

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/2" Female Inlet
- 3 Year Faucet Warranty
- 1 Year Hose Warranty

Part Number

BKF-BWMPR-WB-G

BKF-BDMPR-WB-G

Deck Mount Base - No Valve

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 3 Year Base Warranty
- 1 Year Hose Warranty

Part Number

BKF-BDMPR-WB-G

BKF-8HDDPR-WB-G†

8" Deck Mount Pre-Rinse

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- 3 Year Faucet Warranty
- 1 Year Hose Warranty

Part Number

BKF-8HDDPR-WB-G

BKF-4HDDPR-WB-G†

4" Deck Mount Pre-Rinse

- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- 3 Year Faucet Warranty
- 1 Year Hose Warranty

Part Number

BKF-4HDDPR-WB-G

† ASME 112.18.1 / CSA B125.1

⚠ *WARNING: Cancer and Reproductive Harm P65Warnings.ca.gov - all products on this page*

SWING ARM PRE-RINSE

BKF-SMSAPR-G

8" Value Splash Mount Pre-Rinse

- 27.5" high riser with 13" solid swing arm
- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Color Coded Hot & Cold Indicators
- 1/2" Female Inlets
- 3 Year Faucet Warranty
- 1 Year Hose Warranty

Shown as BKF-SMSAPR-WB-AF12-G

Shown as BKF-SMSAPR-WB-G

Part Number	Description
BKF-SMSAPR-WB-G	No Add-a-Faucet
BKF-SMSAPR-WB-AF8-G	8" Add-a-Faucet
BKF-SMSAPR-WB-AF14-G	10" Add-a-Faucet
BKF-SMSAPR-WB-AF12-G	12" Add-a-Faucet
BKF-SMSAPR-WB-AF10-G	14" Add-a-Faucet

SWING ARM PRE-RINSE

BKF-DMSAPR-WB-G

Deck Mount Pre-Rinse

- 27.5" high riser with 13" solid swing arm
- Triple-Ply Hose Rated to 300 PSI
- 12" Wall Bracket
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- 3 Year Faucet Warranty
- 1 Year Hose Warranty

Shown as BKF-DMSAPR-WB-G



H/C Mixing Hoses Included

Part Number	
BKF-DMSAPR-WB-G	No Add-a-Faucet
BKF-DMSAPR-WB-AF8-G	8" Add-a-Faucet
BKF-DMSAPR-WB-AF14-G	10" Add-a-Faucet
BKF-DMSAPR-WB-AF12-G	12" Add-a-Faucet
BKF-DMSAPR-WB-AF10-G	14" Add-a-Faucet

SENSOR FAUCETS

BKF-4DSF

LEAD FREE

BKF-4DSF - Deck Mount Sensor Faucet

WARRANTIED 1 YEAR

- 4" deck mounted motion-sensor faucet
- Polished chrome plated brass with integral spout
- Plug in transformer or (4) AA batteries (not included)
- Temp control mixing valve with integral check valves

Part Number
BKF-4DSF

SHOWN AS: BKF-SEF-3G

Splash/Deck Mount Electronic Sensor Faucets

WARRANTIED 1 YEAR

- 3 1/2" or 5" Gooseneck Spout
- Adjustable Temp. Setting
- Optional Low-Flow Aerator
- Battery or Plug-In Power Supply Options

Part Number	Spout Mounting	Gooseneck Spout
BKF-SEF-3G	Splash	3.5"
BKF-SEF-5G	Splash	5"
BKF-DEF-3G	Deck	3.5"
BKF-DEF-5G	Deck	5"

SHOWN AS: BKF-DEF-3G

METERING FAUCETS

OptiFlow™ SERIES

- 1-3/4" Vandal Proof MVP Metering Push Handle
- Metering Adjustable Cycle Time Closure Cartridge
- 3 Year Warranty
- Lead Free Product
- Operating Temperature 40-140°F
- Operating Pressure: 20-125 PSI
- 1/2" NPSM Supply Inlet with Coupling Nut for 3/8" or 1/2" Flexible Riser
- Add to BKF-C414-VR for 0.5 gpm flow rate & vandal resistant aerator to MF-1-D-G

ANSI LEAD FREE

OptiFlow™ SERIES

MF-4D-G - 4" Deck Mounted Hot and Cold Water Metering Faucet

- 4" Fixed Center Two Hole Polished Chrome Plated Metering Faucet
- 2" Center to Center Integral Cast Brass Spout

Part Number
MF-4D-G

MF-1D-G - Deck Mounted Single Supply Metering Faucet

- Single Hole Polished Chrome Plated Metering Faucet
- Integral Cast Brass Spout
- Add to BKF-C414-VR for 0.5 gpm flow rate & vandal resistant aerator

Part Number
MF-1D-G

Replacement Parts for Metering Faucets

Part Number	Description
MF-PH	Metering Valve
MF-PH	Push Cap
MF-1D-BT	Bonnet for MF-1D
MF-4D-BT	Bonnet for MF-4D
MF-4D-AER	Aerator Assembly for MF-4D
MF-1D-AER	Aerator Assembly for MF-1D
MF-1D-KIT	Push Cap, Bonnet, Valve, and Red & Blue Temp Indicators
MF-4D-KIT	Push Cap, Bonnet, Valve, and Red & Blue Temp Indicators

MF-MV

MFD-BT

MFD-PH

MF-1D-AER

MF-4D-AER

EVOLUTION™ SERIES

LIFETIME WARRANTY

STAINLESS STEEL FAUCETS



EVO-8DM-G

EVO-8SM-G

EVO-4SM-G

EVO-4DM-G

Why EVOLUTION™?

- T-304 Stainless Steel Precision Machined Construction
- Mounting Nuts Included
- Lifetime Warranty
- Suitable for All Types of Drinking Water
- More Durable than Brass
- Less Susceptible to Corrosion than Brass
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Stainless Steel Cover
- Double O-Ring Spout Seal
- Full Replacement Parts Available
- Lead-Free Compliant

LEAD FREE
NSF/ANSICAN 372 Compliant

Evolution Stem /Valve Diagram

EVO-4SM
4" Splash Mount
T-304 Stainless Steel Faucet

- T-304 Cast Stainless Steel
- Stainless Steel Spout
- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Stainless Steel Cover

Part Number	Spout Type
EVO-4SM-XX	Body Only
EVO-4SM-6	6" Swing
EVO-4SM-8	8" Swing
EVO-4SM-10	10" Swing
EVO-4SM-12	12" Swing
EVO-4SM-14	14" Swing
EVO-4SM-16	16" Swing
EVO-4SM-18	18"DJ Swing
EVO-4SM-4G	4½" Gooseneck
EVO-4SM-5G	5" Gooseneck
EVO-4SM-8G	8" Gooseneck

EVO-4DM
4" Deck Mount
T-304 Stainless Steel Faucet

- T-304 Cast Stainless Steel
- Stainless Steel Spout
- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Stainless Steel Cover

Part Number	Spout Type
EVO-4DM-XX	Body Only
EVO-4DM-6	6" Swing
EVO-4DM-8	8" Swing
EVO-4DM-10	10" Swing
EVO-4DM-12	12" Swing
EVO-4DM-14	14" Swing
EVO-4DM-16	16" Swing
EVO-4DM-18	18"DJ Swing
EVO-4DM-4G	4½" Gooseneck
EVO-4DM-5G	5" Gooseneck
EVO-4DM-8G	8" Gooseneck

EVO-8DM
8" Deck Mount
T-304 Stainless Steel Faucet

- T-304 Cast Stainless Steel
- Stainless Steel Spout
- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Stainless Steel Cover

Part Number	Spout Type
EVO-8DM-XX	Body Only
EVO-8DM-6	6" Swing
EVO-8DM-8	8" Swing
EVO-8DM-10	10" Swing
EVO-8DM-12	12" Swing
EVO-8DM-14	14" Swing
EVO-8DM-16	16" Swing
EVO-8DM-18	18"DJ Swing
EVO-8DM-4G	4½" Gooseneck
EVO-8DM-5G	5" Gooseneck
EVO-8DM-8G	8" Gooseneck

EVO-8SM
8" Splash Mount
T-304 Stainless Steel Faucet

- T-304 Cast Stainless Steel
- Stainless Steel Spout
- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Stainless Steel Cover

Part Number	Spout Type
EVO-8SM-XX	Body Only
EVO-8SM-6	6" Swing
EVO-8SM-8	8" Swing
EVO-8SM-10	10" Swing
EVO-8SM-12	12" Swing
EVO-8SM-14	14" Swing
EVO-8SM-16	16" Swing
EVO-8SM-18	18"DJ Swing
EVO-8SM-4G	41/2" Gooseneck
EVO-8SM-5G	5" Gooseneck
EVO-8SM-8G	8" Gooseneck

EVOLUTION SERIES™

FAUCETS COME WITH:

- Stainless Steel Faucet
- Mounting Hardware
- Lifetime Warranty

Specifying Key

Length (4" or 8" O.C.) — Spout Size

EVO-8SM-6

Evolution Series — SM - Splash Mount / DM - Deck Mount

8" Splash Mount Example:

Part Number	Spout Size
EVO-8SM-6	6" Swing
EVO-8SM-8	8" Swing
EVO-8SM-10	10" Swing
EVO-8SM-12	12" Swing
EVO-8SM-14	14" Swing
EVO-8SM-16	16" Swing
EVO-8SM-18	18"DJ Swing
EVO-8SM-4G	41/2" Gooseneck
EVO-8SM-5G	5" Gooseneck
EVO-8SM-8G	8" Gooseneck

BKF-C414-VR
Aerator .5 GPM

- Vandal Resistant
- Chrome Plated

+ Add the BKF-C414-VR Aerator to any BK Resources Faucet to make it Low Flow!

Why OptiFlow™ SERIES?

- Heavy Duty has a 3 Year Warranty
- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators
- Double O-Ring Spout Seal
- High Polished Nickel Chrome Finish
- Full Replacement Parts Available

LEAD FREE

BK Resources has complied with and has been certified by:

NSF International to ANSI/ NSF Standard 61 Section 9, Drinking Water System Components – Health Effects. NSF International evaluated both the leaching of contaminants into drinking water from faucets.

CSA International - Canada & U.S.

Faucet Mounting Hardware

90o Elbow Not Included In BK-DMMK

Part Number	Faucet Use
BK-DMMK	Deck Mount
BK-SMMK-90	Splash Mount

BKF-4DM+
4" Deck Mount Solid Body Faucet

- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BKF-4DM-XX-G	Body Only
BKF-4DM-6-G	6" Swing
BKF-4DM-8-G	8" Swing
BKF-4DM-10-G	10" Swing
BKF-4DM-12-G	12" Swing
BKF-4DM-14-G	14" Swing
BKF-4DM-16-G	16" Swing
BKF-4DM-18-G	18"DJ Swing
BKF-4DM-3G-G	4" Gooseneck
BKF-4DM-5G-G	5" Gooseneck
BKF-4DM-8G-G	8" Gooseneck

BKF4HD+
4" Deck Mount Heavy Duty Faucet

- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BK-DMMK	Suggested Mounting Kit
BKF4HD-XX-G	Body Only
BKF4HD-6-G	6" Swing
BKF4HD-8-G	8" Swing
BKF4HD-10-G	10" Swing
BKF4HD-12-G	12" Swing
BKF4HD-14-G	14" Swing
BKF4HD-16-G	16" Swing
BKF4HD-18-G	18"DJ Swing
BKF4HD-3G-G	3" Gooseneck
BKF4HD-5G-G	5" Gooseneck
BKF4HD-8G-G	8" Gooseneck

BKF-4SM+
4" Splash Mount Heavy Duty Solid Body Faucet

- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BKF-4SM-XX-G	Body Only
BKF-4SM-6-G	6" Swing
BKF-4SM-8-G	8" Swing
BKF-4SM-10-G	10" Swing
BKF-4SM-12-G	12" Swing
BKF-4SM-14-G	14" Swing
BKF-4SM-16-G	16" Swing
BKF-4SM-18-G	18"DJ Swing
BKF-4SM-3G-G	3" Gooseneck
BKF-4SM-5G-G	5" Gooseneck
BKF-4SM-8G-G	8" Gooseneck

BKF-4SM2
4" Splash Mount Shallow Solid Body Faucet

- 1/4 Turn Ceramic Cartridges
- Integral Check Valves
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BKF-4SM2-XX-G	Body Only
BKF-4SM2-6-G	6" Swing
BKF-4SM2-8-G	8" Swing
BKF-4SM2-10-G	10" Swing
BKF-4SM2-12-G	12" Swing
BKF-4SM2-14-G	14" Swing
BKF-4SM2-16-G	16" Swing
BKF-4SM2-18-G	18"DJ Swing
BKF-4SM2-3G-G	3" Gooseneck
BKF-4SM2-5G-G	5" Gooseneck
BKF-4SM2-8G-G	8" Gooseneck

OptiFlow Stem /Valve Diagram



BKF-C414-VR
Aerator .5 GPM

- Vandal Resistant
- Chrome Plated

+ Add the BKF-C414-VR Aerator to any BK Resources Faucet to make it Low Flow!

BKF†
8" Splash Mount Heavy Duty Faucet

- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BK-SMMK-90	Suggested Mounting Kit
BKF-XX-G	Body Only
BKF-6-G	6" Swing
BKF-8-G	8" Swing
BKF-10-G	10" Swing
BKF-12-G	12" Swing
BKF-14-G	14" Swing
BKF-16-G	16" Swing
BKF-18-G	18"DJ Swing
BKF-3G-G	3" Gooseneck
BKF-5G-G	5" Gooseneck
BKF-8G-G	8" Gooseneck

BKF8HD†
8" Deck Mount Heavy Duty Faucet

- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BK-DMMK	Suggested Mounting Kit
BKF8HD-XX-G	Body Only
BKF8HD-6-G	6" Swing
BKF8HD-8-G	8" Swing
BKF8HD-10-G	10" Swing
BKF8HD-12-G	12" Swing
BKF8HD-14-G	14" Swing
BKF8HD-16-G	16" Swing
BKF8HD-18-G	18"DJ Swing
BKF8HD-3G-G	3" Gooseneck
BKF8HD-5G-G	5" Gooseneck
BKF8HD-8G-G	8" Gooseneck

BKF-8DM†
8" Deck Mount Heavy Duty Solid Body Faucet

- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BKF-8DM-XX-G	Body Only
BKF-8DM-6-G	6" Swing
BKF-8DM-8-G	8" Swing
BKF-8DM-10-G	10" Swing
BKF-8DM-12-G	12" Swing
BKF-8DM-14-G	14" Swing
BKF-8DM-16-G	16" Swing
BKF-8DM-18-G	18"DJ Swing
BKF-8DM-3G-G	3" Gooseneck
BKF-8DM-5G-G	5" Gooseneck
BKF-8DM-8G-G	8" Gooseneck

BKF-8SM
8" Splash Mount Heavy Duty Faucet

- 1/4 Turn Ceramic Cartridges
- Integral Check Valve
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BKF-8SM-XX-G	Body Only
BKF-8SM-6-G	6" Swing
BKF-8SM-8-G	8" Swing
BKF-8SM-10-G	10" Swing
BKF-8SM-12-G	12" Swing
BKF-8SM-14-G	14" Swing
BKF-8SM-16-G	16" Swing
BKF-8SM-18-G	18"DJ Swing
BKF-8SM-3G-G	3" Gooseneck
BKF-8SM-5G-G	5" Gooseneck
BKF-8SM-8G-G	8" Gooseneck

Why workFORCE™ SERIES?

- Standard Duty has a 1 Year Warranty
- Double O-Ring Spout Seal
- High Polished Nickel Chrome Finish
- Full Replacement Parts Available
- Lead-Free Compliant

BK Resources has been certified by:
NSF International to NSF/ANSI/CAN Standard 61 Section 9 & 372, Drinking Water System Components – Health Effects. NSF International evaluated both the leaching of contaminants into drinking water from faucets. CSA International - Canada & U.S.

Faucet Mounting Hardware

Part Number	Faucet Use
BK-DMMK	Deck Mount
BK-SMMK-90	Splash Mount

BKF-8W†
8" Splash Mount Standard Duty Faucet

- 1/4 Turn Ceramic Cartridges
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BKF-8W-6-G	6" Swing
BKF-8W-8-G	8" Swing
BKF-8W-10-G	10" Swing
BKF-8W-12-G	12" Swing
BKF-8W-14-G	14" Swing
BKF-8W-16-G	16" Swing
BKF-8W-18-G	18"DJ Swing
BKF-8W-3G-G	3" Gooseneck
BKF-8W-5G-G	5" Gooseneck
BKF-8W-8G-G	8" Gooseneck
BKF-8W-XX-G	Body Only

BK8D†
8" Deck Mount Standard Duty Faucet

- 1/4 Turn Ceramic Cartridges
- Color Coded Hot & Cold Indicators

Part Number	Spout Type
BK8D-6-G	6" Swing
BK8D-8-G	8" Swing
BK8D-10-G	10" Swing
BK8D-12-G	12" Swing
BK8D-14-G	14" Swing
BK8D-16-G	16" Swing
BK8D-18-G	18" DJ Swing
BK8D-3G-G	3" Gooseneck
BK8D-5G-G	5" Gooseneck
BK8D-8G-G	8" Gooseneck
BK8D-XX-G	Body Only

FOR REPLACEMENT PARTS
See Page 31-33

BKF-W2
4" Splash Mount Shallow Standard Duty Faucet

+ $37 List Price
BKF-C414-VR

- 1/4 Turn Ceramic Cartridges
- Color Coded Hot & Cold Indicators
- Wrist Blade Handles Not Available

Part Number	Spout Type
BKF-W2-XX-G	Body Only
BKF-W2-6-G	6" Swing
BKF-W2-8-G	8" Swing
BKF-W2-10-G	10" Swing
BKF-W2-12-G	12" Swing
BKF-W2-14-G	14" Swing
BKF-W2-16-G	16" Swing
BKF-W2-18-G	18"DJ Swing
BKF-W2-3G-G	3" Gooseneck
BKF-W2-5G-G	5" Gooseneck
BKF-W2-8G-G	8" Gooseneck

BKF-W†
4" Splash Mount Standard Duty Faucet

- 1/4 Turn Ceramic Cartridges
- Color Coded Hot & Cold Indicators
- Wrist Blade Handles Not Available

Part Number	Spout Type
BKF-W-XX-G	Body Only
BKF-W-6-G	6" Swing
BKF-W-8-G	8" Swing
BKF-W-10-G	10" Swing
BKF-W-12-G	12" Swing
BKF-W-14-G	14" Swing
BKF-W-16-G	16" Swing
BKF-W-18-G	18"DJ Swing
BKF-W-3G-G	3" Gooseneck
BKF-W-5G-G	5" Gooseneck
BKF-W-8G-G	8" Gooseneck

BKD†
4" Deck Mount Standard Duty Faucet

- 1/4 Turn Ceramic Cartridges
- Color Coded Hot & Cold Indicators
- Wrist Blade Handles Not Available

Part Number	Spout Type
BKD-XX-G	Body Only
BKD-6-G	6" Swing
BKD-8-G	8" Swing
BKD-10-G	10" Swing
BKD-12-G	12" Swing
BKD-14-G	14" Swing
BKD-16-G	16" Swing
BKD-18-G	18"DJ Swing
BKD-3G-G	3" Gooseneck
BKD-5G-G	5" Gooseneck
BKD-8G-G	8" Gooseneck

workFORCE™ SERIES

WARRANTED 1 YEAR

BKF-WPF†
Deck Mount Standard Duty Single Valve Pantry Faucet

+ $37 List Price BKF-C414-VR

- Compression Valve
- Interchangeable Spouts
- Chrome Plated

Part Number	Spout Type
BKF-WPF-6-G	6" Swing
BKF-WPF-8-G	8" Swing
BKF-WPF-10-G	10" Swing
BKF-WPF-12-G	12" Swing
BKF-WPF-14-G	14" Swing
BKF-WPF-16-G	16" Swing
BKF-WPF-18-G	18"DJ Swing
BKF-WPF-3G-G	3" Gooseneck
BKF-WPF-5G-G	5" Gooseneck
BKF-WPF-8G-G	8" Gooseneck

ptiFlow™ SERIES

WARRANTED 3 YEARS

BKF-DPF†
Deck Mount Dual Valve Pantry Faucet

+ $37 List Price BKF-C414-VR

- 1/4 Turn Ceramic Cartridges
- Interchangeable Spouts
- Chrome Plated
- Integral Check Valve

Part Number	Spout Type
BKF-DPF-6-G	6" Swing
BKF-DPF-8-G	8" Swing
BKF-DPF-10-G	10" Swing
BKF-DPF-12-G	12" Swing
BKF-DPF-14-G	14" Swing
BKF-DPF-16-G	16" Swing
BKF-DPF-18-G	18"DJ Swing
BKF-DPF-3G-G	3" Gooseneck
BKF-DPF-5G-G	5" Gooseneck
BKF-DPF-8G-G	8" Gooseneck

ptiFlow™ SERIES

WARRANTED 3 YEARS

BKF-SPF†
Deck Mount Heavy Duty Single Valve Pantry Faucet

+ $37 List Price BKF-C414-VR

- 1/4 Turn Ceramic Cartridge
- Interchangeable Spouts
- Chrome Plated
- Integral Check Valve

Part Number	Spout Type
BKF-SPF-6-G	6" Swing
BKF-SPF-8-G	8" Swing
BKF-SPF-10-G	10" Swing
BKF-SPF-12-G	12" Swing
BKF-SPF-14-G	14" Swing
BKF-SPF-16-G	16" Swing
BKF-SPF-18-G	18"DJ Swing
BKF-SPF-3G-G	3" Gooseneck
BKF-SPF-5G-G	5" Gooseneck
BKF-SPF-8G-G	8" Gooseneck

G LEAD FREE

BKF-WMB† - Splash Mount Spout Base

+ $37 List Price BKF-C414-VR

- 1/2" NPS Threading
- Chrome Plated
- Swivel Spout

ptiFlow™ SERIES

WARRANTED 3 YEARS

Part Number	Spout Type
BKF-WMB-6-G	6" Swing
BKF-WMB-8-G	8" Swing
BKF-WMB-10-G	10" Swing
BKF-WMB-12-G	12" Swing
BKF-WMB-14-G	14" Swing
BKF-WMB-16-G	16" Swing
BKF-WMB-18-G	18" DJ Swing
BKF-WMB-3G-G	3" Gooseneck
BKF-WMB-5G-G	5" Gooseneck
BKF-WMB-8G-G	8" Gooseneck

BKF-DMB† - Deck Mount Spout Base

+ $37 List Price BKF-C414-VR

- 1/2" NPS Threading
- Chrome Plated
- Swivel Spout

ptiFlow™ SERIES

WARRANTED 3 YEARS

Part Number	Spout Type
BKF-DMB-6-G	6" Swing
BKF-DMB-8-G	8" Swing
BKF-DMB-10-G	10" Swing
BKF-DMB-12-G	12" Swing
BKF-DMB-14-G	14" Swing
BKF-DMB-16-G	16" Swing
BKF-DMB-18-G	18" DJ Swing
BKF-DMB-3G-G	3" Gooseneck
BKF-DMB-5G-G	5" Gooseneck
BKF-DMB-8G-G	8" Gooseneck

STANDARD FOOT & KNEE VALVES

SHOWN AS: BKKVSGS-G

BKKVSGS† Dual Pedal Knee Valve Kit

+ $37 List Price BKF-C414-VR

- Includes BKF-WMB 3 1/2" Gooseneck Spout
- Chrome Plated Pedals
- Knee Valve Bracket Required for Hand Sinks

Part Number	Spout Mounting
BKKV-G	N/A
BKKV-DGS-G	Deck
BKKVSGS-G-G	Splash

2-Hole Base

SHOWN

BKSPKVSGS† Single Pedal Knee Valve Kit

+ $37 List Price BKF-C414-VR

- Cast Body
- Chrome Plated Pedals
- Knee Valve Bracket Required for Hand Sinks

Part Number	Spout Mounting
BKSPKV-G	N/A
BKSPKV-DGS-G	Deck
BKSPKVSGS-G	Splash

SHOWN AS: BKFVSGS-G

BKFVSGS† Dual Pedal Foot Valve Kit

+ $37 List Price BKF-C414-VR

- Cast Body
- Ideal For Floor Mount Application
- Chrome Plated Pedals

Part Number	Spout Mounting
BKFV-G	N/A
BKFVSGS-G	Splash
BKFV-DGS-G	Deck

2-Hole Base

SHOWN AS: BKSPFV-SGS-G

BKSPFV-SGS† Single Pedal Foot Valve Kit

+ $37 List Price BKF-C414-VR

- Cast Body
- Ideal for Floor Mount Application
- Chrome Plated

Part Number	Spout Mounting
BKSPFV-G	N/A
BKSPFV-SGS-G	Splash
BKSPFV-DGS-G	Deck

METERING FOOT & KNEE PEDAL VALVES

OptiFlow™ SERIES

WARRANTIED 3 YEARS

- Metered valves make pedal valves easy to use with a single press, freeing up your foot/knee
- Perfect for handwashing set ups
- Cycle times designed to be consistent with the CDC recommendation of 20 seconds hand washing
- Adjustable metered cycle times
- Pedals flip up for easy cleaning
- Cast Body
- Three Year Warranty



Scan QR Code To Watch VIDEO

- Default cycle time set at the CDC recommendation of 20 seconds for handwashing

XRK-MV-G
Metering Valve Cartridge Assembly

- Replacement Part
- Fits all BK Metering Foot and Knee Valves

OptiFlow™ SERIES

BKDMKV-G+

Dual Pedal - Metering Knee Valve Kit

WARRANTIED 3 YEARS

+ $37 List Price BKF-C414-VR

- Includes BKF-WMB 3 1/2" Gooseneck Spout
- Chrome Plated Pedals
- Knee Valve Bracket Required for Hand Sinks

Part #	Mounting
BKDMKV-G	N/A
BKDMKV-DGS-G	Deck
BKDMKV-SGS-G	Splash

BKSMKV-G+

Single Pedal - Metering Knee Valve Kit

WARRANTIED 3 YEARS

+ $37 List Price BKF-C414-VR

- Includes BKF-WMB 3 1/2" Gooseneck Spout
- Chrome Plated Pedals
- Knee Valve Bracket Required for Hand Sinks

Part #	Mounting
BKSMKV-G	N/A
BKSMKV-DGS-G	Deck
BKSMKV-SGS-G	Splash

OptiFlow™ SERIES

BKDMFV-G+

Dual Pedal - Metering Foot Valve Kit

WARRANTIED 3 YEARS

+ $37 List Price BKF-C414-VR

- Cast Body
- Chrome Plated Pedals
- Ideal For Floor Mount Application
- Includes 3 1/2" Gooseneck Spout

Part	Mounting
BKDMFV-G	N/A
BKDMFV-DGS-G	Deck
BKDMFV-SGS-G	Splash

OptiFlow™ SERIES

BKSMFV-G+

Single Pedal - Metering Foot Valve Kit

WARRANTIED 3 YEARS

+ $37 List Price BKF-C414-VR

- Cast Body
- Chrome Plated
- Ideal for Floor Mount Application
- Includes 3 1/2" Gooseneck Spout

Part	Mounting
BKSMFV-G	N/A
BKSMFV-DGS-G	Deck
BKSMFV-SGS-G	Splash

Shown
BK-WS-1SGF-G

BK-WS-1SGF-G
Glass Filler Water Station

- Stainless Steel
- O.A Dimensions $13^{3/4''}$ (l) x $10^{3/4''}$ (w) x $1^{3/4''}$ (h)
- Locking Clip For Continuous Flow

Part Number	Included
BKF-SGF-G	Faucet Only
BK-WS	Sink Only
* BK-WS-1SGF-G	Faucet & Sink Kit

BKSF-WB1
Service Faucet w/ Vacuum Breaker

- Wall Bracket Included
- Integral Bucket Holder On Spout
- Garden Hose Threading On Spout

BKSF-WB3
Service Faucet w/ Vacuum Breaker

- Wall Bracket Included
- Integral Bucket Holder On Spout
- Garden Hose Threading On Spout
- Built-In Backflow Preventer

XRK-WB1
Service Faucet Repair Kit

- Repair Kit for BKSF-WB1
- 1 ea. #6 Vacuum Breaker Cap
- 1 ea. #7 Vacuum Breaker Seal
- 1 ea. #8 Vacuum Breaker
- 2 ea. #10 Vacuum Breaker Cap Screws

BKF-AF-G†
Add A Faucet

- 1/4 Turn Ceramic Valve
- Heavy Duty Spout

Part Number	Spout Size
BKF-AF-6-G	6" Swing
BKF-AF-8-G	8" Swing
BKF-AF-10-G	10" Swing
BKF-AF-12-G	12" Swing
BKF-AF-14-G	14" Swing
BKF-AF-16-G	16" Swing
BKF-AF-18-G	18" DJ Swing
BKF-AF-3G-G	3" Gooseneck
BKF-AF-5G-G	5" Gooseneck
BKF-AF-8G-G	8" Gooseneck

BKF-SPSF-G
Deck Mount Heavy Duty Single Valve Pantry Faucet

- Faucet Body Moves 360°
- Compression Valve
- Chrome Plated

BKF-DWF-G
Dipper Well Faucet

- Chrome Plated

BK-DWBA
Dipperwell Bowl Assembly

- Basket: 5" (w) x $4^{1/2''}$ (h)
- Bowl: $5^{1/2''}$ (w) x $5^{1/2''}$ (h)
- T-304 18 ga. S/S

NOTE: (*) We have combined NSF Certified components to offer you a greater value. (Example: BK-WS-1SGF-G) **Though these part numbers are not Certified by NSF, each component that makes up the following part numbers are individually Certified by NSF and are thereby approved for use in your facility. For more information, please call 888-310-4393.**

BKF-8DMUS-G
8" O.C. Deck Mount Utility Spray

- Integral Check Valves
- Wall Hook Included
- Vacuum Breaker To Prevent Back Flow
- 72" Stainless Steel Braided Hose Included
- 1/4 Turn Ceramic Cartridges



H/C Mixing Hoses Included

BKF-DDMUS-G
Dual Valve Deck Mount Utility Spray

- Integral Check Valves
- Wall Hook Included
- Vacuum Breaker To Prevent Back Flow
- 72" Stainless Steel Braided Hose Included
- 1/4 Turn Ceramic Cartridges

BKF-8SMUS-G
8" O.C. Wall Mount Utility Spray

- Integral Check Valves
- Wall Hook Included
- Vacuum Breaker To Prevent Back Flow
- 72" Stainless Steel Braided Hose Included
- 1/4 Turn Ceramic Cartridges

BKF-SDMPF-G
Single Valve Deck Mount Pot Filler

- Integral Check Valve
- Wall Hook Included
- Vacuum Breaker To Prevent Back Flow
- 72" Stainless Steel Braided Hose Included
- 1/4 Turn Ceramic Cartridges

H/C Mixing Hoses Included

BKF-DDMPF-G
Dual Valve Deck Mount Pot Filler

- Integral Check Valves
- Wall Hook Included
- Vacuum Breaker To Prevent Back Flow
- 72" Stainless Steel Braided Hose Included
- 1/4 Turn Ceramic Cartridges

BKF-8SMPF-G
8" O.C. Wall Mount Pot Filler

- Integral Check Valves
- Wall Hook Included
- Vacuum Breaker To Prevent Back Flow
- 72" Stainless Steel Braided Hose Included
- 1/4 Turn Ceramic Cartridges

BKH
Stainless Steel Spray Hose

- Includes Universal Adapter
- Recommended POP item
- Rated To 300 PSI

Part Number

BKH-15-G	15"
BKH-28-G	28"
BKH-44-G	44"
BKH-60-G	60"
BKH-72-G	72'

BKF-BSMPF-G
Remote Valve Wall Mount Pot Filler

- Wall Hook Included
- Vacuum Breaker To Prevent Back Flow
- 72" Stainless Steel Braided Hose Included

BKF-SSMPF-G
Single Valve Wall Mount Pot Filler

- Integral Check Valve
- Wall Hook Included
- Vacuum Breaker To Prevent Back Flow
- 72" Stainless Steel Braided Hose Included
- 1/4 Turn Ceramic Cartridges

EVOLUTION SERIES

EVO-LWR-S -
3-1/2" Stainless Steel Rotary Lever Drain W/ Twist Handle

- Fits 3 ½" Sink Openings
- Full T-316 Stainless Steel Construction
- LIFETIME Warranty
- Stainless Steel Ball Valve Action
- Twist Handle
- Dual Functioning Outlet/Inlet
- 2" NPT male / 1 ½" NPT female
- P.O.P. Packaging

WARRANTY LIFETIME WARRANTY

BK-LWR - Twist Drain

- Dual Functioning Outlet Features 2" Male & 1 1/2" Female Threading
- S/S Strainer
- Fits 3 1/2" Openings

Part #	Material	Overflow	Cap
BK-LWR-1	Brass	√	N/A
BK-LWR-2	Zinc Plated Metal	-	√
BK-LWR-3	Brass	√	√

BK-SLW - Straight Drain

- Dual Functioning Outlet Features 2" Male & 1 1/2" Female Threading
- S/S Strainer
- Fits 3 1/2" Openings

Part #	Material	Overflow	Cap
BK-SLW-1	Brass	√	N/A
BK-SLW-2	Zinc Plated Metal	-	√
BK-SLW-3	Brass	√	√

ALL Lever Drains Have Dual Threaded Design

Overflow Cap Included On Models:

- *BK-LWR-2*
- *BK-LWR-3*
- *BK-SLW-2*
- *BK-SLW-3*

BK-LWR
Twist Drain with Overflow

- Dual Functioning Outlet Features 2" Male & 1 1/2" Female Threading
- S/S Strainer
- Fits 3 1/2" Openings

Part #	Material
BK-LWR-10	Brass
BK-LWR-20	

BK-SLW
Straight Drain with Overflow

- Dual Functioning Outlet Features 2" Male & 1 1/2" Female Threading
- S/S Strainer
- Fits 3 1/2" Openings

Part #	Material
BK-SLW-10	Brass
BK-SLW-20	

Lever Drain Replacement Parts



	Part #	Description
A	LDR-SS-35-25	25 pack of 3 ½" Strainers
B	005032	Overflow Head
C	005031	Overflow Tube

XRK-LDR
Lever Drain Repair Kit
(Includes)

	Part #	Description	Qty. Included in Kit
D	LDR-PD	3 1/2" Paper Gasket	1
E	LDR-PD	3 1/2" Rubber Gasket	1
F	BK-LW-OR-N	O-Ring for Plunger	1
G	BK-LDP-HW1	Packing Nut Bushing	1
H	BK-LDP-HW2	Handle Seal	1
I	BK-LDP-HW3	Washer	1
J	BK-LDR-EC	Retaining Clip	1
K	BK-LDP-HW4	O-Ring	1

BKDR-4
3 ½" SS Basket Drain

- Crumb Cup Included
- 1 1/2" Outlet Connection

Part #		
BKDR-4		$15.00
BKDR-4-304	T-304 S/S	$16.00

BKDR-2
1 ⅞" SS Basket Drain

- Crumb Cup Included
- 1 1/2" Outlet Connection

BK-DC-35
Crumb Cup

- Fits BKDR-4 Basket Drain

BKDR-HD4
Heavy Duty Brass Drain

- Ideal for Mop Sink
- 3 1/2" Opening

BK-DAC
Floor Drain Assembly Cover

BK-DAB
Floor Drain Bowl

BK-DAS
Floor Drain Strainer

Floor Drain Assembly

Part #	Description	Overall Dimensions
BK-DAC	Floor Drain Assembly Cover	6 ¼"
BK-DAB	Floor Drain Bowl	6 ½"(w) X 3¼"(h)
BK-DAS	Floor Drain Strainer	6 ¼"(w) X 2⅛"(h)
BK-TBDA	Floor Drain Bowl Kit Includes: (1)BK-DAC, (1)BK-DAB, (1)BK-DAS	

BK-PTTP
CPB P-Trap with Tail Piece

- Chrome Plated
- Washers included

BK-OT
Overflow Tube

- Fits 2" Drain

Part #	Size
BK-OT-15075	7"
BK-OT-15105	10"

BKDR - Drain Plugs

- Available in Brass or Chrome
- See Below For Sizes

Part #	Flange	Drain	Length	Finish
BKDR-15BR	1 7/8"	1"	1 ½"	Brass
BKDR-15CP	1 7/8"	1"	1 ½"	Chrome
BKDR-325BR	1 7/8"	1"	3 ¼"	Brass
BKDR-325CP	1 7/8"	1"	3 ¼"	Chrome

PRE-RINSE REPLACEMENT PARTS



	Part Number	
1	BKH-HANDLE	Pre-Rinse Spray Handle
2	BK-PR-SPRING	Pre-Rinse Spring for Spray Hose
3	BK-PR-SPR	Retainer Hose
4	BK-PR-SHR	Retainer Hook
5a	BK-PR-18RP-G	18" Riser Pipe
5b	BK-PR-24RP-G	24" Riser Pipe
6	BK-PR-WB	Wall Bracket
7	BK-3.5RP-G	Add A Faucet Riser Pipe
8	BK-PR-ADP	Faucet Body/Riser Adapter
9	BKH-ADP	Faucet Body/Riser Adapter
10	BKH-44-G	Spray Hose

BK-PRV-1-G
1.0 GPM Pre-Rinse Spray Head

- Exceeds Requirements for CUWCC & FEMP

EVO-PRV
EVOLUTION Pre-Rinse Spray Head

- Dual Pattern Spray
- Lifetime Warranty
- 1.2 GPM
- Full Color Point of Purchase Packaging

BKH
Spray Hose

- Includes Universal Adapter
- Recommended Point of Purchase Item

Part#	Length
BKH-15-G	15"
BKH-28-G	28"
BKH-44-G	44"
BKH-60-G	60"
BKH-72-G	72"

BKKV-010XST
Replacement Button Valve

- Used for BK-PRV-1-G and BK-PRV-G Pre-Rinse Spray Heads
- Also used to replace Knee/Foot Valves

BK-LDB
Lever Drain Bracket

- Fits Twist Drains

BK-LDT
Lever Drain Tool

- Fits Most Lever Drains
- Used to install/remove lever drains

LDR-SS-35-25 - 3 1/2" Strainers

- Each unit has POP packaging
- Sold in a Case Pack of 25 units

Part Number	Description
LDR-SS-35-25	3 ½" Lever Drain Strainers

FAUCET PARTS

- VALVES
- SPOUTS
- ADAPTERS
- FAUCET MOUNTING HARDWARE
- WATER LINE CONNECTORS
- HANDLES
- AERATOR
- REPAIR KITS

EVOLUTION SERIES

NSF · WARRANTY LIFETIME WARRANTY

EVO-SPT
Stainless Steel Swing Spout

• Stainless Steel • 2.0 GPM Flow Rate

Part Number	Spout Type
EVO-SPT-6	6" Swing
EVO-SPT-8	8" Swing
EVO-SPT-10	10" Swing
EVO-SPT-12	12" Swing
EVO-SPT-14	14" Swing
EVO-SPT-16	16" Swing
EVO-SPT-18	18"DJ Swing

OptiFlow SERIES

WARRANTIED 3 YEARS

BKF-HSPT
Heavy Duty Swing Spout

• Chrome Plated • 2.0 GPM Flow Rate

Part Number	Spout Type
BKF-HSPT-6-G	6" Swing
BKF-HSPT-8-G	8" Swing
BKF-HSPT-10-G	10" Swing
BKF-HSPT-12-G	12" Swing
BKF-HSPT-14-G	14" Swing
BKF-HSPT-16-G	16" Swing
BKF-HSPT-18-G	18"DJ Swing

EVOLUTION SERIES

WARRANTY LIFETIME WARRANTY

EVO-AF
Add A Faucet

- Stainless Steel
- 1/4 Turn Ceramic Valve
- Heavy Duty Spout
- Add to any Pre-Rinse units

Part Number	Spout Size
EVO-AF6	6" Swing
EVO-AF8	8" Swing
EVO-AF10	10" Swing
EVO-AF12	12" Swing
EVO-AF14	14" Swing
EVO-AF16	16" Swing
EVO-AF18	18" DJ Swing
EVO-AF4G	4" Gooseneck
EVO-AF5G	5" Gooseneck
EVO-AF8G	8" Gooseneck

EVOLUTION SERIES

NSF · WARRANTY LIFETIME WARRANTY

EVO-SPT
Stainless Steel Gooseneck Spout

• Stainless Steel • 2.0 GPM Flow Rate

Part Number	Spout Type
EVO-SPT-4G	4½" Gooseneck
EVO-SPT-5G	5" Gooseneck
EVO-SPT-8G	8" Gooseneck

OptiFlow SERIES

WARRANTIED 3 YEARS

BKF-HSPT
Heavy Duty Gooseneck Spout

• Chrome Plated • 2.0 GPM Flow Rate

Part Number	Spout Type
BKF-HSPT-3G-G	3" Gooseneck
BKF-HSPT-5G-G	5" Gooseneck
BKF-HSPT-8G-G	8" Gooseneck

OptiFlow SERIES

WARRANTIED 3 YEARS

BKF-AF-G
Add A Faucet

- 1/4 Turn Ceramic Valve
- Heavy Duty Spout
- Add to any Pre-Rinse units

Part Number	Spout Size
BKF-AF-6-G	6" Swing
BKF-AF-8-G	8" Swing
BKF-AF-10-G	10" Swing
BKF-AF-12-G	12" Swing
BKF-AF-14-G	14" Swing
BKF-AF-16-G	16" Swing
BKF-AF-18-G	18" DJ Swing
BKF-AF-3G-G	3" Gooseneck
BKF-AF-5G-G	5" Gooseneck
BKF-AF-8G-G	8" Gooseneck

EVOLUTION™ SERIES — Replacement Valves & Stems

Stainless Steel Hot/Cold Stems/Valves

- Used with Evolution Faucets
- T-304 S/S Housing and Stem

Part Number	Includes
EVO-CV-G	Cold Stem/Valve
EVO-HV-G	Hot Stem/Valve

OptiFlow™ SERIES — Replacement Valves, Stems, & Handles

Replacement OptiFlow Hot / Cold Stems/Valves

- Used with OptiFlow Faucets
- T-304 S/S Housing
- Hot & Cold Stems/Valves Sold Separately and as a Kit
- Kit Includes :
  1 Hot Stem/Valve
  1 Cold Stem/Valve

Part Number	Includes
BKF-CV-G	Cold Stem/Valve
BKF-HV-G	Hot Stem/Valve
XRK-BKF-G	Kit Includes Hot & Cold Stem/Valve

Heavy Duty Handle & Stem/Valve Kit

- Hot & Cold Stem/Valve Kits Sold Separately

Part Number	Includes
BKF-CV-H-G	Cold Stem/Valve w/ Handle
BKF-HV-H-G	Hot Stem/Valve w/ Handle

Replacement stem/valve for add-a-faucet

Part Number
BKF-AF-VALVE-G

Heavy Duty Handle, Valve & Bonnet Kits

- Used with OptiFlow Faucets
- Hot & Cold Valves Sold Separately and as a Kit

Part Number	Includes
BKF-CV-HB-G	Cold Stem/Valve, Handle & Bonnet
BKF-HV-HB-G	Hot Stem/Valve, Handle & Bonnet
XRK-BKF-HB-G	Cold & Hot Stem/ Valves, Handles & Bonnets

workFORCE™ SERIES — Replacement Valves, Stems & Handles

BKF-8W-HVC/CVC-G Ceramic Stem/Valve

- Used with WorkForce 8" OC Faucets* *except for BK8D
- Chrome or Stainless Steel
- Red and Blue Base Washer
- Lead Free 1/4 Turn Ceramic

BKF-8W-CVCH-G

Part Number	Includes
BKF-8W-HVC-G	Hot Stem/Valve only
BKF-8W-CVC-G	Cold Stem/Valve only
BKF-8W-HVCH-G	Hot Stem/Valve w/ Handle
BKF-8W-CVCH-G	Cold Stem/Valve w/ Handle

BKF-8W-HVC-G

BKF-W-HVC/CVC-G Current Ceramic Stem/Valve

- Used with WorkForce 4" OC & BK8D Faucets
- Clip On Stem
- Lead Free 1/4 Turn Ceramic

BKF-W-CVCH-G

BKF-W-CVC-G

Part Number	Includes
BKF-W-HVC-G	Hot Stem/Valve
BKF-W-CVC-G	Cold Stem/Valve
BKF-W-HVCH-G	Hot Stem/Valve w/ Handle
BKF-W-CVCH-G	Cold Stem/Valve w/ Handle

ST-100

SaniTimer™ - Hand Washing Timer Faucet Attachement

- The SaniTimer™ attaches to any BK Resources Faucet and counts down the time recommended by food safety experts nationwide and the CDC for proper hand hygiene
- When 30 seconds has elapsed, the SaniTimer™ emits a beep sound to signal the completion of the wash cycle
- Hand washing with plain soap and water for 30 seconds verses 15 seconds reduces bacterial counts on the skin by up to 300%.

- Fits any BK Resources Faucet
- Has been tested by independent laboratories to confirm compliance with ANSI Standard Z358.1 showing compliance to OSHA requirements

Faucet Mounting Hardware

BK-SMMK-90 Includes 90° Elbow For Splash Mount Faucets

Part Number	Faucet Use
BK-DMMK	Deck Mount
BK-SMMK-90	Splash Mount
WL-36MK	Splash Mount w/ Water Lines

WL-36

Flexible Water Line Connectors

- Color Coded - (Red) Hot (Blue) Cold
- (1) Hot, (1) Cold Lines Per Kit
- 300 PSI
- P.O.P. Packaging
- Reinforced Hose



XRK-W-HB-G - Handle with Valve

- Contains Handle and Valve
- Fits BKF-W, BKD, and BK8D Series Faucets
- (1) Hot, (1) Cold Handle Per Kit

workFORCE™ SERIES

BKF-8W-ESC

Standard Duty Replacement Escutcheon

- Used for WorkForce Faucets

EVOLUTION™ SERIES

EVO-WBH

Stainless Steel Wrist Blade Handle Kit

- Used for Evolution Faucets
- (1) Hot, (1) Cold Handle per kit
- P.O.P. Packaging with Hang Tag

Faucet Handle Kits

- Chrome Plated
- (1) Hot, (1) Cold Handle Per Kit

Part Number	Style
BKF-SBH	Standard Wrist Blade
BKF-WBH	Wrist Blade
BKF-DBH	Dial Blade

OptiFlow™ SERIES

BKF-ESC

Heavy Duty Replacement Escutcheon

- Used for OptiFlow Faucets

XRK-PDV-G

Knee/Foot Valve Repair Kit

Kit Includes:
- Valve Bodies (2)
- Push Buttons (2)
- Springs (2)
- Washers (2)
- Valve Pins (2)
- Grommets (2)
- O-Rings (4)

BKF-C414-VR

Aerator .5 GPM

- Vandal Resistant
- Chrome Plated

BKS6 - 16 Gauge T-304 Compartment Sinks
1, 2, and 3 Compartment Sinks

- 16 ga T-304 Stainless Steel
- 1 5/8" Stainless Steel Legs w/ 1" Adjustable High Impact Corrosion Resistant Feet
- 1/4" Pitched Drainboards To Ensure Proper Drainage
- 1 1/2" Rounded Front and Side Edges
- Accommodates 8" On Center Faucets
- (BKDR-4) 3 1/2" Drains Included
- 10" Backsplash
- 1 Year Warranty

Add an EVO Stainless Steel Faucet with a Lifetime Warranty (see page 20)

Stainless Steel Gusset with 14 Ga Leg Plate



Stainless Steel Legs w/ 1" Adjustable High Impact Corrosion Resistant Feet and Adjustable H-Bracket

PSC- Poly Board Sink Covers

- Creates a Prep and/or Working Surface
- Designed to Fit a 1 Compartment or 3 Compartment Sink
- Custom Sizes Available - Call For Quote

Size	Part Number	Fits: Bowl (lxw)
1 Comp	PSC-1620	16" x 20"
1 Comp	PSC-1818	18" x 18"
1 Comp	PSC-2424	24" x 24"
3 Comp	PSC-3-1014	10" x 14"

16 Gauge Compartment Sinks

BK RESOURCES

TRUCKLINE ONLY

NSF

1 COMP

2 COMP

3 COMP

16 GAUGE SINKS

Additional Accessories

- Faucet Mounting *Pg. 126*
- Lever Drains *Pg. 117*
- Faucets *Pg. 109-111*
- Prep Basket *Pg. 149*

Part Number	Bowl Size (l x w x d)	Unit Size (l x w)	Drainboard	Compartments	Sets of Faucet Holes	
BKS6-1-1620-14S	16" x 20" x 14"	21 1/8" x 25 ½"	None	1	1	
BKS6-1-1620-14-18LS	16" x 20" x 14"	38 3/16" x 25 ½"	(1) L - 18"	1	1	
BKS6-1-1620-14-18RS	16" x 20" x 14"	38 3/16" x 25 ½"	(1) R - 18"	1	1	
BKS6-1-1620-14-18TS	16" x 20" x 14"	55 ¼" x 25 ½"	(2) - 18"	1	1	
BKS6-1-18-14S	18" x 18" x 14"	23 1/8" x 23 ½"	None	1	1	
BKS6-1-18-14-18LS	18" x 18" x 14"	40 3/16" x 23 ½"	(1) L - 18"	1	1	
BKS6-1-18-14-18RS	18" x 18" x 14"	40 3/16" x 23 ½"	(1) R - 18"	1	1	
BKS6-1-18-14-18TS	18" x 18" x 14"	57 ¼ " x 23 ½"	(2) - 18"	1	1	
BKS6-1-24-14S	24" x 24" x 14"	29 1/8" x 29 ½"	None	1	1	
BKS6-1-24-14-24LS	24" x 24" x 14"	52 3/16" x 29 ½"	(1) L - 24"	1	1	
BKS6-1-24-14-24RS	24" x 24" x 14"	52 3/16" x 29 ½"	(1) R - 24"	1	1	
BKS6-1-24-14-24TS	24" x 24" x 14"	75 ¼" x 29 ½"	(2) - 24"	1	1	
BKS6-2-1620-14S	16" x 20" x 14"	37 1/8" x 25 ½"	None	2	1	
BKS6-2-1620-14-18LS	16" x 20" x 14"	54 3/16" x 25 ½"	(1) L - 18"	2	1	
BKS6-2-1620-14-18RS	16" x 20" x 14"	54 3/16" x 25 ½"	(1) R - 18"	2	1	
BKS6-2-1620-14-18TS	16" x 20" x 14"	71 ¼" x 25 ½"	(2) - 18"	2	1	
BKS6-2-18-14S	18" x 18" x 14"	41 1/8" x 23 ½"	None	2	1	
BKS6-2-18-14-18LS	18" x 18" x 14"	58 3/16" x 23 ½"	(1) L - 18"	2	1	
BKS6-2-18-14-18RS	18" x 18" x 14"	58 3/16" x 23 ½"	(1) R - 18"	2	1	
BKS6-2-18-14-18TS	18" x 18" x 14"	75 ¼" x 23 ½"	(2) - 18"	2	1	
BKS6-2-24-14S	24" x 24" x 14"	53 1/8" x 29 ½"	None	2	1	
BKS6-2-24-14-24LS	24" x 24" x 14"	76 3/16" x 29 ½"	(1) L - 24"	2	1	
BKS6-2-24-14-24RS	24" x 24" x 14"	76 3/16" x 29 ½"	(1) R - 24"	2	1	
BKS6-2-24-14-24TS	24" x 24" x 14"	99 ¼" x 29 ½"	(2) - 24"	2	1	
BKS6-3-1620-14S	16" x 20" x 14"	53 1/8" x 25 ½"	None	3	1	
BKS6-3-1620-14-18LS	16" x 20" x 14"	70 3/16" x 25 ½"	(1) L - 18"	3	1	
BKS6-3-1620-14-18RS	16" x 20" x 14"	70 3/16" x 25 ½"	(1) R - 18"	3	1	
BKS6-3-1620-14-18TS	16" x 20" x 14"	87 ¼" x 25 ½"	(2) - 18"	3	1	
BKS6-3-1620-14-24TS	16" x 20" x 14"	95 1/4" x 25 ½"	(2) - 24"	3	1	
BKS6-3-18-14S	18" x 18" x 14"	58 1/8" x 23 ½"	None	3	1	
BKS6-3-18-14-18LS	18" x 18" x 14"	76 3/16" x 23 ½"	(1) L - 18"	3	1	
BKS6-3-18-14-18RS	18" x 18" x 14"	76 3/16" x 23 ½"	(1) R - 18"	3	1	
BKS6-3-18-14-18TS	18" x 18" x 14"	93 ¼" x 23 ½"	(2) - 18"	3	1	
BKS6-3-1824-14-18TS	18" x 24" x 14"	93 ¼" x 29 ½"	(2) - 18"	3	1	
BKS6-3-24-14S	24" x 24" x 14"	77 1/8" x 29 ½"	None	3	2	
BKS6-3-24-14-24LS	24" x 24" x 14"	100 3/16" x 29 ½"	(1) L - 24"	3	2	
BKS6-3-24-14-24RS	24" x 24" x 14"	100 3/16" x 29 ½"	(1) R - 24"	3	2	
BKS6-3-24-14-24TS	24" x 24" x 14"	123 ¼" x 29 ½"	(2) - 24"	3	2	

16 GAUGE 16 GAUGE 16 GAUGE 16 GAUGE

BKS - Three Compartment Sinks

- 18 ga T-304 Stainless Steel
- 1 5/8" Galvanized Legs w/ 1" Adjustable High Impact Corrosion Resistant Feet
- 1/4" Pitched Drainboards To Ensure Proper Drainage
- 1 1/2" Rounded Front and Side Edges
- Accommodates 8" On Center Faucets
- 3 (BKDR-4) 3 1/2" Drains Included
- 9" Backsplash

TRUCKLINE ONLY

Additional Accessories

- Faucet Mounting *Pg. 126*
- Lever Drains *Pg. 117*
- Faucets *Pg. 109-111*
- Prep Basket *Pg. 149*
- Side Splash *Pg. 143*
- Sink Covers *Pg. 125*



PROFILE DRAWING

Part Number	Bowl Size (l x w x d)	Unit Size (l x w)	Drainboard	Sets of Faucet Holes
BKS-3-15-14	15" x 15" x 14"	50" x 20 13/16"	None	1
BKS-3-15-14-15L	15" x 15" x 14"	62 1/2" x 20 13/16"	(1) L - 15"	1
BKS-3-15-14-15R	15" x 15" x 14"	62 1/2" x 20 13/16"	(1) R - 15"	1
BKS-3-15-14-15T	15" x 15" x 14"	75" x 20 13/16"	(2) - 15"	1
BKS-3-1620-12	16" x 20" x 12"	53" x 25 13/16"	None	1
BKS-3-1620-12-18L	16" x 20" x 12"	68 1/2" x 25 13/16"	(1) L - 18"	1
BKS-3-1620-12-18R	16" x 20" x 12"	68 1/2" x 25 13/16"	(1) R - 18"	1
BKS-3-1620-12-18T	16" x 20" x 12"	84" x 25 13/16 "	(2) - 18"	1
BKS-3-1620-14-18T	16" x 20" x 14"	84" x 25 13/16"	(2) - 18"	1
BKS-3-18-12	18" x 18" x 12"	59" x 23 13/16"	None	1
BKS-3-18-12-18L	18" x 18" x 12"	74 1/2 " x 23 13/16"	(1) L - 18"	1
BKS-3-18-12-18R	18" x 18" x 12"	74 1/2" x 23 13/16"	(1) R - 18"	1
BKS-3-18-12-18T	18" x 18" x 12"	90" x 23 13/16"	(2) - 18"	1
BKS-3-18-12-24T	18" x 18" x 12"	102" x 23 13/16"	(2) - 24"	1
BKS-3-18-14-18T	18" x 18" x 14"	90" x 23 13/16"	(2) - 18"	1
BKS-3-1824-14-24L	18" x 24" x 14"	80 1/2" x 29 13/16"	(1) L - 24"	1
BKS-3-1824-14-24R	18" x 24" x 14"	80 1/2" x 29 13/16"	(1) R - 24"	1
BKS-3-1824-14-24T	18" x 24" x 14"	102" x 29 13/16"	(2) - 24"	1
BKS-3-1824-14-18T	18" x 24" x 14"	90" x 29 13/16"	(2) - 18"	1
BKS-3-24-14	24" x 24" x 14"	77" x 29 13/16"	None	2
BKS-3-20-12-18T	20" x 20" x 12"	96" x 25 13/16"	(2) - 18"	1
BKS-3-20-14-24T	20" x 20" x 14"	108" x 25 13/16"	(2) - 24"	1
BKS-3-2030-12-20T	20" x 30" x 12"	100" x 35 13/16"	(2) - 20"	1
BKS-3-2030-14-24T	20" x 30" x 14"	108" x 35 13/16"	(2) - 24"	1
BKS-3-24-14-24L	24" x 24" x 14"	98 1/2" x 29 13/16"	(1) L - 24"	2
BKS-3-24-14-24R	24" x 24" x 14"	98 1/2" x 29 13/16"	(1) R - 24"	2
BKS-3-24-14-24T	24" x 24" x 14"	120" x 29 13/16"	(2) - 24"	2

18 GAUGE 18 GAUGE 18 GAUGE



PROFILE DRAWING

Add a Prep Basket
See Pg. 149 for more options.

Upgrade To S/S Legs and End Bracing by adding "S" to the end of the Part Number

EXAMPLE:
BKS-1-1620-12S = BKS-1-1620-12 + BKL-SSH-1220
See below for Details.

BKS - Two Compartment Sinks

NSF

- 18 ga T-304 Stainless Steel
- 1 5/8" Galvanized Legs w/ 1" Adjustable High Impact Corrosion Resistant Feet
- 1/4" Pitched Drainboards To Ensure Proper Drainage
- 1 1/2" Rounded Front and Side Edges
- Accommodates 8" On Center Faucets
- 2 (BKDR-4) 3 1/2" Drains Included
- 9" Backsplash

TRUCKLINE ONLY

Part Number	Bowl Size (l x w x d)	Unit Size (l x w)	Drainboard	Sets of Faucet Holes	
BKS-2-1620-12	16" x 20" x 12"	37" x 25 13/16"	None	1	
BKS-2-1620-12-18L	16" x 20" x 12"	52 1/2 " x 25 13/16"	(1) L - 18"	1	
BKS-2-1620-12-18R	16" x 20" x 12"	52 1/2 " x 25 13/16"	(1) R - 18"	1	
BKS-2-1620-12-18T	16" x 20" x 12"	68" x 25 13/16"	(2) - 18"	1	
BKS-2-18-12	18" x 18" x 12"	41" x 23 13/16"	None	1	
BKS-2-18-12-18L	18" x 18" x 12"	56 1/2 " x 23 13/16"	(1) L - 18"	1	
BKS-2-18-12-18R	18" x 18" x 12"	56 1/2" x 23 13/16"	(1) R - 18"	1	
BKS-2-18-12-18T	18" x 18" x 12"	72" x 23 13/16"	(2) - 18"	1	
BKS-2-20-12-18T	20" x 20" x 12"	76" x 25 13/16"	(2) - 18"		
BKS-2-24-14	24" x 24" x 14"	53" x 29 13/16"	None	1	
BKS-2-24-14-24L	24" x 24 x 14"	74 1/2 " x 29 13/16"	(1) L - 24"	1	
BKS-2-24-14-24R	24" x 24" x 14"	74 1/2" x 29 13/16"	(1) R - 24"	1	
BKS-2-24-14-24T	24" x 24" x 14"	96" x 29 13/16"	(2) - 24"	1	

18 GAUGE



BKS - S/S Legs and End Bracing

- 18 ga T-304 Stainless Steel
- 1 5/8" Legs w/ 1" Adjustable High Impact Corrosion Resistant Feet
- Add-on to any NSF Certified Compartment Sink
- Includes 4 legs-2pcs bracing, 4 pcs BKBS-1 Sockets & 4 pcs BK-SSPAF

*** Recommended use with BK Resources Sinks ONLY**

EXAMPLE:
If you have a BKS-1-1620-12 (Bowl Width 20" and Bowl Depth 12") you will need Part Number BKL-SSH-1220

Part Number	Fits: Bowl Depth	Fits: Bowl Width
BKL-SSH-1014	10"	14"
BKL-SSH-1216	12"	16"
BKL-SSH-1218	12"	18"
BKL-SSH-1220	12"	20"
BKL-SSH-1230	12"	30"

Part Number	Fits: Bowl Depth	Fits: Bowl Width
BKL-SSH-1415	14"	24"
BKL-SSH-1418	14"	18"
BKL-SSH-1420	14"	15"
BKL-SSH-1424	14"	20"
BKL-SSH-1430	14"	30"

Faucets Sold Separately

BKCS

18 ga. T-304 S/S Three Compartment Corner Sinks

NSF

- Accommodates (2) 8" O.C. Faucets
- 1 1/2" Rounded Front & Side Edges
- 1 5/8" Galvanized Legs w/Adjustable High Impact Corrosion Resistant Feet
- 3 1/2" Drains Included
- 9" Backsplash
- 43 1/2" Overall Height
- 33 3/4" Work Height
- T-304 18 ga. S/S Deck & Bowls
- Cross Bracing

Part Number	Unit Size (l x w)	Bowl Dim. (l x w x d)	Drainboard (l x w)	LIST PRICE
BKCS-3-18-14-18T	57"x 57"	18" x 18" x 14"	18" x 231/2"	
BKCS-3-18-14-24T	63" x 63"	18" x 18" x 14"	24" x 231/2"	
BKCS-3-24-14-24T	75" x 75"	24" x 24" x 14"	24" x 291/2"	

TRUCKLINE ONLY

Upgrade To S/S Legs and End Bracing by adding "S" to the end of the Part Number

EXAMPLE:
BKS-1-1620-12S = BKS-1-1620-12 + BKL-SSH-1220

Additional Accessories

- Faucet Mounting *Pg. 126*
- Lever Drains *Pg. 117*
- Faucets *Pg. 109-111*
- Prep Basket *Pg. 149*
- Side Splash *Pg. 143*
- Sink Covers *Pg. 125*



PROFILE DRAWING

BKS - One Compartment Sinks

NSF

- 18 ga T-304 Stainless Steel
- 1 5/8" Galvanized Legs w/ 1" Adjustable High Impact Corrosion Resistant Feet
- 1/4" Pitched Drainboards To Ensure Proper Drainage
- 1 1/2" Rounded Front and Side Edges
- Accommodates 8" On Center Faucets
- 1 (BKDR-4) 3 1/2" Drain Included
- 9" Backsplash

Part Number	Bowl Size (l x w x d)	Unit Size (l x w)	Drainboard	TRUCKLINE ONLY
BKS-1-15-14	15" x 15" x 14"	20" x 21 13/16"	None	
BKS-1-1620-12	16" x 20" x 12"	21" x 25 13/16"	None	
BKS-1-1620-12-18L	16" x 20" x 12"	36 1/2 " x 25 13/16"	(1) L - 18"	
BKS-1-1620-12-18R	16" x 20" x 12"	36 1/2 " x 25 13/16"	(1) R - 18"	
BKS-1-1620-12-18T	16 "x 20" x 12"	52" x 25 13/16"	(2) - 18"	
BKS-1-18-12	18" x 18" x 12"	23" x 23 13/16"	None	
BKS-1-18-12-18L	18" x 18" x 12"	38 1/2 " x 23 13/16"	(1) L - 18"	
BKS-1-18-12-18R	18" x 18" x 12"	38 1/2" x 23 13/16"	(1) R - 18"	
BKS-1-18-12-18T	18" x 18" x 12"	54" x 23 13/16"	(2) - 18"	
BKS-1-1824-14	18" x 24" x 14"	23" x 29 13/16"	None	
BKS-1-1824-14-24L	18" x 24" x 14"	44 1/2 " x 29 13/16"	(1) L - 24"	
BKS-1-1824-14-24R	18" x 24" x 14"	44 1/2" x 29 13/16"	(1) R - 24"	
BKS-1-1824-14-24T	18" x 24" x 14"	66" x 29 13/16"	(2) - 24"	
BKS-1-20-12	20" x 20" x 12"	25" x 25 13/16"	None	
BKS-1-24-14	24" x 24" x 14"	29" x 29 13/16"	None	
BKS-1-24-14-24L	24 "x 24" x 14"	50 1/2 " x 29 13/16"	(1) L - 24"	
BKS-1-24-14-24R	24" x 24" x 14"	50 1/2 " x 29 13/16"	(1) R - 24"	
BKS-1-24-14-24T	24" x 24" x 14"	72" x 29 13/16"	(2) - 24"	

Additional Accessories
- Faucet Mounting *Pg. 126*
- Lever Drains *Pg. 7*
- Faucets *Pg. 109-111*

BKS - Convenience Store Sinks

NSF

- 18 ga T-304 Stainless Steel Deck & Bowls
- 1/4" Pitched Drainboards To Ensure Proper Drainage
- Smaller Size for Small Spaces
- 3 1/2" Drains Included
- Accommodates 8" O.C. Faucets
- 1 1/2" Rounded Front and Side Edges
- 9" Backsplash
- 1 5/8" Galvanized Legs w/ Adjustable High Impact Corrosion Resistant Feet

TRUCKLINE ONLY

Part Number	Bowl Dim. (l x w x d)	Unit Size (l x w)	Drainboard Size	# of Sinks	Sets of Faucet Holes
BKS-3-1014-10	10" x 14" x 10"	35 1/2" x 19 13/16"	NA	3	1
BKS-3-1014-10-12T	10" x 14" x 10"	54" x 19 13/16"	(2) -12"	3	1
BKS-3-1014-10-15L	10" x 14" x 10"	47 1/2" x 19 13/16"	(1)L - 15"	3	1
BKS-3-1014-10-15R	10" x 14" x 10"	47 1/2" x 19 13/16"	(1)R - 15"	3	1
BKS-3-1014-10-15T	10" x 14" x 10"	60" x 19 13/16"	(2) - 15"	3	1
BKS-3-1220-12-12T	12" x 20" x 12"	60" x 25 13/16"	(2) - 12"	3	1
BKS-3-1416-12-12T	14" x 16" x 12"	66" x 21 13/16"	(2) - 12"	3	1

BKS-4-1620-14-18T
Four Compartment Sink

NSF TRUCKLINE ONLY

LIST PRICE $3,000

- 18 ga T-304 Stainless Steel Deck & Bowls
- Accommodates (2) 8" O.C. Faucets
- 1 5/8"Galvanized Legs w/ Adjustable High Impact Corrosion Resistant Feet
- 43 9/16" Overall Height
- 33 3/4" Work Height
- 18" Drainboards
- 3 1/2" Drains Included
- 9 3/4" Backsplash

ES - Economy Compartment Sinks

NSF

- 18 ga Stainless Steel
- **6 Month Warranty**
- 1 5/8" Galvanized Legs w/ 1" Adjustable High Impact Corrosion Resistant Feet
- 1/4" Pitched Drainboards To Ensure Proper Drainage
- 1 1/2" Rounded Front and Side Edges
- Accommodates 8" On Center Faucets
- (BKDR-4) 3 1/2" Drains Included
- 9" Backsplash
- **NSF Listed**

TRUCKLINE ONLY

6 Month Warranty ES- Series

Accepts (2) 8" O.C. faucets ---->

Part Number	Unit Size	Bowl Dim.	Compartments	Drainboard
ES-1-18-12	23" x 23 13/16"	18" x 18" x 12"	1	None
ES-1-18-12-18L	38½ " x 23 13/16"	18" x 18" x 12"	1	(1)L - 18"
ES-1-18-12-18R	38½ " x 23 13/16"	18" x 18" x 12"	1	(1)R - 18"
ES-1-1620-12	21" x 25 13/16"	16" x 20" x 12"	1	None
ES-1-24-14	29" x 29 13/16"	24" x 24" x 14"	1	None
ES-3-1014-10	35½" x 19 13/16"	10" x 14" x 10"	3	None
ES-3-1014-10-12T	54" x 19 13/16"	10" x 14" x 10"	3	(2) - 12"
ES-3-1014-10-15T	60" x 19 13/16"	10" x 14" x 10"	3	(2) - 15"
ES-3-1220-12-12T	60" x 25 13/16"	12" x 20" x 12"	3	(2) - 12"
ES-3-1416-12-12T	66" x 21 13/16"	14" x 16" x 12"	3	(2) - 12"
ES-3-18-12-18T	90" x 23 13/16"	18" x 18" x 12"	3	(2) - 18"
ES-3-1620-12-18T	84" x 25 13/16"	16" x 20" x 12"	3	(2) - 18"
ES-3-24-14-24T	120" x 29 13/16"	24" x 24" x 14"	3	(2) - 24"

6 Month Warranty
T-430 units only

BKUS - Utility Sinks

- T-304 Stainless Steel
- Rounded Corners
- 1 5/8" Galvanized Legs w/ Adjustable High Impact Corrosion Resistant Feet
- Accommodates 8" O.C. Splashmount Faucets
- **NSF Listed**
- **T-430 Units Have a 6 Month Warranty**

Part #	Size (l x w)	Bowl Dim. (l x w x d)	Steel Gauge	Material
BKUS-1-18-14	21" x 211/2"	18" x 18" x 14"	18	T-304
BKUS-1-24-14	27" x 27 1/2"	24" X 24" X 14"	18	T-304
BKUS6-1-2421-8	27"x 241/2"	24" x 21" x 8"	16	T-304
BKUS6-1-1821-14	21" x 241/2"	18" x 21" x 14"	16	T-430
BKUS6-1-2421-14	27"x 241/2"	24" x 21" x 14"	16	T-430
BKUS6-1-3624-14	39" 271/2"	36" x 24" x 14"	16	T-430

BK8BS - Budget Sinks

- 18 ga. T-430 Stainless Steel Deck & Bowls
- 1 1/2" Rounded Front and Side Edges
- 1 5/8" Galvanized Legs w/ Adjustable High Impact Corrosion Resistant Feet
- 3 1/2" Drains Included
- Accommodates 8" O.C. Splashmount Faucets
- Square Corners
- Not NSF Approved

BK8BS-3-18-12

Faucets Sold Separately

6 Month Warranty

BK8BS-3-24-12

BK8BS-1-18-14

Part #	LIST PRICE	Bowl Dim. (l x w x d)	Unit Size (l x w)	# of Sinks	Sets of Faucet Holes
BK8BS-1-18-14		18" x 18" x 14"	21" x 211/2"	1	1
BK8BS-1-1821-14		18" x 21" x 14"	21" x 241/2"	1	1
BK8BS-1-24-14		24" x 24" x 14"	27" x 271/2"	1	1
BK8BS-2-18-12		18" x 18" x 12"	39" x 211/2"	2	1
BK8BS-2-1821-12		18" x 21" x 12"	39" x 241/2"	2	1
BK8BS-2-24-12		24" x 24" x 12"	51" x 271/2"	2	1
BK8BS-3-1221-12		12" x 21" x 12"	39" x 241/2"	3	1
BK8BS-3-18-12		18" x 18" x 12"	57" x 211/2"	3	1
BK8BS-3-1821-12		18" x 21" x 12"	57" x 241/2"	3	1
BK8BS-3-24-12		24" x 24" x 12"	75" x 271/2"	3	2

18 GAUGE

BK8BS-DD - Detachable Drainboards

- 18 ga T-430 Stainless Steel
- Easy To Attach & Detach
- Designed For Use On BK8BS Budget Sinks
- Self -Tapping Screws Included
- Not NSF Listed

Part #	Size
BK8BS-DD18	18" x 18"
BK8BS-DD1821	18" x 21"
BK8BS-DD24	24" x 24"

Compartment Sink Cabinets

- T-304 18 ga Stainless Steel
- Marine Edge
- 39.75" Overall Height
- 34 ¾" Working Height
- Deep Drawn Construction
- Accommodates 4" o/c Faucet
- Removable Splashguard Divider Can Create a Sink On Any Side (notify us which side you'd like the sink to be on)
- 5-7 Day Lead time

Sink Only Part Number	LIST PRICE	Description	Sink & Faucet Part Number	LIST PRICE	Bowls	Included Faucet	Included Drain	Overall Size
CSTR5-3-1014		No Doors	CSTR5-3-1014-PG		3	BKF-W2-12-G	(3) BKDR-4	36" x 24"
CSTR5-3-1014H		+Hinged Doors	CSTR5-3-1014H-PG		3	BKF-W2-12-G	(3) BKDR-4	36" x 24"
CSTR5-4-1014		No Doors	CSTR5-4-1014-PG		4	(2) BKF-W2-10-G	(4) BKDR-4	48" x 24"
CSTR5-4-1014H		+Hinged Doors	CSTR5-4-1014H-PG		4	(2) BKF-W2-10-G	(4) BKDR-4	48" x 24"
CSTR5-4-1014HHS		3 Comp +Doors +Splashguard Divider for Sink	CSTR5-4-1014HHS-PG		4	BKF-W2-12-G BKF-W2-10-G	(4) BKDR-4	48" x 24"
DDI-SS-18		Removable Splashguard Divider Only						

- **Pump-Saving Foot Switch on all Mobile Units**
  - Extends pump life and allows for hands free operation
  - Pump only runs while foot switch is pressed

Mobile Handsinks

- 14 Ga Stainless Steel Top 18 Ga Body
- -H units Include Water Heater
- (4) 5" Casters
- 5 Gal Removable Fresh Water Tank
- 7 Gal Removable Waste Water Tank
- 12" x 10" x 5¾" Bowl Size
- Right Handed Lockable Door
- Accommodates 4" o/c Faucet
- Paper Towel & Soap Dispenser

MODEL	Water	Faucet	List Price
5" Gooseneck Spout			
MHS-2424-C-DM	Cold Only	5" Gooseneck Spout	
MHS-2424-H-DM	Hot Only	5" Gooseneck Spout	
Standard Faucet			
MHS-2424-C-BKD	Cold Only	BKD-3G-G	
MHS-2424-CH-BKD	Hot & Cold	BKD-3G-G	

Mobile Hand Washing Sink - Table Style

- 18 gauge stainless steel top
- Galvanized legs and undershelf
- -H units Include Water Heater
- (4) 5" Casters
- 5 Gal Removable Fresh Water Tank
- 7 Gal Removable Waste Water Tank
- 12" x 10" x 5¾" Bowl Size
- Paper Towel & Soap Dispenser

MODEL	Water	List Price
MHS-V3030-C-DM	Cold Water Unit	
MHS-V3030-H-DM	Hot Water Unit	

MSHSA-48W1

Custom Faucet Hole Configurations Available

MSHSA-48W2

Suggested Faucets:

BKF-SEF-3G

EVO-8SM-5G

EVO-4SM-5G

ADA MULTISTATION HANDWASH SINKS

- 14 Ga. T-304 S/S Sink
- T-304 Basket Drain Included
- 2, 3, of 4 stations per sink available
- Splash Mounted Single Hole or 8" On Center Faucet
- **Custom Faucet Hole Configurations Available**
- **7-10 Day Lead Time On All Units**

Freestanding	Handwash Stations	Faucet / Spout Mounting	Overall Dimensions
MSHSA-48W1	2	Single Hole Splash	48" (w) x 19⅞" (d)
MSHSA-48W2	2	2 Hole 8" O.C. Splash	48" (w) x 19⅞" (d)
MSHSA-60W1	2	Single Hole Splash	60" (w) x 19⅞" (d)
MSHSA-60W2	2	2 Hole 8" O.C. Splash	60" (w) x 19⅞" (d)
MSHSA-72W1	3	Single Hole Splash	72" (w) x 19⅞" (d)
MSHSA-72W2	3	2 Hole 8" O.C. Splash	72" (w) x 19⅞" (d)
MSHSA-96W1	4	Single Hole Splash	96" (w) x 19⅞" (d)
MSHSA-96W2	4	2 Hole 8" O.C. Splash	96" (w) x 19⅞" (d)

TRUCKLINE ONLY

MSU- Trough Urinals

- Wall Mount Design (Brackets Included)
- 14 Ga. T-304 Stainless Steel
- Full Length Sloping Backsplash with Flush Pipe
- Basket Drain Included

Part Number	LIST PRICE	Flush Pipe Included	Overall Dimensions
MSU-48PG	$4,477.00	Yes	45" x 14¾" x 18
MSU-60PG	$5,042.00	Yes	57" x 14¾" x 18
MSU-72PG	$5,607.00	Yes	69" x 14¾" x 18
MSU-96PG	$6,784.00	Yes	93" x 14¾" x 18



MSU-48PG

See Pg. 115-116 For Metering Knee Valves

Custom Faucet Hole Configurations Available

Suggested Faucets:

MSHS- Multistation Handwash Sinks

TRUCKLINE ONLY

NSF

- Freestanding or Wall Mount Design
- 14 Ga. T-304 S/S Sink
- 18 Ga. S/S Legs/Supports
- T-304 Basket Drain Included
- 1, 2, 3, of 4 stations per sink available
- Splash Mounted Single Hole or 8" On Center Faucet
- Model #'s ending in "B" include an attached bracket for mounting knee valves
- **Custom Faucet Hole Configurations Available**
- **7-10 Buisness Day Lead Time On All Units**

Freestanding	LIST PRICE	Wall Mount	LIST PRICE	Handwash Stations	Faucet / Spout Mounting	Bracket for Knee Valve	Overall Dimensions
MSHS-24F1		MSHS-24W1		1	Single Hole Splash	-	24" (w) x 19 7/8" (d)
MSHS-24F1B		MSHS-24W1B		1	Single Hole Splash	Yes	24" (w) x 19 7/8" (d)
MSHS-24F2		MSHS-24W2		1	8" O.C. Splash	-	24" (w) x 19 7/8" (d)
MSHS-48F1		MSHS-48W1		2	Single Hole Splash	-	48" (w) x 19 7/8" (d)
MSHS-48F1B		MSHS-48W1B		2	Single Hole Splash	Yes	48" (w) x 19 7/8" (d)
MSHS-48F2		MSHS-48W2		2	8" O.C. Splash	-	48" (w) x 19 7/8" (d)
MSHS-60F1		MSHS-60W1		2	Single Hole Splash	-	60" (w) x 19 7/8" (d)
MSHS-60F1B		MSHS-60W1B		2	Single Hole Splash	Yes	60" (w) x 19 7/8" (d)
MSHS-60F2		MSHS-60W2		2	8" O.C. Splash	-	60" (w) x 19 7/8" (d)
MSHS-72F1		MSHS-72W1		3	Single Hole Splash	-	72" (w) x 19 7/8" (d)
MSHS-72F1B		MSHS-72W1B		3	Single Hole Splash	Yes	72" (w) x 19 7/8" (d)
MSHS-72F2		MSHS-72W2		3	8" O.C. Splash	-	72" (w) x 19 7/8" (d)
MSHS-96F1		MSHS-96W1		4	Single Hole Splash	-	96" (w) x 19 7/8" (d)
MSHS-96F1B		MSHS-96W1B		4	Single Hole Splash	Yes	96" (w) x 19 7/8" (d)
MSHS-96F2		MSHS-96W2		4	8" O.C. Splash	-	96" (w) x 19 7/8" (d)

SPECIAL PURPOSE HAND SINKS

- Bowl Size: 14" x 10" x 5"
- Overall Dimensions: 17"(w) x 15 ½" (d)
- Includes 1 ⅞" Drain
- Includes Wall mounting bracket
- Splash Mount P-G units Include BKF-W-3G-G Fa
- Deck Mount P-G units Include BKD-3G-G Fauce

EYEWASH STATION

BKHS-W-1410EY-P-G -
Gooseneck Faucet
w/ Eyewash Attachment

BKHS-W-1410EY-P-G
Eye Wash Station

SANITIMER™ HANDWASHING SINKS

BKHS-W-1410-STPG
Splash Mount Unit
w/ SaniTimer™ Faucet

BKHS-D-1410-STPG $778.00
Deck Mount Unit
w/ SaniTimer™ Faucet

Handwashing Compliance with SaniTimer™ 20 Seconds Everytime

BKHS-W-1410-STPG
Includes SaniTimer™

BKHS-D-1616

16" x 16" Deck Mount T-304 Hand Sink

- Bowl Size: 16" x 16" x 10 (d)
- Overall Size: 18" (w) x 20" (d)
- 3 1/2" Drain Included

BKHS-D-1616-SS
Knee Valve
& Spout Sold
Separately

Additional Accessories
- **Water Line Connectors** *Pg. 124*
- **Parts/Accessories** *Pg. 140*



Part Number	Options	Faucet
BKHS-D-1616	Sink Only	N/A
BKHS-D-1616-SS	SideSplashes	N/A
BKKV-DGS-G	Add Knee Valve and Spout	BKF-WMB

BKHS-W-1410-PED

Pedestal Hand Sink

- Bowl Size: 14" x 10" x 5 (d)
- Overall Size: 18" (w) x 20" (d)
- 2" Drain Included
- 33" Work Height
- Easy Access Front Panel

Part Number	Faucet & Foot Valve	
BKHS-W-1410-PED	N/A	$1,348.00
* BKHS-W-1410-PED-P-G (w/ BKFVSGS-G Faucet)	Yes	$1,668.00

BKHS-W-1410SS-PED

Pedestal Hand Sink w/ Side Splash

- Bowl Size: 14" x 10" x 5 (d)
- Overall Size: 18" (w) x 20" (d)
- 2" Drain Included
- 33" Work Height
- Easy Access Front Panel

Part Number	Faucet & Foot Valve	
BKHS-W-1410SS-PED	N/A	
* BKHS-W-1410SS-PED-P-G (Includes BKFVSGS-G)	Yes	

ADA HAND SINKS - 16" x 14" - T-304

- Bowl Size: 14" (w) x 16" (d)
- Overall Size: 20" (w) x 22" (d)
- 1 7/8" Drain Included
- Faucet Includes (Wrist Blade) BKF-WBH Handles or Sensor Faucet

Part Number	Faucet	Faucet / Spout Mounting
BKHS-ADA-S-P-G	BKF-4SM-3G-G	Splash
BKHS-ADA-S	N/A	Splash
BKHS-ADA-D-P-G	BKF-4DM-3G-G	Deck
BKHS-ADA-D-SD-P-G	BKF-4DM-3G-G	Deck
BKHS-ADA-D	N/A	Deck
BKHS-ADA-D-1-P-G	BKF-DEF-3G	Deck
BKHS-ADA-D-1	N/A	Deck

<-- Adds a Soap Dispenser

BKHS-ADA-D-1-P-G

BKHS-ADA-S-P-G

STANDARD HAND SINKS NSF

- Bowl Size: 14" x 10" x 5"
- Wall Mount - 17"(w) x 15 ½" (d)
  Deck Mount - 17" x 17"
- Includes 1 ⅞" Drain (Unless noted)
- Includes Wall mounting bracket
- Splash Mount P-G units Include BKF-W-3G-G Faucet
- Deck Mount P-G units Include BKD-3G-G Faucet
- Single Hole P-G units Include BKF-SEF/DEF-3G

BKHS-W-1410-P-G -
Standard Unit
Splash Mount
BKHS-W-1410
Standard Unit w/o Faucet

BKHS-W-1410-4D-P-G -
3 ½" Drain Unit
Splash Mount
BKHS-W-1410-4D
3 ½" Drain Unit w/o Faucet

BKHS-D-1410-P-G -
Deck Mount Unit
BKHS-D-1410
Deck Mount Unit w/o Faucet

BKHS-W-1410-PT-G
Splash Mount Unit
with Faucet
& P-Trap

BKHS-D-1410-1-P-G
1 Hole Deck Mount
Electric Sensor Faucet
BKHS-D-1410-1
w/o Faucet

BKHS-D-1410-PT-G
Deck Mount Unit
with Faucet
& P-Trap

BKHS-W-1410-1-P-G
1 Hole Splash Mount
Electric Sensor Faucet
BKHS-W-1410-1
w/o Faucet

BKHS-W-1410-W-G
Standard Splash Mount
Unit
w/ Wristblade Faucet

BKHS-D-1410-1MF
Single Supply
Metering Faucet
Deck Mount

BKHS-D-1410-4MF
Dual Supply
Metering Faucet
Deck Mount

BKHS-W-1410-8-P-G
8" O.C. Standard Unit
w/ BKF-8W-3G-G Faucet
BKHS-W-1410-8
w/o Faucet

Hand Sinks with Wall Support Bracket - 10"x14"

- Bowl Size: 14" (w) x 10" (d)
- Overall Size: 20" (w) x 22" (d)
- 1 7/8" Drain Included
- Wall Support Adds Extra Stability

Part Number	Faucet	Faucet / Spout Mounting
BKHS-W-1410-B	N/A	Splash
BKHS-W-1410-B-P-G	BKF-W-3G-G	Splash
BKHS-D-1410-B	N/A	Deck
BKHS-D-1410-B-P-G	BKF-W-3G-G	Deck

Handsink Faucets

EVOLUTION SERIES

EVO-4SM-4G
Stainless Steel
4.5" Gooseneck
Splash Mount Faucet

Deck Mount Version: EVO-4DM-4G

OptiFlow™ SERIES



BKF-4SM-3G-G
3.5" Gooseneck
Splash Mount Faucet

Deck Mount Version: BKF-4DM-3G-G

workFORCE SERIES

BKF-W-3G-G
3.5" Gooseneck
Splash Mount Faucet

Deck Mount Version: BKD-3G-G

Electronic Hands Free & Metering Faucets

BKF-SEF-3G
3.5"
Gooseneck
Splash Mount
Sensor Faucet

BKF-DEF-3G
3.5"
Gooseneck
Deck Mount
Sensor Faucet

MF-1D-G
Deck
Mount
Single Supply
Metering Faucet

MF-4D-G
Deck
Mount
Dual Supply
Metering Faucet

SIDE SPLASH HAND SINKS

- Bowl Size:14" x 10" x 5"
- Overall Dimensions: 17"(w) x 15 ½" (d)
- Includes 1 ⅞" Drain (Unless noted)
- Includes Wall mounting bracket
- Splash Mount P-G units Include BKF-W-3G-G Faucet
- Deck Mount P-G units Include BKD-3G-G Faucet
- Single Hole P-G units Include BKF-SEF/DEF-3G

BKHS-W-1410-SS-P-G
Splash Mount
w/ Dual Side Splash
BKHS-W-1410-SS
w/o Faucet

BKHS-W-1410-LS-P-G
Splash Mount
w/ Left Side Splash
BKHS-W-1410-LS
w/o Faucet

BKHS-W-1410-RS-P-G
Splash Mount
w/ Right Side Splash
BKHS-W-1410-RS
w/o Faucet

BKHS-W-1410-SS-PT-G
Splash Mount
w/ Dual Side Splash,
Faucet, and P-Trap

BKHS-W-1410-1-SS-P-G
Single Hole Splash Mount
w/ Dual Side Splash
BKHS-W-1410-1-SS
w/o Faucet

BKHS-D-1410-SS-P-G
Deck Mount
w/ Dual Side Splash
BKHS-D-1410-SS
w/o Faucet

Hand Sinks
with Wall Support Bracket with Side Splash - 10"x14"

- Bowl Size: 14" (w) x 10" (d)
- Overall Size: 20" (w) x 22" (d)
- 1 7/8" Drain Included
- Wall Support Adds Extra Stability

Part Number	Faucet	Faucet / Spout Mounting	LIST PRICE
BKHS-W-1410-SSB	N/A	Splash	
BKHS-W-1410-SSB-P-G	BKF-W-3G-G	Splash	
BKHS-D-1410-SSB	N/A	Deck	
BKHS-D-1410-SSB-P-G	BKF-W-3G-G	Deck	
BKHS-W-1410-1-SSB	N/A - 1 Hole	Splash	
BKHS-D-1410-1-SSB	N/A - 1 Hole	Deck	

BKHS-D-1410-SS-PT-G
Deck Mount
w/ Dual Side Splash,
Faucet, and P-Trap

SOAP & TOWEL DISPENSER HAND SINKS

- Bowl Size: 14" x 10" x 5"
- Overall Dimensions: 17"(w) x 15 ½" (d)
- Includes 1 ⅞" Drain (Unless noted)
- Includes Wall mounting bracket
- Splash Mount P-G units Include BKF-W-3G-G Faucet
- Deck Mount P-G units Include BKD-3G-G Faucet
- Single Hole P-G units Include BKF-SEF/DEF-3G

BKHS-W-1410-1-4D-TD
Single Hole Splash Mount
Soap & Towel Dispenser

BKHS-D-1410-SKTS-P-G
Deck Mount Unit
w/ Integrated Towel Disp.
BKHS-D-1410-SKTS
w/o Faucet

BKHS-W-1410-1-4DTDPG
Soap & Towel Dispenser
w/ Faucet and Knee Valves

BKHS-W-1410-4D-TD-PG
Soap & Towel
Dispenser w/ Faucet
BKHS-W-1410-4D-TD
w/o Faucet

SPACE SAVER KNEE VALVE HAND SINKS

- Bowl Size: 9" x 9" x 5"
- Includes 1 ⅞" Drain
- Includes Wall mounting bracket
- Splash Mount P-G units Include BKKVSGS-G
- Deck Mount P-G units Include BKKV-DGS-G

Sink Only Part Number	Faucet & Sink Part Number	Faucet / Spout Mounting	Side Splash	Overall Dimensions
BKHS-D-SS-1-BKK	BKHS-D-SS-1-BKK-PG	Deck	-	12"(w) x 16"(d)
BKHS-D-SS-1-SS-BKK	BKHS-D-SS-1-SS-BKKPG	Deck	Dual	12"(w) x 16"(d)
BKHS-W-SS-1-BKK	BKHS-W-SS-1-BKK-PG	Splash	-	12"(w) x 14½"(d)
BKHS-W-SS-1-SS-BKK	BKHS-W-SS-1-SS-BKKPG	Splash	Dual	12"(w) x 14½"(d)

KNEE VALVE OPERATED HAND SINKS

- Bowl Size:14" x 10" x 5"
- Overall Dimensions: 17"(w) x 15 ½" (d)
- Includes 1 ⅞" Drain
- Includes Wall mounting bracket
- Splash Mount P-G units Include BKKVSGS-G
- Deck Mount P-G units Include BKKV-DGS-G

BKHS-W-1410-1-SS-BKK-P-G BKHS-W-1410-1-BKK-P-G

Sink Only Part Number		Faucet & Sink Part Number		Faucet / Spout Mounting	Side Splash	Overall Dimensions
BKHS-D-1410-1-BKK	$589.00	BKHS-D-1410-1-BKK-PG	$963.00	Deck	-	17"(w) x 17"(d)
BKHS-D-1410-1-SS-BKK	$704.00	BKHS-D-1410-1SSBKKPG	$1,081.00	Deck	Dual	17"(w) x 17"(d)
BKHS-W-1410-1-BKK	$589.00	BKHS-W-1410-1-BKKPG	$963.00	Splash	-	17"(w) x 151/2"(d)
BKHS-W-1410-1-SS-BKK	$704.00	BKHS-W-1410-1SSBKKPG	$1,081.00	Splash	Dual	17"(w) x 15½"(d)

SPACE SAVER HAND SINKS

- Bowl Size: 9" x 9" x 5"
- Overall Dimensions: 12" x 14 ½" (Unless Specified)
- Includes 1 ⅞" Drain
- Includes Wall mounting bracket
- Splash Mount P-G units Include BKF-W-3G-G
- Deck Mount P-G units Include BKD-3G-G

BKHS-W-SS-PT-G
Splash Mount
w/ Faucet & P-Trap
BKHS-W-SS-P-G
w/ Faucet only
BKHS-W-SS
w/o Faucet

BKHS-W-SS-SS-PT-G
Dual Side Splash
Splash Mount
w/ Faucet & P-Trap
BKHS-W-SS-SS-P-G
w/ Faucet only
BKHS-W-SS-SS
w/o Faucet

12" X 16" Overall Size
BKHS-W-SS-SS-TD-P-G
Space Saver Splash Mount
w/ Built in Towel &
Soap Dispenser
BKHS-W-SS-SS-TD
w/o Faucet

12" X 16" Overall Size
BKHS-D-SS-P-G
Deck Mount Unit
BKHS-D-SS
Standard Unit w/o Faucet

12" X 16" Overall Size
BKHS-D-SS-SS-P-G
Deck Mount
w/ Dual Side Splash
BKHS-D-SS-SS
w/o Faucet

12" X 16" Overall Size
BKHS-D-SS-SKTS-P-G
Space Saving Deck Mount w/
Integrated Towel Dispenser
BKHS-D-SS-SKTS
w/o Faucet

Additional Accessories
- Water Line Connectors *Pg. 124*
- Parts/Accessories *Pg. 140*



BKHS-W-SS-1-P-G
Single Hole w/
Sensor Faucet
BKHS-W-SS-1
w/o Faucet

BKMS - Stainless Steel Mop Sinks

- T-304 18 ga. Stainless Steel
- Skirted on 3 Sides
- Floor Mounted
- Includes: BKDR-HD4 Brass Drain

Part Number	Description	Overall Size	Bowl Size
BKMS-1620-6	Mop Sink - 6" Depth	25" x 20"	16 x 20
BKMS-1620-12	Mop Sink -12" Depth	25" x 20"	16 x 20
BKMS-2424-12	Mop Sink - 12" Depth	28" x 29"	24 x 24

MS - Side Splash for Mop Sinks

- T-304 18 ga. Stainless Steel

Part Number	Description
MS-2424-SS2	2-Sided Splash for BKMS-2424
MS-1620-SS2	2-Sided Splash for BKMS-1620
MS-2424-SS3	3-Sided Splash for BKMS-2424
MS-1620-SS3	3-Sided Splash for BKMS-1620

BKMS - Stainless Steel Mop Sink Kits

MOP SINK KITS INCLUDE:
- 6" or 12" Deep Mop Sink
- BKDR-HD4 Brass Drain
- BK-SFH-48 48" Service Hose
- BKSF-WB1 Service Faucet
- MSS-824 Utility Tool Holder
- T-304 18 ga. Stainless Steel
- Skirted on 3 Sides
- Floor Mounted
- 2 year warranty



(Shown with Side Splash MS-1620-SS3)

Part Number	Description	Overall Size	Bowl Size
BKMS-1620-6-KIT	Mop Sink Kit - 6" Depth	25" x 20"	16 x 20
BKMS-1620-12-KIT	Mop Sink Kit -12" Depth	25" x 20"	16 x 20
BKMS-2424-12-KIT	Mop Sink Kit - 12"Depth	28" x 29"	24 x 24

BKMS2 - Stainless Steel Mop Sink Kits

MOP SINK KITS INCLUDE:
- 6" or 12" Deep Mop Sink
- BKDR-HD4 Brass Drain
- BK-SFH-48 48" Service Hose
- BKSF-WB3 Service Faucet
- MSS-824 Utility Tool Holder
- T-304 18 ga. Stainless Steel
- Skirted on 3 Sides
- Floor Mounted

Part Number	Description	Overall Size	Bowl Size
BKMS2-1620-6-KIT	Mop Sink Kit - 6" Depth	25" x 20"	16 x 20
BKMS2-1620-12-KIT	Mop Sink Kit -12" Depth	25" x 20"	16 x 20
BKMS2-2424-12-KIT	Mop Sink Kit -12" Depth	28" x 29"	24 x 24



(Shown as BKMS-1620-12-KIT)
(Mops & Hose Not Included)

BK-SFH-48
48" Service Faucet Hose

- Standard Garden Hose Threading

BKS-1-SK-20-8-ME
Soak Sink Marine Edge

- 16 ga T-304 Stainless Steel
- 20"Work Height
- Bowl Size: 20" x 20" x 8"d
- O.D.- 27 1/2" x 27 1/2" x 21 3/4" h
- 5" Polyurethane Casters w/ Top Lock Brake
- Twist Drain Included
- S/S Gussets, Legs & Cross Bracing
- Corner Bumpers

MSS-
Utility Shelf w/ Mop Hanger & Hooks

Part Number	Description
MSS-824	24" x 8" Utility Shelf with Mop Hanger & Hooks
MSS-836	36" x 8" Utility Shelf with Mop Hanger & Hooks

BKSF-WB1
Service Faucet w/ Vacuum Breaker

- Wall Bracket Included
- Integral Bucket Holder On Spout
- Garden Hose Threading On Spout
- Built-In Check Valves to Prevent Back Flow

BKSF-WB3
Service Faucet w/ Vacuum Breaker

- Wall Bracket Included
- Integral Bucket Holder On Spout
- Garden Hose Threading On Spout
- Built-In Backflow Preventer

Hand Sink Faucets, Spouts, & Parts

EVOLUTION SERIES



EVO-4SM-4G
Stainless Steel
4.5" Gooseneck
Splash Mount Faucet

Deck Mount Version

EVO-4DM-4G

OptiFlow™ SERIES



BKF-4SM-3G-G
3.5" Gooseneck
Splash Mount Faucet

Deck Mount Version

workFORCE SERIES

BKF-W-3G-G $124.00
3.5" Gooseneck
Splash Mount Faucet

Deck Mount Version

BKD-3G-G

WL-36
Flexible Water
Line Connectors

BK-PTTP
CPB P-Trap
W/ Tail Piece

90o Elbow
Not Included
In BK-DMMK

Faucet Mount Hardware	Faucet Use
BK-DMMK	Deck Mount
BK-SMMK-90	Splash Mount

Electronic Hands Free & Metering Faucets

BKF-SEF-3G
3.5"
Gooseneck
Splash Mount
Sensor Faucet

BKF-DEF-3G
3.5"
Gooseneck
Deck Mount
Sensor Faucet

MF-1D-G
Deck
Mount
Single Supply
Metering Faucet

MF-4D-G
Deck
Mount
Dual Supply
Metering Faucet

Replacement Handles

EVO-WBH
Stainless Steel
Wrist Blade Handles

BKF-WBH
Standard
Wrist Blade Handles

BKF-DBH
Standard
Dial Handles

Specialty Faucets & Adapters

BK-EWS
EyeWash
Attachment

ST-100
SaniTimer

BKF-C414-VR
.5 GPM Vandal
Resistant Aerator

Replacement Valves

- For Faucets BKF-W-3G & BKD-3G-G

Part Number	Includes
BKF-W-HVC-G	Hot Stem/Valve
BKF-W-CVC-G	Cold Stem/Valve
BKF-W-HVCH-G	Hot Stem/Valve w/ Handle
BKF-W-CVCH-G	Cold Stem/Valve w/ Handle

BKF-W-CVC-G

- For EVO faucets

Part Number	Includes	
EVO-CV-G	Cold Stem/Valve	$47.00
EVO-HV-G	Hot Stem/Valve	$47.00

EVO-CV-G

- For Metering Faucets

Part Number	Includes	
MF-MV	Metering Valve	$125.00

OptiFlow™ SERIES

BKF-AF-G+
WARRANTIED 3 YEARS

Add A Faucet

- 1/4 Turn Ceramic Valve
- Heavy Duty Spout

Part Number	Spout Size
BKF-AF-6-G	6" Swing
BKF-AF-8-G	8" Swing
BKF-AF-10-G	10" Swing
BKF-AF-12-G	12" Swing
BKF-AF-14-G	14" Swing
BKF-AF-16-G	16" Swing
BKF-AF-18-G	18" DJ Swing
BKF-AF-3G-G	3.5" Gooseneck
BKF-AF-5G-G	5" Gooseneck
BKF-AF-8G-G	8" Gooseneck

BK-DIBHL-2118
Drop In Ice Bin w/ Sink

- Basin Size: 9" (w) x 13" (l) x 11" (h)
- Overall Size: 21" (w) x 18" (l) x 12" (h)
- Includes Drains: BKDR-2 & BKDR-325CP
- Sink Bowl Size: 11 1/2" (w) x 8 1/2" (l) x 5 1/2" (h)
- Fully Insulated

Part Number	Faucet
BK-DIBHL-2118	N/A
BK-DIBHL-2118-P-G	BKD-3G-G

BK-DIBL
Drop In Ice Bin w/ Lid

- Includes BKDR-325CP Drain
- Fully Insulated
- Quick Access Lid Included

Part Number	Size	Basin Size
BK-DIBL-1218	12" x 18"	9" x 13" x 10"
BK-DIBL-2218	22" x 18"	18" x 13" x 10"
BK-DIBL-2818	28" x 18"	24" x 13" x 10"
BK-DIBL-3418	34" x 18"	30" x 13" x 10"
BK-DIBL-3620	36" x 20"	32" x 15" x 10"
BK-DIBL-4225	42" x 25"	37½" x 20" x 10"
BK-DIBL-4820	48" x 20"	44" x 15" x 10"

Now with Cold Plates!

DICP
Drop In Ice Bin w/ Cold Plate

- Choose Between 7 or 8 Circuit Cold Plate
- Fully Insulated
- New and Improved Lid
- 3-5 Day Lead Time

Part Number	Size	Basin Size	Cold Plate
DICP7-2820	28" x 20"	24" x 15" x 10"	7 Circuit
DICP7-3420	34" x 20"	30" x 15" x 10"	7 Circuit
DICP8-2820	28" x 20"	24" x 15" x 10"	8 Circuit
DICP8-3420	34" x 20"	30" x 15" x 10"	8 Circuit

BK-DIWSBL
Drop In Ice Bin w/ Water Station



BK-DIWSBL-2118X-P-G

- Basin:9" (w) x 13" (l) x 11" (h)
- Includes Drains: BKDR-15CP & BKDR-325CP
- Fully Insulated

Part Number	Faucet	Overall Size
BK-DIWSBL-2118G	N/A	21"w x 18"d x 13"h
BK-DIWSBL-2118G-P-G	BKF-SGF-G	21"w x 18"d x 13"h
BK-DIWSBL-2118X	N/A	18"w x 21"d x 13"h
BK-DIWSBL-2118X-P-G	BKF-SGF-G	18"w x 21"d x 13"h

FABRICATED - 10" x 14" Three Compartment Drop In Sink w/ 18" Drainboards

- T-304 18 ga Stainless Steel
- Fabricated Sink Bowls
- 18" Drainboards
- Traditional Top Mount
- Includes Drains

BK-DIS-1014-3-12T
w/ Marine Edge

Sink Only Part Number	Sink & Faucet Part Number	Included Faucet	Included Drain	Bowl Size	Overall Size
BK-DIS-1014-3-18T	* BK-DIS-1014-3-18T-PG	BK8D-8G-G	(3) BKDR-4	10" x 14" x 10" (d)	70⅛ "x 20" x 10⅝"

DEEP DRAWN
5" Riser Drop-In Sinks

Install on CST cabinet See pg 41

- T-304 18 ga Stainless Steel
- Traditional Top Mount
- Use EM-1 For Custom Faucet Hole sizes
- Can Fit on CST Cabinet - See pg 134
- Deep Drawn Construction for a seamless and appealing design

Sink Only Part Number	Bowls	Faucet Holes	Sink & Faucet LIST PRICE Part Number	Included Faucet	LIST PRICE	Included Drain	Bowl Size	Overall Size
DDI3-R5-1014	3	4" O.C.	DDI3-R5-1014-PG	BKF-W2-12-G		(3)BKDR-4	10" x 14" x 10" (d)	36" x 24"
DDI4-R5-1014	4	(2) 4" O.C.	DDI4-R5-1014-PG	(2) BKF-W2-10-G		(4)BKDR-4	10" x 14" x 10" (d)	48" x 24"
DDI4-R5-1014HS	3 + 1 Handsink	(2) 4" O.C.	DDI4-R5-1014HS-PG	(1) BKF-W2-10-G (1) BKF-W2-12-G		(4)BKDR-4	10" x 14" x 10" (d)	48" x 24"

DEEP DRAWN
Three Compartment Drop In Sinks

- T-304 18 ga Stainless Steel
- Traditional Top Mount
- Deep Drawn Sink Bowls
- Includes Drain

DDI3-10141024

Sink Only Part Number	Sink & Faucet Part Number	Included Faucet	Bowl Size	Overall Size
DDI3-10141024	DDI3-10141024-P-G	BKD-8G-G	10" x 14" x 10" (d)	35¾" X 18½"
DDI3-10141028-12T	DDI3-10141028-12T-PG	BKD-10-G	10" x 14" x 10" (d)	58⅛" x 20"
DDI3-162012224	DDI3-162012224-P-G	(2)BKD-10-G	16" x 20" x 12" (d)	55¾" X 25"

DEEP DRAWN
Two Compartment Drop In Sinks



- T-304 18 ga Stainless Steel except DDI2-1416628
- Traditional Top Mount
- Accommodates 4" o/c Faucet
- Deep Drawn Construction for a seamless and appealing design

Sink Only Part Number	Sink & Faucet Part Number	Included Faucet	Included Drain	Bowl Size	Overall Size
DDI2-14161024	DDI2-14161024-P-G	BKD-8G-G	(2) BKDR-4	14" x 16" x 10" (d)	31¼" x 20⅝" x 10" (d)
DDI2-10141024	DDI2-10141024-P-G	BKD-8G-G	(2) BKDR-4	10" x 14" x 10" (d)	23¼" x 18 ½" x 10" (d)
DDI2-1416628	DDI2-1416628-P-G	BK8D-8G-G	(2) BKDR-4	14" x 16" x 6" (d)	33" x 22" 6" (d)
DDI2-20161224	DDI2-20161224-P-G	BKD-8G-G	(2) BKDR-4	20" x 16" x 12" (d)	45¼" x 21" x 12" (d)

DEEP DRAWN
One Compartment Drop In Sinks

- T-304 Stainless Steel
- Traditional Top Mount
- Deep Drawn Construction for a seamless and appealing design
- Accommodates 4" o/c Faucets
- DDI-28161028 Accommodates 8" o/c Faucet

BK-DIS-1014-5D

DDI-10141024S

BK-DIS-1515-P-G

DDI-1614824

DDI-20161224-1D

DDI-18151024-P-G

Sink Only Part Number	Gauge	Sink & Faucet Part Number	Included Faucet	Included Drain	Bowl Size	Overall Size
BK-DIS-1014-5D	20	BK-DIS-1014-5D-P-G	BKD-5G-G	BKDR-4	10" x 14" x 5" (d)	12 ¼" x 18" x 5" (d)
BK-DIS-1515	26	BK-DIS-1515-P-G	BKD-3G-G	BKDR-4	12" x 10" x 5 ¾" (d)	15 1⁄16" x 15 1/16" x 5 ¾" (d)
BK-DIS-1014	20	BK-DIS-1014-10-P-G	BKD-5G-G	BKDR-4	10" x 14" x 9" (d)	12" x 18" x 9 ⅜"
DDI-0909524	20	DDI-0909524-P-G	BKD-3G-G	BKDR-2	9" x 9" x 5" (d)	11 ⅛" x 13 ½" x 5" (d)
DDI-0909524S	20	DDI-0909524S-P-G	BKD-3G-G	BKDR-2	9" x 9" x 5" (d)	11 ⅛" x 13 ½" x 11" (d)
DDI-2016824	18	DDI-2016824-P-G	BKD-8G-G	BKDR-4	20" x 16" x 8" (d)	21" x 23" x 8" (d)
DDI-20161224	18	DDI-20161224-P-G	BKD-8G-G	BKDR-4	20" x 16" x 12" (d)	21" x 23" x 12" (d)
DDI-20161224-1D	18	No Faucet Holes	--	BKDR-4	20" x 16" x 12 1⁄16" (d)	21¾" x 41.5" x 12 1⁄16"
DDI-10141024S	18	DDI-10141024S-P-G	BKD-5G-G	BKDR-4	10" x 14" x 10" (d)	12⅜" x 18½" x 15¼" (d)
DDI-1014524S	18	DDI-1014524S-P-G	BKD-5G-G	BKDR-4	10" x 14" x 5" (d)	12⅜" x 18½" x 10½" (d)
DDI-1614824	18	DDI-1614824-P-G	BKD-5G-G	BKDR-4	16" x 14" x 8" (d)	19" x 19" x 8" (d)
DDI-18151024	18	DDI-18151024-P-G	BKD-5G-G	BKDR-4	18" x 15" x 8" (d)	20½" x 20" x 10½" (d)
DDI-28161028	18	DDI-28161028-P-G	BK8D-8G-G	BKDR-4	28" x 16" x 10" (d)	31¼" x 20¾" x 10" (d)

BKS-RES - Reversible End Splash

- 18 ga T-304 Stainless Steel
- Fits Left or Right Side of Sink

Part #	Overall Size	Fits Bowl Width
BKS-RES-14	18" x 12.25"	14"
BKS-RES-15	19" x 12.25"	15"
BKS-RES-16	20" x 12.25"	16"
BKS-RES-18	22" x 12.25"	18"
BKS-RES-20	24" x 12.25"	20"
BKS-RES-24	28" x 12.25"	24"
BKS-RES-30	34" x 12.25"	30"

Single Removable Side Splash For Wall Mount Hand Sink

- 16 ga. 304 Stainless Steel
- Mounts to Wall & Sink
- Hardware Included
- Caulking Included



14x10 - Handsink

BKHS-SSW1410

Single Removable Side Splash for Splash Mount Hand Sinks

- Fits BK Resources 10" x 14" Hand Sink ( )
- Guard is 15 ½" x 9 ½"

BKHS-SSD1410

Single Removable Side Splash for Deck Mount Hand Sinks

- Fits BK Resources 10" x 14" Hand Sink (BKHS-D-1410)
- Guard is 17" x 9 ½"

9x9 - Handsink

BKHS-SWSS

Single Removable Side Splash for Splash Mount Space Saver Hand Sinks

- Fits BK Resources 9" X 9" Space Saver Hand Sinks (BKHS-W-SS)
- Guard is 14 ½" x 9 ½"

BKHS-DWSS

Single Removable Side Splash for Deck Mount Space Saver Hand Sinks

- Fits BK Resources 9" X 9" Space Saver Hand Sinks (BKHS-D-SS)
- Guard is 16" x 9 ½"



BK-FSS

Universal Deep Fryer Splash Shield

- 18 ga. Stainless Steel
- Fits Left or Right Side of Fryer

Sink Sold Separately



BK-DI1014-SS

3-Sided Removable Side Splash for 10" x 14" Drop In Sinks

- 16 ga. 304 Stainless Steel
- Fits ALL BK Resources 10" x 14" Drop In Sinks

BKUB-SS18

Single Removable Side Splash for 18" Underbar Equipment

- 16 ga. 304 Stainless Steel
- Fits BK Resources 18" Slim Line Underbar Equipment



BKUB-SS21

Single Removable Side Splash for 21" Underbar Equipment

- 16 ga. 304 Stainless Steel
- Fits BK Resources 21" Standard Underbar Equipment



16 Gauge Corner Dish Tables

BKSDT6-C - Right Side Soiled 16 Ga Corner Dish Table

- T-304 16 ga Stainless Steel Top
- Stainless Legs & Bracing
- 20" x 20" x 8" Welded Bowl
- 1 5/8" Rolled Edge
- (BKDR-4) 3 1/2" Drain Included
- 30 3/8" O.A Front to Back

Part Number	NSF	Stainless Series	Length	Legs & Bracing
BKSDT6-C6048R	✓	16 Ga	48"	Stainless
BKSDT6-C6060R	✓	16 Ga	60"	Stainless
BKSDT6-C6072R	✓	16 Ga	72"	Stainless
BKSDT6-C6096R	✓	16 Ga	96"	Stainless

Right Side Soiled

BKSDT6-C - Left Side Soiled 16 Ga Corner Dish Table

Part Number	NSF	Stainless Series	Length	Legs & Bracing
BKSDT6-C6048L	✓	16 Ga	48"	Stainless
BKSDT6-C6060L	✓	16 Ga	60"	Stainless
BKSDT6-C6072L	✓	16 Ga	72"	Stainless
BKSDT6-C6096L	✓	16 Ga	96"	Stainless

Left Side Soiled

BKCDT6-C - Right Side Clean 16 Ga Corner Dish Table

- T-304 16 ga Stainless Steel Top
- 20" x 20" x 8" Welded Bowl
- Stainless Legs & Bracing
- 1 5/8" Rolled Edge
- 30 3/8" O.A Front to Back

Part Number	NSF	Stainless Series	Length	Legs & Bracing
BKCDT6-C6048R	✓	16 Ga	48"	Stainless
BKCDT6-C6060R	✓	16 Ga	60"	Stainless
BKCDT6-C6072R	✓	16 Ga	72"	Stainless
BKCDT6-C6096R	✓	16 Ga	96"	Stainless

BKCDT-C - Left Side Clean 16 Ga Corner Corner Dish Table

Part Number	NSF	Stainless Series	Length	Legs & Bracing
BKCDT6-C6048L	✓	16 Ga	48"	Stainless
BKCDT6-C6060L	✓	16 Ga	60"	Stainless
BKCDT6-C6072L	✓	16 Ga	72"	Stainless
BKCDT6-C6096L	✓	16 Ga	96"	Stainless

16 Ga - Dish Tables

BKSDT6 - Soiled 16 Ga Right Side Stainless Steel Dish Table

TRUCKLINE ONLY

- T-304 16 ga Stainless Steel Top
- Stainless Legs & Bracing
- 20" x 20" x 8" Welded Bowl
- 1 5/8" Rolled Edge
- (BKDR-4) 3 1/2" Drain Included
- 30 3/8" O.A Front to Back

Part Number	NSF	Stainless Series	Length	Legs & Bracing
BKSDT6-26-R-SS	✓	16 Ga	26"	Stainless
BKSDT6-36-R-SS	✓	16 Ga	36"	Stainless
BKSDT6-48-R-SS	✓	16 Ga	48"	Stainless
BKSDT6-60-R-SS	✓	16 Ga	60"	Stainless
BKSDT6-72-R-SS	✓	16 Ga	72"	Stainless
BKSDT6-96-R-SS	✓	16 Ga	96"	Stainless

BKSDT6 - Soiled 16 Ga Left Side Stainless Steel Dish Table

TRUCKLINE ONLY

Part Number	NSF		Length	Legs & Bracing
BKSDT6-26-L-SS	✓	16 Ga	26"	Stainless
BKSDT6-36-L-SS	✓	16 Ga	36"	Stainless
BKSDT6-48-L-SS	✓	16 Ga	48"	Stainless
BKSDT6-60-L-SS	✓	16 Ga	60"	Stainless
BKSDT6-72-L-SS	✓	16 Ga	72"	Stainless
BKSDT6-96-L-SS	✓	16 Ga	96"	Stainless

Dishroom Accessories
- Mop Sink Pg. 139
- Accessories Pg. 149

BKSDT6 - Clean 16 Ga Right Side Stainless Steel Dish Table

TRUCKLINE ONLY

- T-304 16 ga Stainless Steel Top
- Stainless Legs & Bracing
- 1 5/8" Rolled Edge
- 10" Backsplash

Part Number	NSF	Stainless Series	Length	Legs & Bracing
BKCDT6-26-R-SS	✓	16 Ga	26"	Stainless
BKCDT6-36-R-SS	✓	16 Ga	36"	Stainless
BKCDT6-48-R-SS	✓	16 Ga	48"	Stainless
BKCDT6-60-R-SS	✓	16 Ga	60"	Stainless
BKCDT6-72-R-SS	✓	16 Ga	72"	Stainless
BKCDT6-96-R-SS	✓	16 Ga	96"	Stainless

Dishroom Accessories
- Mop Sink Pg. 139
- Accessories Pg. 149

BKSDT - Clean 16 Ga Left Side Stainless Steel Dish Table

TRUCKLINE ONLY

Part Number	NSF	Stainless Series	Length	Legs & Bracing
BKCDT6-26-L-SS	✓	16 Ga	26"	Stainless
BKCDT6-36-L-SS	✓	16 Ga	36"	Stainless
BKCDT6-48-L-SS	✓	16 Ga	48"	Stainless
BKCDT6-60-L-SS	✓	16 Ga	60"	Stainless
BKCDT6-72-L-SS	✓	16 Ga	72"	Stainless
BKCDT6-96-L-SS	✓	16 Ga	96"	Stainless

DTS - Dish Table Undershelf

- 18 Ga Stainless Legs & Undershelf
- Fits BK Dish Tables
- Attaches to existing legs
- Designed to fit or L or R Straight Dish Tables

- 10 11/16" Height
- Adjustabale Stainless Foot

Part Number	Length	Width	Legs & Bracing
DTS-16	16"	23 5/16"	Stainless
DTS-24	24"	23 5/16"	Stainless
DTS-36	36"	23 5/16"	Stainless
DTS-48	48"	23 5/16"	Stainless
DTS-60	60"	23 5/16"	Stainless
DTS-72	72"	23 5/16"	Stainless

BUNDLE & SAVE

Bundle Any 18 Gauge Single Bowl Soiled Dish Table and Save. A significant advantage for you and your customers. Every soiled dish table needs one of the following bundle accessories for final installation. Save yourself time and create bigger margins with the BK Resources Bundle & Save options.

Savings shown for each bundle is compared to purchasing each part individually at standard pricing.

-P-G
SAVE $20
BUNDLE #1
ADD "-P-G" TO ANY SOILED DISH TABLE PART #

-P2-G
SAVE $30
BUNDLE #2
ADD "-P2-G" TO ANY SOILED DISH TABLE PART #

-P3-G
SAVE $40
BUNDLE #3
ADD "-P3-G" TO ANY SOILED DISH TABLE PART #

BKSDT - Right Side S/S Soiled Dish Table with Galvanized Legs

- T-304 18 ga Stainless Steel Top
- 20" x 20" x 8" Welded Bowl
- 1 5/8" Rolled Edge
- (BKDR-4) 3 1/2" Drain Included
- 30 3/8" O.A Front to Back

Part Number	NSF	Length	Legs & Bracing
BKSDT-26-R	✓	26"	Galvanized
BKSDT-36-R	✓	36"	Galvanized
BKSDT-48-R	✓	48"	Galvanized
BKSDT-60-R	✓	60"	Galvanized
BKSDT-72-R	✓	72"	Galvanized

BKSDT - Right Side S/S Soiled Dish Table with S/S Legs

Part Number	NSF	Length	Legs & Bracing
BKSDT-26-R-SS	✓	26"	Stainless
BKSDT-36-R-SS	✓	36"	Stainless
BKSDT-48-R-SS	✓	48"	Stainless
BKSDT-60-R-SS	✓	60"	Stainless
BKSDT-72-R-SS	✓	72"	Stainless

Upgrade To S/S Legs And Bracing Use "-SS" Part #

S/S Legs and Bracing Kit

- Sold separately

Part Number
BKL-DT-SS

Upgrade To S/S Legs And Bracing Use "-SS" Part #

BKSDT - Left Side S/S Soiled Dish Table with Galvanized Legs

- T-304 18 ga Stainless Steel Top
- 20" x 20" x 8" Welded Bowl
- 1 5/8" Rolled Edge
- (BKDR-4) 3 1/2" Drain Included
- 30 3/8" O.A Front to Back

Part Number	NSF	Length	Legs & Bracing
BKSDT-26-L	✓	26"	Galvanized
BKSDT-36-L	✓	36"	Galvanized
BKSDT-48-L	✓	48"	Galvanized
BKSDT-60-L	✓	60"	Galvanized
BKSDT-72-L	✓	72"	Galvanized

BKSDT - Left Side S/S Soiled Dish Table with S/S Legs

Part Number	NSF	Length	Legs & Bracing
BKSDT-26-L-SS	✓	26"	Stainless
BKSDT-36-L-SS	✓	36"	Stainless
BKSDT-48-L-SS	✓	48"	Stainless
BKSDT-60-L-SS	✓	60"	Stainless
BKSDT-72-L-SS	✓	72"	Stainless

S/S Legs and Bracing Kit

- Sold separately

Part Number		LIST PRICE
BKL-DT-SS		$198.00
BKL-DT-SS-26	For 26" Soiled Only	$198.00

BKCDT - 18 Ga Right Side S/S Clean Dish Table with Galvanized Legs

- T-304 18 ga Stainless Steel Top
- 10" Backsplash
- 1 5/8" Rolled Edge

TRUCKLINE ONLY

Part Number	NSF	Length	Legs & Bracing	LIST PRICE
BKCDT-26-R	✓	26"	Galvanized	
BKCDT-36-R	✓	36"	Galvanized	
BKCDT-48-R	✓	48"	Galvanized	
BKCDT-60-R	✓	60"	Galvanized	
BKCDT-72-R	✓	72"	Galvanized	

BKCDT - 18 Ga Right Side S/S Clean Dish Table with S/S Legs

TRUCKLINE ONLY

Part Number	NSF	Length	Legs & Bracing	LIST PRICE
BKCDT-26-R-SS	✓	26"	Stainless	
BKCDT-36-R-SS	✓	36"	Stainless	
BKCDT-48-R-SS	✓	48"	Stainless	
BKCDT-60-R-SS	✓	60"	Stainless	
BKCDT-72-R-SS	✓	72"	Stainless	

Upgrade To S/S Legs And Bracing Use "-SS" Part #

S/S Legs and Bracing Kit

- Sold separately

Part Number	LIST PRICE
BKL-DT-SS	

BKCDT - 18 Ga Left Side S/S Clean Dish Table with Galvanized Legs

- T-304 18 ga Stainless Steel Top
- 10" Backsplash
- 1 5/8" Rolled Edge

TRUCKLINE ONLY

Part Number	NSF	Length	Legs & Bracing	LIST PRICE
BKCDT-26-L	✓	26"	Galvanized	
BKCDT-36-L	✓	36"	Galvanized	
BKCDT-48-L	✓	48"	Galvanized	
BKCDT-60-L	✓	60"	Galvanized	
BKCDT-72-L	✓	72"	Galvanized	



Upgrade To S/S Legs And Bracing Use "-SS" Part #

S/S Legs and Bracing Kit

- Sold separately

Part Number	LIST PRICE
BKL-DT-SS	$198.00

BKCDT - 18 Ga Left Side S/S Clean Dish Table with S/S Legs

TRUCKLINE ONLY

Part Number	NSF	Length	Legs & Bracing	LIST PRICE
BKCDT-26-L-SS	✓	26"	Stainless	
BKCDT-36-L-SS	✓	36"	Stainless	
BKCDT-48-L-SS	✓	48"	Stainless	
BKCDT-60-L-SS	✓	60"	Stainless	
BKCDT-72-L-SS	✓	72"	Stainless	

DISH TABLE KITS

SAVE $80

When you order any of our BKDTK & BKDTK6 - Dish Table Kits

BKDTK6 - Dish Table Kits - 16 Ga. Stainless Steel

Kit Part Number		Clean Dish Table	Soiled Dish Table	Slant Rack Shelf	Pre-Rinse Basket	Pre-Rinse	LIST PRICE
BKDTK6-26-L-G-SS	16 Gauge	BKCDT6-26-R	BKSDT6-26-L	BK-SSH-21	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK6-26-R-G-SS	16 Gauge	BKCDT6-26-L	BKSDT6-26-R	BK-SSH-21	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK6-48-L-G-SS	16 Gauge	BKCDT6-48-R	BKSDT6-48-L	BK-SSH-42	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK6-48-R-G-SS	16 Gauge	BKCDT6-48-L	BKSDT6-48-R	BK-SSH-42	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK6-72-L-G-SS	16 Gauge	BKCDT6-72-R	BKSDT6-72-L	BK-SSH-63	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK6-72-R-G-SS	16 Gauge	BKCDT6-72-L	BKSDT6-72-R	BK-SSH-63	BK-PRB-5	BKF-SMPR-WB-AF8-G	

BKDTK - Dish Table Kits - 18 Ga. Stainless Steel

Kit Part Number		Clean Dish Table	Soiled Dish Table	Slant Rack Shelf	Pre-Rinse Basket	Pre-Rinse	LIST PRICE
BKDTK-26-L-G	18 Gauge	BKCDT-26-R	BKSDT-26-L	BK-SSH-21	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK-26-R-G	18 Gauge	BKCDT-26-L	BKSDT-26-R	BK-SSH-21	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK-48-L-G	18 Gauge	BKCDT-48-R	BKSDT-48-L	BK-SSH-42	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK-48-R-G	18 Gauge	BKCDT-48-L	BKSDT-48-R	BK-SSH-42	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK-72-L-G	18 Gauge	BKCDT-72-R	BKSDT-72-L	BK-SSH-63	BK-PRB-5	BKF-SMPR-WB-AF8-G	
BKDTK-72-R-G	18 Gauge	BKCDT-72-L	BKSDT-72-R	BK-SSH-63	BK-PRB-5	BKF-SMPR-WB-AF8-G	

BK-SDTS
Tray Slide

- T-304 Stainless Steel
- #4 Polish
- 3/16" Bar Stock

Part Number	Fits Bowl Size (w x l)	LIST PRICE
BK-SDTS	20"x20"	
BK-SDTS-1820	18"x20"	
BK-SDTS-1824	18"x24"	

T-304 16 ga.
S/S Pre-Rinse Basket

- Perforated bowl design
- Designed for easy use

Part Number	Fits BowlSize (w x l)	LIST PRICE
BK-PRB-5	20 X 20	
BK-PRB-1820	18 X 20	
BK-PRB-1824	18 x 24	
BK-PRB-2030	24 x 30	
BK-PRB-2424	24 x 24	

BK-TSH
Stainless Steel Tubular Shelf

- T-304 18 ga. Stainless Steel
- 1 5/8" O.D. Stainless Tubing

Part Number	Length	LIST PRICE
BK-TSH-22	22"	
BK-TSH-42	42"	
BK-TSH-63	63"	



BK-SSH
Stainless Steel Slant Rack Shelf

- T-304 18ga. Stainless Steel
- S/S Weep Requires 1" Nylon Tubing

Part Number	Length	LIST PRICE
BK-SSH-21	21"	
BK-SSH-42	42"	
BK-SSH-63	63"	

BKSDT-CO3 - Three Compartment Corner Dish Table

TRUCKLINE ONLY

- T-304 18 ga Stainless Steel Top
- Stainless Steel Legs & End Bracing
- 20" x 20" x 12" (d) Bowls
- 1 5/8" Rolled Edge
- (3) BKDR-4 Basket Drains Included
- (2) BK-SDTS Tray Guides
- (1) BK-PRB-5 Pre-Rinse Basket
- (2) Sets of Faucet Holes

Part Number	Attachment	LIST PRICE
BKSDT-CO3-2012-LS	Attaches to Left Side of Dish Machine Left to right operation	$4,292.00
BKSDT-CO3-2012-RS	Attaches to Right Side of Dish Machine Right to left operation	$4,292.00



+ PG

CHOOSE THE "PG" MODEL TO ADD
PRE-RINSE &
(3) LEVER DRAINS
& INSTALLED LEVER DRAIN BRACKETS

BKSDT - Left Side - Three Compartment Soiled Dish Table

TRUCKLINE ONLY

NSF

- T-304 18 ga Stainless Steel Top
- Stainless Steel Legs & End Bracing
- 1 5/8" Rolled Edge
- (3) BKDR-4 Basket Drains Included
- (2) BK-SDTS Tray Guides
- (1) BK-PRB Pre-Rinse Basket

Part Number	Dish Machine	Bowl Size	Pre-Rinse	Lever Drains	LIST PRICE
BKSDT-3-20-12-20LS	Attaches to Left Side of Dish Machine	20" x 20" x 12"	N/A	N/A	
BKSDT-3-20-12-20LSPG	Attaches to Left Side of Dish Machine	20" x 20" x 12"	BKF-SMPR-WB-G	(3) BK-LWR-1	
BKSDT-3-1820-14-LS	Attaches to Left Side of Dish Machine	18" x 20" x 14"	N/A	N/A	
BKSDT-3-1820-14-LSPG	Attaches to Left Side of Dish Machine	18" x 20" x 14"	BKF-SMPR-WB-G	(3) BK-LWR-1	

BKSDT - Right Side - Three Compartment Soiled Dish Table

TRUCKLINE ONLY

NSF

- T-304 18 ga Stainless Steel Top
- Stainless Steel Legs & End Bracing
- 1 5/8" Rolled Edge
- (3) BKDR-4 Basket Drains Included
- (2) BK-SDTS Tray Guides
- (1) BK-PRB Pre-Rinse Basket

Part Number	Dish Machine	Bowl Size	Pre-Rinse	Lever Drains	LIST PRICE
BKSDT-3-20-12-20RS	Attaches to Right Side of Dish Machine	20" x 20" x 12"	N/A	N/A	
BKSDT-3-20-12-20RSPG	Attaches to Right Side of Dish Machine	20" x 20" x 12"	BKF-SMPR-WB-G	(3) BK-LWR-1 Lever Drains	
BKSDT-3-1820-14-RS	Attaches to Right Side of Dish Machine	18" x 20" x 14"	N/A	N/A	
BKSDT-3-1820-14-RSPG	Attaches to Right Side of Dish Machine	18" x 20" x 14"	BKF-SMPR-WB-G	(3) BK-LWR-1 Lever Drains	



PGT - Plastic Grease Traps

- Constructed of strong plastics which are known for superior resistance
- Removable baffles for ease of maintenance
- Limited Lifetime Warranty
- Main body of grease trap suspended above floor to avoid corrosive environment and extend life
- T-Vent provided
- Includes threaded no hub connectors
- Designed for removing and isolating F.O.G. (Fat, Oil, Grease) from wastewater wherever food is Prepared

Part Number	GPM Capacity	Grease Cap (lbs.)	A	B	C	D	Width	LIST PRICE
PGT-30	15	30 lbs.	18⅛"	13½"	10⅜"	2"	17"	

***LIMITED LIFETIME WARRANTY - Guaranteed to be free of manufacture defects during normal usage from date of purchase by the original end user.*

What Size Grease Trap Do I Need?

Use this formula or calculation to find the right size grease trap for your kitchen setup.*

1.	**Length X Width X Depth of your bowls** (All Total. Example: a 3 Compartment Sink - add up each compartment LxWxD for a total)	+
2.	**Multiply that number by the number of bowls** (Example: a 3 Compartment Sink, multiply by 3)	X
3.	**Divide by 231** (This gives you contents in gallons.)	÷
4.	**Multiply by .75** (This gives you grease capacity in lbs.)	X
5.	**Look up capacity (lbs.) to find grease trap model you will need**	TOTAL

* Always refer to Local Codes.
Thanks to The Plumbing & Drainage Institute for this formula.





TRUCKLINE ONLY

BK-GT - Carbon Steel Grease Traps

- Constructed of 11 ga Carbon Steel w/ Corrosion Resistant Coating
- Non-Skid Deck Plate
- Removable Baffles for Ease of Maintenance
- Main Body of Grease Trap Suspended Above Floor to Avoid Corrosive Environment and Extend Life
- No Hub Connections
- T-Vent Provided
- Designed for removing and isolating F.O.G. (Fat, Oil, Grease) from wastewater wherever Food is Prepared

Part Number	GPM Capacity	Grease Cap (lbs.)	A	B	C	D	Width
BK-GT-8	4	8 lbs.	14 ⅛"	11¼"	7½"	2"	10½"
BK-GT-14	7	14 lbs.	16⅛"	12⅛"	8⅛"	2"	13½"
BK-GT-20	10	20 lbs.	20⅛"	12⅛"	8⅛"	2"	14½"
BK-GT-30	15	30 lbs.	20½"	13⅜"	10⅜"	2"	16"
BK-GT-40	20	40 lbs.	22½"	15"	11½"	3"	16"
BK-GT-50	25	50 lbs.	24½"	16½"	12"	3"	17½"
BK-GT-70	35	70 lbs.	28½"	19½"	14⅛"	3"	18"
BK-GT-100	50	100 lbs.	30½"	21½"	16⅛"	4"	22¼"

• BK-GT-8, BK-GT-14, BK-GT-20, BK-GT-30 Listed by IAPMO R&T File #C-7235 • BK-GT-40, BK-GT-50, BK-GT-70, BK-GT-100 Listed by IAPMO R&T File #6728

BK-GT-EXT - Grease Trap Extender

- Extends Grease Trap 6" Higher
- Does NOT increase Capacity
- Lid and Grease Trap Not Included

Part Number	Fits
BK-GT-EXT8	8lb. BK-GT-8
BK-GT-EXT14	14lb. BK-GT-14
BK-GT-EXT20	20lb. BK-GT-20
BK-GT-EXT30	30lb. BK-GT-30
BK-GT-EXT40	40lb. BK-GT-40
BK-GT-EXT50	50lb. BK-GT-50
BK-GT-EXT70	70lb. BK-GT-70
BK-GT-EXT100	100lb. BK-GT-100

BK-GT-SEAL
Heavy Duty Grease Trap Replacement Seal

- Easy Installation
- Works with all BK-GT Grease Traps
- Please specify size of Grease Trap
- 15/16" x 3/4" x 10'

5SBR-RA-PLY-TLB

- 5 — Wheel Size
- SBR — **SBR** = Standard Bracket / **HBR** = Heavy Duty Bracket
- RA — (A) Mounting Method
- PLY — (B) Wheel Material
- TLB — (C) Brake Type (optional)

Available Caster Rigs (A)

RA - Expanding Stem

- Zinc Plated
- Dust Covered Raceway Standard
- Double Ball Bearing Raceway For Longer Wear And Added Strength

UP/PT - Plate Mount

- UP Plates are Universal Fit
- Double Ball Bearing Raceway For Long Wear And Added Strength
- Zinc Plated
- 1/2" King Pin

ST - Threaded Stem

- 4 Different Stud Sized To Fit Any Application
- Zinc Plated
- Dust Covered Raceway Standard
- Double Ball Bearing Raceway For Longer Wear And Added Strength

1ST - Pop In Stem

- Grip Ring For Easy Installation
- Zinc Plated
- Dust Covered Raceway Standard
- Double Ball Bearing Raceway For Longer Wear And Added Strength

Available Wheel Materials (B)

PLY - Polyurethane

- Tread Mechanically Bound to Polyolefin Core
- Resistant to Acids & Caustics
- Non-Marking
- Temperature Range -45° to 180°F

PH - Phenolic

- Resistant to Oil and Grease
- Temperature Range -50° to 250°F
- Easy Rolling, Quieter than Steel Wheels
- Excellent Floor Protection

LDP - Polyolefin

- Injection Molded
- Impact Resistant
- Non-Marking
- Temperature Range -45° to 180°F
- Highly Resistant to Chemicals and Solvents

HR - Hard Rubber

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

GR - Gray Rubber

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quite

Available Brake Options (C)

TLB - Top Lock Brake

- Locks Wheel
- Works With All Wheel Sizes

TAB - Toe Activated Brake

- Locks Wheel with Foot Pad
- Works With All Wheel Sizes

TTB -Total Lock Brake

- Locks Wheel with Foot Pad
- Total Lock Prevents All Motion Including Swivel

Caster Kits

• All kits come in a full color P.O.P. box unless otherwise stated

Universal Plate Caster Kits 300-500lbs per caster

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
3SBR-UP4-PLY-PS4	✓	3"	4	
5HBR-UP4-PLY-PS4	✓	5"	4	
5SBR-UP3-PLY-TLB-PS4		5"	4	
5SBR-UP4-PLY-TLB-PS4		5"	4	

5SBR-UP3-PLY-TLB shown

3" Adjustable Height Universal Plate Caster Kit

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
3SBR-UP3AD-PLY-PS4	✓	3"	4	

3" Adjustable Height Phenolic Plate Caster Kit

Part #	Wheel Size	Casters Per Kit	LIST PRICE
3SBR-R1PT-PH-TAB-4*	3"	4	

*Packaged in Standard Brown Box

5" Triangle Plate Caster Kit

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
5HBR-TR5-PLY-PS4	✓	5"	4	

Equipment Caster Kit

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
5SBR-1PT-PLY-PS4	✓	5"	4	

Chef Table Caster Kits

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
3SBR-BKDC-4	✓	3"	4	
5SBR-BKDC-4	✓	5"	4	

*Packaged in Standard Brown Box

Work Table Caster Kits

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
5SBR-RA-LDP-PS4	✓	5"	4	
5SBR-RA-LDP-PS6	✓	5"	6	
5SBR-RA-PLY-PS4	✓	5"	4	
5SBR-RA-PLY-PS6	✓	5"	6	

5SBR-RA-PLY-TLB shown

*Packaged in Standard Brown Box

5" Universal Wire Shelving Caster Kit

Fits 1" shelving posts

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
5SBR-WS1-PS4	✓	5"	4	

2.5" Threaded Stem Caster Kit

1/2"-13 x 1"

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
25SBR-4ST-LDP-PS4	✓	2.5"	4	

3" Threaded Stem Caster Kit

1/2"-13 x 3/4"

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
3SBR-15ST-LDP-PS4	✓	3"	4	

5" Threaded Stem Oven Caster Kit

3/4"-10 x 1"

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
5SBR-9ST-PH-4	✓	5"	4	

• (2) with Brake (2) without Brake

5" Pop-In Stem Caster Kit

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
5SBR-1ST-PLY-PS4	✓	5"	4	

• (2) with Brake (2) without Brake

RA - 1-5/8" Expanding Stem Casters

Stainless Steel Caster Rig!

- **Fits Standard 1-5/8" Tubing by Expanding the Stem Creating a Secure Fit**
- Top Lock Brake
- Caster Kit of (4 or 6) in POP Box
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Zinc Plated
- Raceway Dust Cover
- Thread Covered Not On Solid Wheels. (i.e. Polyolefin, Hard Rubber & Phenolic Wheels)



APPLICATIONS

- Work Tables
- Bakery Equipment
- Food Service Operations
- Displays
- Maintenance Carts

PLY - with Polyurethane Wheel

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-RA-PLY	3" Wheel	None	
3SBR-RA-PLY-TLB	3" Wheel	Top Lock	
4SBR-RA-PLY	4" Wheel	None	
4SBR-RA-PLY-TLB	4" Wheel	Top Lock	
5SBR-RA-PLY-PS4	(4)Pack 5" Wheel	Top Lock	
5SBR-RA-PLY-PS6	(6)Pack 5" Wheel	Top Lock	
5SBR-RA-PLY-PS20	(20)Pack 5" Wheel	Top Lock	
5SBR-RA-PLY	5" Wheel	None	
5SBR-RA-PLY-TLB	5" Wheel	Top Lock	

Stainless Steel Caster Versions - *Pg 156*

Total Lock Brake Versions - *Pg 156*

LDP - with Polyolefin Wheel

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-RA-LDP	3" Wheel	None	
3SBR-RA-LDP-TLB	3" Wheel	Top Lock	
3SBR-RA-LDP-PS4	(4)Pack 3" Wheel	Top Lock	
4SBR-RA-LDP	4" Wheel	None	
4SBR-RA-LDP-TLB	4" Wheel	Top Lock	
4SBR-RA-LDP-PS4	(4)Pack 4" Wheel	Top Lock	
5SBR-RA-LDP	5" Wheel	None	
5SBR-RA-LDP-TLB	5" Wheel	Top Lock	
5SBR-RA-LDP-PS4	(4)Pack 5" Wheel	Top Lock	
5SBR-RA-LDP-PS6	(6)Pack 5" Wheel	Top Lock	

Stainless Steel Caster Versions - *Pg 156*

Total Lock Brake Versions - *Pg 156*

HR - with Hard Rubber Wheel

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-RA-HR	3" Wheel	None	
3SBR-RA-HR-TLB	3" Wheel	Top Lock	
3SBR-RA-HR-PS4	(4)Pack 3" Wheel	Top Lock	
4SBR-RA-HR	4" Wheel	None	
4SBR-RA-HR-TLB	4" Wheel	Top Lock	
4SBR-RA-HR-PS4	(4)Pack 4" Wheel	Top Lock	
5SBR-RA-HR	5" Wheel	None	
5SBR-RA-HR-TLB	5" Wheel	Top Lock	
5SBR-RA-HR-PS4	(4)Pack 5" Wheel	Top Lock	

Stainless Steel Caster Versions - *Pg 156*

Total Lock Brake Versions - *Pg 156*

GR - with Gray Rubber Wheel

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-RA-GR	3" Wheel	None	
3SBR-RA-GR-TLB	3" Wheel	Top Lock	
3SBR-RA-GR-PS4	(4)Pack 3" Wheel	Top Lock	
4SBR-RA-GR	4" Wheel	None	
4SBR-RA-GR-TLB	4" Wheel	Top Lock	
4SBR-RA-GR-PS4	(4)Pack 4" Wheel	Top Lock	
5SBR-RA-GR	5" Wheel	None	
5SBR-RA-GR-TLB	5" Wheel	Top Lock	
5SBR-RA-GR-PS4	(4)Pack 5" Wheel	Top Lock	

Stainless Steel Caster Versions - *Pg 156*

Total Lock Brake Versions - *Pg 156*

RA-TTB - 1-5/8" Expanding Stem Casters

With Total Lock Brake

- **Fits Standard 1-5/8" Tubing by Expanding the Stem Creating a Secure Fit**
- Zinc Plated
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Raceway Dust Cover
- Total Lock Prevents All Motion -Wheel and Swivel Motion
- Lock Activated with Foot Pad
- Thread Covered Not On Solid Wheels. (i.e. Polyolefin, Hard Rubber & Phenolic Wheels)

PLY - with Polyurethane Wheel

NSF · 300 LBS WEIGHT CAPACITY

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-RA-PLY-TTB	3" Wheel	Total Lock	
4SBR-RA-PLY-TTB	4" Wheel	Total Lock	
5SBR-RA-PLY-TTB	5" Wheel	Total Lock	

LDP - with Polyolefin Wheel

NSF · 300 LBS WEIGHT CAPACITY

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-RA-LDP-TTB	3" Wheel	Total Lock	
4SBR-RA-LDP-TTB	4" Wheel	Total Lock	
5SBR-RA-LDP-TTB	5" Wheel	Total Lock	

HR - with Hard Rubber Wheel

NSF · 300 LBS WEIGHT CAPACITY

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-RA-HR-TTB	3" Wheel	Total Lock	
4SBR-RA-HR-TTB	4" Wheel	Total Lock	
5SBR-RA-HR-TTB	5" Wheel	Total Lock	

GR - with Gray Rubber Wheel

NSF · 250 LBS WEIGHT CAPACITY

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-RA-GR-TTB	3" Wheel	Total Lock	
4SBR-RA-GR-TTB	4" Wheel	Total Lock	
5SBR-RA-GR-TTB	5" Wheel	Total Lock	

RA - 1-5/8" Stainless Steel Expanding Stem Casters

- **Fits Standard 1-5/8" Tubing by Expanding the Stem Creating a Secure Fit**
- Zinc Plated
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Raceway Dust Cover
- Rig Constructed of Stainless Steel
- Lock Activated with Foot Pad
- Thread Covered Not On Solid Wheels. (i.e. Polyolefin, Hard Rubber & Phenolic Wheels)

PLY - with Polyurethane Wheel

NSF · 300 LBS

Part #	Wheel Size	Brake Type	LIST PRICE
Stainless Steel Caster Rig			
5SS-RA-PLY	5" Wheel	None	
5SS-RA-PLY-TLB	5" Wheel	Top Lock	

LDP - with Polyolefin Wheel

NSF · 300 LBS

Part #	Wheel Size	Brake Type	LIST PRICE
Stainless Steel Caster Rig			
5SS-RA-LDP	5" Wheel	None	
5SS-RA-LDP-TLB	5" Wheel	Top Lock	

HR - with Hard Rubber Wheel

NSF · 300 LBS

Part #	Wheel Size	Brake Type	LIST PRICE
Stainless Steel Caster Rig			
5SS-RA-HR	5" Wheel	None	
5SS-RA-HR-TLB	5" Wheel	Top Lock	

GR - with Gray Rubber Wheel

NSF · 250 LBS

Part #	Wheel Size	Brake Type	LIST PRICE
Stainless Steel Caster Rig			
5SS-RA-GR	5" Wheel	None	
5SS-RA-GR-TLB	5" Wheel	Top Lock	

1RA - 1" Expanding Stem Casters

- **Fits 1" Tubing by Expanding the Stem Creating a Secure Fit**
- Top Lock Brake or Total Lock Brake Options
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Zinc Plated
- Raceway Dust Cover
- Thread Covered Not On Solid Wheels. (i.e. Polyolefin, Hard Rubber & Phenolic Wheels)

TLB version (Top Lock Brake)

TTB version (Total Lock Brake)

PLY - with Polyurethane Wheel

NSF

300 LBS WEIGHT CAPACITY

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-1RA-PLY	3" Wheel	None	
3SBR-1RA-PLY-TLB	3" Wheel	Top Lock	
3SBR-1RA-PLY-TTB	3" Wheel	Total Lock	
4SBR-1RA-PLY	4" Wheel	None	
4SBR-1RA-PLY-TLB	4" Wheel	Top Lock	
4SBR-1RA-PLY-TTB	4" Wheel	Total Lock	
5SBR-1RA-PLY	5" Wheel	None	
5SBR-1RA-PLY-TLB	5" Wheel	Top Lock	
5SBR-1RA-PLY-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-1RA-PLY	5" Wheel	None	
5SS-1RA-PLY-TLB	5" Wheel	Top Lock	

HR - with Hard Rubber Wheel

NSF

300 LBS WEIGHT CAPACITY

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-1RA-HR	3" Wheel	None	
3SBR-1RA-HR-TLB	3" Wheel	Top Lock	
3SBR-1RA-HR-TTB	3" Wheel	Total Lock	
4SBR-1RA-HR	4" Wheel	None	
4SBR-1RA-HR-TLB	4" Wheel	Top Lock	
4SBR-1RA-HR-TTB	4" Wheel	Total Lock	
5SBR-1RA-HR	5" Wheel	None	
5SBR-1RA-HR-TLB	5" Wheel	Top Lock	
5SBR-1RA-HR-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-1RA-HR	5" Wheel	None	
5SS-1RA-HR-TLB	5" Wheel	Top Lock	

LDP - with Polyolefin Wheel

NSF

300 LBS WEIGHT CAPACITY

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-1RA-LDP	3" Wheel	None	
3SBR-1RA-LDP-TLB	3" Wheel	Top Lock	
3SBR-1RA-LDP-TTB	3" Wheel	Total Lock	
4SBR-1RA-LDP	4" Wheel	None	
4SBR-1RA-LDP-TLB	4" Wheel	Top Lock	
4SBR-1RA-LDP-TTB	4" Wheel	Total Lock	
5SBR-1RA-LDP	5" Wheel	None	
5SBR-1RA-LDP-TLB	5" Wheel	Top Lock	
5SBR-1RA-LDP-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-1RA-LDP	5" Wheel	None	
5SS-1RA-LDP-TLB	5" Wheel	Top Lock	

GR - with Gray Rubber Wheel

NSF

250 LBS WEIGHT CAPACITY

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-1RA-GR	3" Wheel	None	
3SBR-1RA-GR-TLB	3" Wheel	Top Lock	
3SBR-1RA-GR-TTB	3" Wheel	Total Lock	
4SBR-1RA-GR	4" Wheel	None	
4SBR-1RA-GR-TLB	4" Wheel	Top Lock	
4SBR-1RA-GR-TTB	4" Wheel	Total Lock	
5SBR-1RA-GR	5" Wheel	None	
5SBR-1RA-GR-TLB	5" Wheel	Top Lock	
5SBR-1RA-GR-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-1RA-GR	5" Wheel	None	
5SS-1RA-GR-TLB	5" Wheel	Top Lock	

2RA - 1-1/4" Expanding Stem Casters

- Fits 1-1/4" Tubing by Expanding the Stem Creating a Secure Fit
- Top Lock Brake or Total Lock Brake Options
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Zinc Plated
- Raceway Dust Cover
- Thread Covered Not On Solid Wheels. (i.e. Polyolefin, Hard Rubber & Phenolic Wheels)

TLB version (Top Lock Brake)

TTB version (Total Lock Brake)

4SBR

5SBR

5SS
Stainless Steel

PLY - with Polyurethane Wheel

NSF

300 LBS WEIGHT CAPACITY

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-2RA-PLY	3" Wheel	None	
3SBR-2RA-PLY-TLB	3" Wheel	Top Lock	
3SBR-2RA-PLY-TTB	3" Wheel	Total Lock	
4SBR-2RA-PLY	4" Wheel	None	
4SBR-2RA-PLY-TLB	4" Wheel	Top Lock	
4SBR-2RA-PLY-TTB	4" Wheel	Total Lock	
5SBR-2RA-PLY	5" Wheel	None	
5SBR-2RA-PLY-TLB	5" Wheel	Top Lock	
5SBR-2RA-PLY-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-2RA-PLY	5" Wheel	None	
5SS-2RA-PLY-TLB	5" Wheel	Top Lock	

LDP - with Polyolefin Wheel

NSF

300 LBS WEIGHT CAPACITY

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-2RA-LDP	3" Wheel	None	
3SBR-2RA-LDP-TLB	3" Wheel	Top Lock	
3SBR-2RA-LDP-TTB	3" Wheel	Total Lock	
4SBR-2RA-LDP	4" Wheel	None	
4SBR-2RA-LDP-TLB	4" Wheel	Top Lock	
4SBR-2RA-LDP-TTB	4" Wheel	Total Lock	
5SBR-2RA-LDP	5" Wheel	None	
5SBR-2RA-LDP-TLB	5" Wheel	Top Lock	
5SBR-2RA-LDP-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-2RA-LDP	5" Wheel	None	
5SS-2RA-LDP-TLB	5" Wheel	Top Lock	

HR - with Hard Rubber Wheel

NSF

300 LBS WEIGHT CAPACITY

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-2RA-HR	3" Wheel	None	
3SBR-2RA-HR-TLB	3" Wheel	Top Lock	
3SBR-2RA-HR-TTB	3" Wheel	Total Lock	
4SBR-2RA-HR	4" Wheel	None	
4SBR-2RA-HR-TLB	4" Wheel	Top Lock	
4SBR-2RA-HR-TTB	4" Wheel	Total Lock	
5SBR-2RA-HR	5" Wheel	None	
5SBR-2RA-HR-TLB	5" Wheel	Top Lock	
5SBR-2RA-HR-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-2RA-HR	5" Wheel	None	
5SS-2RA-HR-TLB	5" Wheel	Top Lock	

GR - with Gray Rubber Wheel

NSF

250 LBS WEIGHT CAPACITY

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-2RA-GR	3" Wheel	None	
3SBR-2RA-GR-TLB	3" Wheel	Top Lock	
3SBR-2RA-GR-TTB	3" Wheel	Total Lock	
4SBR-2RA-GR	4" Wheel	None	
4SBR-2RA-GR-TLB	4" Wheel	Top Lock	
4SBR-2RA-GR-TTB	4" Wheel	Total Lock	
5SBR-2RA-GR	5" Wheel	None	
5SBR-2RA-GR-TLB	5" Wheel	Top Lock	
5SBR-2RA-GR-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-2RA-GR	5" Wheel	None	
5SS-2RA-GR-TLB	5" Wheel	Top Lock	

3RA - 1-1/2" Expanding Stem Casters

- Fits 1-1/2" Tubing by Expanding the Stem Creating a Secure Fit
- Top Lock Brake or Total Lock Brake Options
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Zinc Plated
- Raceway Dust Cover
- Thread Covered Not On Solid Wheels. (i.e. Polyolefin, Hard Rubber & Phenolic Wheels)

TLB version (Top Lock Brake)

TTB version (Total Lock Brake)

4SBR

5SBR

5SS
Stainless Steel

PLY - with Polyurethane Wheel

300 LBS WEIGHT CAPACITY

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-3RA-PLY	3" Wheel	None	
3SBR-3RA-PLY-TLB	3" Wheel	Top Lock	
3SBR-3RA-PLY-TTB	3" Wheel	Total Lock	
4SBR-3RA-PLY	4" Wheel	None	
4SBR-3RA-PLY-TLB	4" Wheel	Top Lock	
4SBR-3RA-PLY-TTB	4" Wheel	Total Lock	
5SBR-3RA-PLY	5" Wheel	None	
5SBR-3RA-PLY-TLB	5" Wheel	Top Lock	
5SBR-3RA-PLY-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-3RA-PLY	5" Wheel	None	
5SS-3RA-PLY-TLB	5" Wheel	Top Lock	

HR - with Hard Rubber Wheel

300 LBS WEIGHT CAPACITY

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-3RA-HR	3" Wheel	None	
3SBR-3RA-HR-TLB	3" Wheel	Top Lock	
3SBR-3RA-HR-TTB	3" Wheel	Total Lock	
4SBR-3RA-HR	4" Wheel	None	
4SBR-3RA-HR-TLB	4" Wheel	Top Lock	
4SBR-3RA-HR-TTB	4" Wheel	Total Lock	
5SBR-3RA-HR	5" Wheel	None	
5SBR-3RA-HR-TLB	5" Wheel	Top Lock	
5SBR-3RA-HR-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-3RA-HR	5" Wheel	None	
5SS-3RA-HR-TLB	5" Wheel	Top Lock	

LDP - with Polyolefin Wheel

300 LBS WEIGHT CAPACITY

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-3RA-LDP	3" Wheel	None	
3SBR-3RA-LDP-TLB	3" Wheel	Top Lock	
3SBR-3RA-LDP-TTB	3" Wheel	Total Lock	
4SBR-3RA-LDP	4" Wheel	None	
4SBR-3RA-LDP-TLB	4" Wheel	Top Lock	
4SBR-3RA-LDP-TTB	4" Wheel	Total Lock	
5SBR-3RA-LDP	5" Wheel	None	
5SBR-3RA-LDP-TLB	5" Wheel	Top Lock	
5SBR-3RA-LDP-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-3RA-LDP	5" Wheel	None	
5SS-3RA-LDP-TLB	5" Wheel	Top Lock	

GR - with Gray Rubber Wheel

250 LBS WEIGHT CAPACITY

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-3RA-GR	3" Wheel	None	
3SBR-3RA-GR-TLB	3" Wheel	Top Lock	
3SBR-3RA-GR-TTB	3" Wheel	Total Lock	
4SBR-3RA-GR	4" Wheel	None	
4SBR-3RA-GR-TLB	4" Wheel	Top Lock	
4SBR-3RA-GR-TTB	4" Wheel	Total Lock	
5SBR-3RA-GR	5" Wheel	None	
5SBR-3RA-GR-TLB	5" Wheel	Top Lock	
5SBR-3RA-GR-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-3RA-GR	5" Wheel	None	
5SS-3RA-GR-TLB	5" Wheel	Top Lock	

4RA - 2" Expanding Stem Casters

- Fits 2" Tubing by Expanding the Stem Creating a Secure Fit
- Top Lock Brake or Total Lock Brake Options
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Zinc Plated
- Raceway Dust Cover
- Thread Covered Not On Solid Wheels. (i.e. Polyolefin, Hard Rubber & Phenolic Wheels)

TLB version (Top Lock Brake)

TTB version (Total Lock Brake)



4SBR



5SBR

5SS Stainless Steel

PLY - with Polyurethane Wheel

NSF

300 LBS WEIGHT CAPACITY

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-4RA-PLY	3" Wheel	None	
3SBR-4RA-PLY-TLB	3" Wheel	Top Lock	
3SBR-4RA-PLY-TTB	3" Wheel	Total Lock	
4SBR-4RA-PLY	4" Wheel	None	
4SBR-4RA-PLY-TLB	4" Wheel	Top Lock	
4SBR-4RA-PLY-TTB	4" Wheel	Total Lock	
5SBR-4RA-PLY	5" Wheel	None	
5SBR-4RA-PLY-TLB	5" Wheel	Top Lock	
5SBR-4RA-PLY-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-4RA-PLY	5" Wheel	None	
5SS-4RA-PLY-TLB	5" Wheel	Top Lock	

LDP - with Polyolefin Wheel

NSF

300 LBS WEIGHT CAPACITY

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-4RA-LDP	3" Wheel	None	
3SBR-4RA-LDP-TLB	3" Wheel	Top Lock	
3SBR-4RA-LDP-TTB	3" Wheel	Total Lock	
4SBR-4RA-LDP	4" Wheel	None	
4SBR-4RA-LDP-TLB	4" Wheel	Top Lock	
4SBR-4RA-LDP-TTB	4" Wheel	Total Lock	
5SBR-4RA-LDP	5" Wheel	None	
5SBR-4RA-LDP-TLB	5" Wheel	Top Lock	
5SBR-4RA-LDP-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-4RA-LDP	5" Wheel	None	
5SS-4RA-LDP-TLB	5" Wheel	Top Lock	

HR - with Hard Rubber Wheel

NSF

300 LBS WEIGHT CAPACITY

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-4RA-HR	3" Wheel	None	
3SBR-4RA-HR-TLB	3" Wheel	Top Lock	
3SBR-4RA-HR-TTB	3" Wheel	Total Lock	
4SBR-4RA-HR	4" Wheel	None	
4SBR-4RA-HR-TLB	4" Wheel	Top Lock	
4SBR-4RA-HR-TTB	4" Wheel	Total Lock	
5SBR-4RA-HR	5" Wheel	None	
5SBR-4RA-HR-TLB	5" Wheel	Top Lock	
5SBR-4RA-HR-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-4RA-HR	5" Wheel	None	
5SS-4RA-HR-TLB	5" Wheel	Top Lock	

GR - with Gray Rubber Wheel

NSF

250 LBS WEIGHT CAPACITY

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-4RA-GR	3" Wheel	None	
3SBR-4RA-GR-TLB	3" Wheel	Top Lock	
3SBR-4RA-GR-TTB	3" Wheel	Total Lock	
4SBR-4RA-GR	4" Wheel	None	
4SBR-4RA-GR-TLB	4" Wheel	Top Lock	
4SBR-4RA-GR-TTB	4" Wheel	Total Lock	
5SBR-4RA-GR	5" Wheel	None	
5SBR-4RA-GR-TLB	5" Wheel	Top Lock	
5SBR-4RA-GR-TTB	5" Wheel	Total Lock	
Stainless Steel Caster Rig			
5SS-4RA-GR	5" Wheel	None	
5SS-4RA-GR-TLB	5" Wheel	Top Lock	

Universal & Triangle Equipment Casters

- Double ball bearing raceway for long wear and added strength
- Zinc Plated
- 1/2" King Pin

APPLICATIONS

- Light to Medium Duty Material Handling
- Institutional & Laboratory Equipment
- Bakery Equipment
- Stocking Cart
- Food Service Operations
- Office Equipment

Plate Diagram



Plate Size	A	B	C	D
1PT - 2⅜" x 3⅜"	1¾"	3"	-	-
UP3 - 3½" x 3½"	1¾"	3"	3"	3"
UP4 - 4" x 4"	1¾"	3"	3"	3"

5SBR-1PT-PLY-TLB

5-3/8" x 7-1/2" Triangular Swivel Plate 500# Caster

- 5-3/8" x 7-1/2" Triangular Plate
- 5" Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F
- Top Lock Brake
- 500# Weight Cap. per Caster
- Heavy Duty wheel, rig and plate
- Caster Kit of (4) in POP Box

*Fits Blodgett® Convection Ovens

Part #	Description	LIST PRICE
5HBR-TR5-PLY-PS4	(4) 5" Polyurethane Wheel w/ Top Lock Brake	

3-1/2" x 3-1/2" Adjustable Height Universal Plate Caster

- 3-1/2" x 3-1/2" Universal Plate
- 3" Polyurethane Wheel Resistant to Acids & Caustics
- 2" Height Adjustment (from 8½" to 10½")
- Temperature Range -45° to 180°F
- Toe Activated Brake
- 200# Weight Cap. per Caster
- Caster Kit of (4) in POP Box

Part #	Description	LIST PRICE
3SBR-UP3AD-PLY-PS4	(4) 3" Polyurethane Wheel w/ Toe Activated Brake	

2-1/2" x 3-5/8" Adjustable Height Plate Caster

- 2-1/2" x 3-5/8" Plate
- 3" Phenolic Wheel Resistant to Oil & Grease
- 1" Height Adjustment (from 6½" to 7½")
- Temperature Range -50° to 250°F
- Toe Activated Brake
- 200# Weight Cap. per Caster
- Caster Kit of (4) in Standard Brown Box

Part #	Description	LIST PRICE
3SBR-R1PT-PH-TAB-4	(4) 3" Phenolic Wheel w/ Toe Activated Brake	$269.00

Heavy Duty 4"x 4" Swivel Universal Plate 500# Caster

- 4" x 4" Universal Plate
- 5" Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F
- Top Lock Brake
- 500# Weight Cap. per Caster
- Heavy Duty wheel, rig and plate
- Caster Kit of (4) in POP Box

Part #	Description	LIST PRICE
5HBR-UP4-PLY-PS4	(4) 5" Polyurethane Wheel w/ Top Lock Brake	

4"x 4" Swivel Universal Plate Caster

- 4" x 4" Universal Plate
- 3" Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F
- Top Lock Brake
- 250# Weight Cap. per Caster
- Caster Kit of (4) in POP Box

Part #	Description	LIST PRICE
3SBR-UP4-PLY-PS4	(4) 3" Polyurethane Wheel w/ Top Lock Brake	

3-1/2" x 3-1/2" and 4" x 4" Swivel Universal Plate Caster

- 5" Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F
- Top Lock Brake
- 300# Weight Cap. per Caster
- Caster Kit of (4) in POP Box

Part #	Description	LIST PRICE
5SBR-UP3-PLY-TLB	3-1/2" x 3-1/2" Universal Plate Caster Kit (4) 5" Polyurethane Wheel w/ Top Lock Brake	
5SBR-UP3-PLY-TLB-PS4	3-1/2" x 3-1/2" Universal Plate Caster 5" Polyurethane Wheel w/ Top Lock Brake	
5SBR-UP4-PLY-TLB	4" x 4" Universal Plate Caster Kit (4) 5" Polyurethane Wheel w/ Top Lock Brake	
5SBR-UP4-PLY-TLB-PS4	4" x 4" Universal Plate Caster 5" Polyurethane Wheel w/ Top Lock Brake	

PT - Plate Mount Equipment Casters

- Double ball bearing raceway for long wear and added strength
- Zinc Plated
- 1/2" King Pin

APPLICATIONS

- Light to Medium Duty Material Handling
- Institutional & Laboratory Equipment
- Bakery Equipment
- Stocking Cart
- Food Service Operations
- Office Equipment

Brake Options

-TLB - Top Lock Brake
• Works With All Wheel Sizes

Plate Size



5SBR-1PT-PLY-TLB

- Wheel Size
- **SBR** = Standard Bracket / **HBR** = Heavy Duty Bracket
- (A) Mounting Method
- (B) Wheel Material
- (C) Brake Type (optional)

PLY - with Polyurethane Wheel

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Description	Brake Type	LIST PRICE
3SBR-1PT-PLY	3" Wheel	None	
3SBR-1PT-PLY-PS4	3" Wheel	Top Lock	
4SBR-1PT-PLY	4" Wheel	None	
4SBR-1PT-PLY-TLB	4" Wheel	Top Lock	
4SBR-1PT-PLY-PS4	(4) Pack 4" Wheel	Top Lock	
5SBR-1PT-PLY	5" Wheel	None	
5SBR-1PT-PLY-TLB	5" Wheel	Top Lock	
5SBR-1PT-PLY-PS4	(4)Pack 5" Wheel	Top Lock	
Stainless Steel Caster Rig			
5SS-1PT-PLY	5" Wheel	None	
5SS-1PT-PLY-TLB	5" Wheel	Top Lock	

HR - with Hard Rubber Wheel

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Description	Brake Type	LIST PRICE
3SBR-1PT-HR	3" Wheel	None	
3SBR-1PT-HR-TLB	3" Wheel	Top Lock	
3SBR-1PT-HR-PS4	(4) Pack 3" Wheel	Top Lock	
4SBR-1PT-HR	4" Wheel	None	
4SBR-1PT-HR-TLB	4" Wheel	Top Lock	
4SBR-1PT-HR-PS4	(4) Pack 4" Wheel	Top Lock	
5SBR-1PT-HR	5" Wheel	None	
5SBR-1PT-HR-TLB	5" Wheel	Top Lock	

LDP- with Polyolefin Wheel

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Description	Brake Type	LIST PRICE
3SBR-1PT-LDP	3" Wheel	None	
3SBR-1PT-LDP-TLB	3" Wheel	Top Lock	
3SBR-1PT-LDP-PS4	(4) Pack 3" Wheel	Top Lock	
4SBR-1PT-LDP	4" Wheel	None	
4SBR-1PT-LDP-TLB	4" Wheel	Top Lock	
4SBR-1PT-LDP-PS4	(4) Pack 4" Wheel	Top Lock	
5SBR-1PT-LDP	5" Wheel	None	
5SBR-1PT-LDP-TLB	5" Wheel	Top Lock	
5SBR-1PT-LDP-PS4	(4) Pack 5" Wheel	Top Lock	

GR - with Gray Rubber Wheel

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Description	Brake Type
3SBR-1PT-GR	3" Wheel	None
3SBR-1PT-GR-TLB	3" Wheel	Top Lock
3SBR-1PT-GR-PS4	(4) Pack 3" Wheel	Top Lock
4SBR-1PT-GR	4" Wheel	None
4SBR-1PT-GR-TLB	4" Wheel	Top Lock
4SBR-1PT-GR-PS4	(4) Pack 4" Wheel	Top Lock
5SBR-1PT-GR	5" Wheel	None
5SBR-1PT-GR-TLB	5" Wheel	Top Lock
5SBR-1PT-GR-PS4	(4) Pack 5" Wheel	Top Lock

PT - Plate Mount Equipment Casters

With Total Lock Brake

Plate Size



PLY - with Polyurethane Wheel

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

300 LBS WEIGHT CAPACITY

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-1PT-PLY-TTB	3" Wheel	Total Lock	
4SBR-1PT-PLY-TTB	4" Wheel	Total Lock	
5SBR-1PT-PLY-TTB	5" Wheel	Total Lock	
5SBR-1PT-PLY-TTB-PS4	Qty (4) 5" Wheel	Total Lock	

LDP - with Polyolefin Wheel

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

300 LBS WEIGHT CAPACITY

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-1PT-LDP-TTB	3" Wheel	Total Lock	
4SBR-1PT-LDP-TTB	4" Wheel	Total Lock	
5SBR-1PT-LDP-TTB	5" Wheel	Total Lock	

HR - with Hard Rubber Wheel

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

300 LBS WEIGHT CAPACITY

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-1PT-HR-TTB	3" Wheel	Total Lock	$22.00
4SBR-1PT-HR-TTB	4" Wheel	Total Lock	$26.00
5SBR-1PT-HR-TTB	5" Wheel	Total Lock	$30.00

GR - with Gray Rubber Wheel

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

250 LBS WEIGHT CAPACITY

Part #	Wheel Size	Brake Type	LIST PRICE
3SBR-1PT-GR-TTB	3" Wheel	Total Lock	
4SBR-1PT-GR-TTB	4" Wheel	Total Lock	
5SBR-1PT-GR-TTB	5" Wheel	Total Lock	

ST - Threaded Stem Casters

- Fits 1" O.D. Tubing
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Zinc Plated
- Raceway Dust Cover

APPLICATIONS

- Wire Shelf Carts
- Bakery Equipment
- Food Service Operations
- Displays
- Maintenance Carts
- Office Equipment



3SBR-4ST-LDP-TLB



4SBR-5ST-PLY-TLB



5SBR-6ST-GR

Available Brake Options

-TLB - Top Lock Brake
• Works With All Wheel Sizes

5SBR-6ST-GR-TLB

- Wheel Size — **SBR** = Standard Bracket / **HBR** = Heavy Duty Bracket
- (A) Mounting Method
- (B) Wheel Material
- (C) Brake Type (optional)

4ST - 1/2"-13 x 1" Threaded Stem Casters

PLY - with Polyurethane Wheel

4SBR-4ST-PLY Shown

NSF 300 LBS WEIGHT CAPACITY

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Description	Brake	LIST PRICE
3SBR-4ST-PLY	3" Wheel	No Brake	
3SBR-4ST-PLY-TLB	3" Wheel	Top Lock Brake	
3SBR-4ST-PLY-PS4	(4)Pack 3" Wheel	Top Lock Brake	
4SBR-4ST-PLY	4" Wheel	No Brake	
4SBR-4ST-PLY-TLB	4" Wheel	Top Lock Brake	
4SBR-4ST-PLY-PS4	(4)Pack 4" Wheel	Top Lock Brake	
5SBR-4ST-PLY	5" Wheel	No Brake	
5SBR-4ST-PLY-TLB	5" Wheel	Top Lock Brake	
5SBR-4ST-PLY-PS4	(4)Pack 5" Wheel	Top Lock Brake	

LDP- with Polyolefin Wheel

4SBR-4ST-LDP Shown

NSF 300 LBS WEIGHT CAPACITY

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Description	Brake	LIST PRICE
3SBR-4ST-LDP	3" Wheel	No Brake	
3SBR-4ST-LDP-TLB	3" Wheel	Top Lock Brake	
3SBR-4ST-LDP-PS4	(4)Pack 3" Wheel	Top Lock Brake	
4SBR-4ST-LDP	4" Wheel	No Brake	
4SBR-4ST-LDP-TLB	4" Wheel	Top Lock Brake	
4SBR-4ST-LDP-PS4	(4)Pack 4" Wheel	Top Lock Brake	
5SBR-4ST-LDP	5" Wheel	No Brake	
5SBR-4ST-LDP-TLB	5" Wheel	Top Lock Brake	
5SBR-4ST-LDP-PS4	(4)Pack 5" Wheel	Top Lock Brake	

HR - with Hard Rubber Wheel

4SBR-4ST-HR Shown

NSF 300 LBS WEIGHT CAPACITY

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Description	Brake	LIST PRICE
3SBR-4ST-HR	3" Wheel	No Brake	
3SBR-4ST-HR-TLB	3" Wheel	Top Lock Brake	
3SBR-4ST-HR-PS4	(4)Pack 3" Wheel	Top Lock Brake	
4SBR-4ST-HR	4" Wheel	No Brake	
4SBR-4ST-HR-TLB	4" Wheel	Top Lock Brake	
4SBR-4ST-HR-PS4	(4)Pack 4" Wheel	Top Lock Brake	
5SBR-4ST-HR	5" Wheel	No Brake	
5SBR-4ST-HR-TLB	5" Wheel	Top Lock Brake	
5SBR-4ST-HR-PS4	(4)Pack 5" Wheel	Top Lock Brake	

GR - Gray Rubber Wheel

4SBR-4ST-GR Shown

NSF 250 LBS WEIGHT CAPACITY

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Description	Brake	LIST PRICE
3SBR-4ST-GR	3" Wheel	No Brake	
3SBR-4ST-GR-TLB	3" Wheel	Top Lock Brake	
3SBR-4ST-GR-PS4	(4)Pack 3" Wheel	Top Lock Brake	
4SBR-4ST-GR	4" Wheel	No Brake	
4SBR-4ST-GR-TLB	4" Wheel	Top Lock Brake	
4SBR-4ST-GR-PS4	(4)Pack 4" Wheel	Top Lock Brake	
5SBR-4ST-GR	5" Wheel	No Brake	
5SBR-4ST-GR-TLB	5" Wheel	Top Lock Brake	

5ST - 5/8" -13 x 1" Threaded Stem Casters

PLY - Polyurethane Wheel

NSF · 300 LBS WEIGHT CAPACITY

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Description	Brake	LIST PRICE
3SBR-5ST-PLY	3" Wheel	No Brake	
3SBR-5ST-PLY-TLB	3" Wheel	Top Lock Brake	
3SBR-5ST-PLY-PS4	(4) Pack 3" Wheel	Top Lock Brake	
4SBR-5ST-PLY	4" Wheel	No Brake	
4SBR-5ST-PLY-TLB	4" Wheel	Top Lock Brake	
4SBR-5ST-PLY-PS4	(4) Pack 4" Wheel	Top Lock Brake	
5SBR-5ST-PLY	5" Wheel	No Brake	
5SBR-5ST-PLY-TLB	5" Wheel	Top Lock Brake	
5SBR-5ST-PLY-PS4	(4) Pack 5" Wheel	Top Lock Brake	

HR - Hard Rubber Wheel

NSF · 300 LBS WEIGHT CAPACITY

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Description	Brake	LIST PRICE
3SBR-5ST-HR	3" Wheel	No Brake	
3SBR-5ST-HR-TLB	3" Wheel	Top Lock Brake	
3SBR-5ST-HR-PS4	(4) Pack 3" Wheel	Top Lock Brake	
4SBR-5ST-HR	4" Wheel	No Brake	
4SBR-5ST-HR-TLB	4" Wheel	Top Lock Brake	
4SBR-5ST-HR-PS4	(4) Pack 4" Wheel	Top Lock Brake	
5SBR-5ST-HR	5" Wheel	No Brake	
5SBR-5ST-HR-TLB	5" Wheel	Top Lock Brake	
5SBR-5ST-HR-PS4	(4) Pack 5" Wheel	Top Lock Brake	

LDP- Polyolefin Wheel

NSF · 300 LBS WEIGHT CAPACITY

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Description	Brake	LIST PRICE
3SBR-5ST-LDP	3" Wheel	No Brake	
3SBR-5ST-LDP-TLB	3" Wheel	Top Lock Brake	
3SBR-5ST-LDP-PS4	(4) Pack 3" Wheel	Top Lock Brake	
4SBR-5ST-LDP	4" Wheel	No Brake	
4SBR-5ST-LDP-TLB	4" Wheel	Top Lock Brake	
4SBR-5ST-LDP-PS4	(4) Pack 4" Wheel	Top Lock Brake	
5SBR-5ST-LDP	5" Wheel	No Brake	
5SBR-5ST-LDP-TLB	5" Wheel	Top Lock Brake	
5SBR-5ST-LDP-PS4	(4) Pack 5" Wheel	Top Lock Brake	

GR - Gray Rubber Wheel

NSF · 250 LBS WEIGHT CAPACITY

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Description	Brake	LIST PRICE
3SBR-5ST-GR	3" Wheel	No Brake	
3SBR-5ST-GR-TLB	3" Wheel	Top Lock Brake	
3SBR-5ST-GR-PS4	(4) Pack 3" Wheel	Top Lock Brake	
4SBR-5ST-GR	4" Wheel	No Brake	
4SBR-5ST-GR-TLB	4" Wheel	Top Lock Brake	
4SBR-5ST-GR-PS4	(4) Pack 4" Wheel	Top Lock Brake	
5SBR-5ST-GR	5" Wheel	No Brake	
5SBR-5ST-GR-TLB	5" Wheel	Top Lock Brake	
5SBR-5ST-GR-PS4	(4) Pack 5" Wheel	Top Lock Brake	

6ST - 3/4" -10 x 1" Threaded Stem Casters

PLY - Polyurethane Wheel

NSF · 300 LBS WEIGHT CAPACITY

- Polyurethane Wheel Resistant to Acids & Caustics
- Temperature Range -45° to 180°F

Part #	Description	Brake	LIST PRICE
3SBR-6ST-PLY	3" Wheel	No Brake	
3SBR-6ST-PLY-TLB	3" Wheel	Top Lock Brake	
3SBR-6ST-PLY-PS4	(4) Pack 3" Wheel	Top Lock Brake	
4SBR-6ST-PLY	4" Wheel	No Brake	
4SBR-6ST-PLY-TLB	4" Wheel	Top Lock Brake	
4SBR-6ST-PLY-PS4	(4) Pack 4" Wheel	Top Lock Brake	
5SBR-6ST-PLY	5" Wheel	No Brake	
5SBR-6ST-PLY-TLB	(4) Pack 5" Wheel	Top Lock Brake	

HR - Hard Rubber Wheel

NSF · 300 LBS WEIGHT CAPACITY

- High Impact Molded Rubber
- Temperature Range -40° to 160°F
- Nylon Bearing Sleeve

Part #	Description	Brake	LIST PRICE
3SBR-6ST-HR	3" Wheel	No Brake	$20.00
3SBR-6ST-HR-TLB	3" Wheel	Top Lock Brake	$21.00
3SBR-6ST-HR-PS4	(4) Pack 3" Wheel	Top Lock Brake	$84.00
4SBR-6ST-HR	4" Wheel	No Brake	$22.00
4SBR-6ST-HR-TLB	4" Wheel	Top Lock Brake	$25.00
4SBR-6ST-HR-PS4	(4) Pack 4" Wheel	Top Lock Brake	$96.00

LDP- with Polyolefin Wheel

NSF · 300 LBS WEIGHT CAPACITY

- Polyolefin Wheel Resistant to Chemicals & Solvents
- Temperature Range -45° to 180°F

Part #	Description	Brake	LIST PRICE
3SBR-6ST-LDP	3" Wheel	No Brake	
3SBR-6ST-LDP-TLB	3" Wheel	Top Lock Brake	
3SBR-6ST-LDP-PS4	(4) Pack 3" Wheel	Top Lock Brake	
4SBR-6ST-LDP	4" Wheel	No Brake	
4SBR-6ST-LDP-TLB	4" Wheel	Top Lock Brake	
4SBR-6ST-LDP-PS4	(4) Pack 4" Wheel	Top Lock Brake	
5SBR-6ST-LDP	5" Wheel	No Brake	
5SBR-6ST-LDP-TLB	(4) Pack 5" Wheel	Top Lock Brake	

GR - With Gray Rubber Wheel

NSF · 250 LBS WEIGHT CAPACITY

- Non-Marking
- Temperature Range -45° to 180°F
- Resistant to Oil, Grease, Water and Most Solvents
- Smooth & Quiet

Part #	Description	Brake	LIST PRICE
3SBR-6ST-GR	3" Wheel	No Brake	
3SBR-6ST-GR-TLB	3" Wheel	Top Lock Brake	
3SBR-6ST-GR-PS4	(4) Pack 3" Wheel	Top Lock Brake	
4SBR-6ST-GR	4" Wheel	No Brake	
4SBR-6ST-GR-TLB	4" Wheel	Top Lock Brake	
4SBR-6ST-GR-PS4	(4) Pack 4" Wheel	Top Lock Brake	

3/4"-10 x 1" Threaded Stem Oven Caster

- 3/4"-10 x 1" Threaded Stem
- 5" Phenolic Wheel Resistant to Oil & Grease
- Temperature Range -50° to 250°F
- With or Without Top Lock Brake
- 350# Weight Cap. per Caster
- Caster Kit of (4)

* Fits Southbend® & Garland® G-Series

Part #	Description	LIST PRICE
5SBR-9ST-PH-4	Caster Kit Includes: (2) 5" Phenolic Wheel Casters (2) 5" Phenolic Wheel w/ Top Lock Brake Casters	

1/2"-13 x 1" Threaded Stem Equipment Caster w/ 2.5" Wheel

- Twist Lock Brake
- 220# Weight Cap. per Caster
- Caster Kit of (4) in Color POP Box

* Fits True® Refrigerators

Part #	Description	LIST PRICE
25SBR-4ST-LDP-PS4	(4) 2.5" Polyolefin Wheel Casters ssssssw/ Twist Lock Brake	

1/2"-13 x 3/4" Threaded Stem Equipment Caster

- Top Lock Brake
- 220# Weight Cap. per Caster
- Caster Kit of (4) in POP Box

Part #	Description
3SBR-15ST-LDP-PS4	(4) 3" Polyolefin Wheel Casters w/ Top Lock Brake

Pop In Stem

- Fits 1" O.D. Tubing
- Double Ball Bearing Raceway for Long Wear and Added Strength
- Zinc Plated
- Raceway Dust Cover

APPLICATIONS

- Wire Shelf Carts
- Bakery Equipment
- Food Service Operations
- Displays
- Maintenance Carts
- Office Equipment

Caster Bumper

- Fits 1" O.D. Tubing
- Gray Rubber

Part #	Diameter	LIST PRICE
BK-1ST-BMPR	3-1/2"	$6



Part #	Description	Weight Capacity	LIST PRICE
5SBR-1ST-PLY	5" Polyurethane Wheel Caster	300#	
5SBR-1ST-PLY-TLB	5" Polyurethane Wheel Caster w/ Top Lock Brake	300#	
5SBR-1ST-PLY-PS4	(4) 5" Polyurethane Wheel Caster in Color P.O.P. Box	300# per Caster	
5SBR-1ST-LDP	5" Polyolefin Wheel Caster	300#	
5SBR-1ST-LDP-TLB	5" Polyolefin Wheel Caster w/ Top Lock Brake	300#	
5SBR-1ST-LDP-PS4	(4) 5" Polyolefin Wheel Caster in Color P.O.P. Box	300# per Caster	

Universal Wire Shelving Caster

- Easy to install
- 5" Wheel
- Fits 1" shelving posts (most wire shelving)
- Set of 4 per box
- Locks on all wheels
- 300# Weight Cap. per Caster

APPLICATIONS

- Wire Shelving
- Wire Shelf Carts

Part #	NSF	Wheel Size	Casters Per Kit	LIST PRICE
5SBR-WS1-PS4	✓	5"	4	

HS - HEAT STRIP

- Stainless Steel Construction
- Toggle Control for Simple Operation
- Mounting Angle Brackets
- Metal Guards Protect Heating Element
- NEMA 5-15P Plug with Cord Included

- Attach Heat Strip securely to any BKR overshelf using the EM-31 **EasyMOD**™, or the included hanger brackets using an optional hanging support chain.

Part #	Length:	LIST PRICE
HS24TA-1	24"	
HS36TA-1	36"	
HS48TA-1	48"	
HS60TA-1	60"	
HS72TA-1	72"	

EM-31 - ADD HEAT STRIP PROVISION TO OVERSHELF

- Adds Channel/s to Any BKR Overshelf to Attach Heat Strip

Part Number	Description	LIST PRICE
EM-31A	Add Provision to 36" Overshelf for Attaching Heat Strip	
EM-31B	Add Provision to 48" Overshelf for Attaching Heat Strip	
EM-31C	Add Provision to 60" Overshelf for Attaching Heat Strip	
EM-31D	Add Provision to 72" Overshelf for Attaching Heat Strip	
EM-31E	Add Provision to 96" Overshelf for Attaching Heat Strip	

Use EM-31 + an Overshelf to Attach Heat Strip

- Create hot zones by adding EM-31 to any overshelf.
- Check out pg 92 to choose an overshelf.

EasyMOD™ System *See Pg. 8 for more details.*

CG- Corner Guards

Outer Corner Guards

Part Number		Size	LIST PRICE
CG-148	Outer	1"x1"x48"	
CG-248	Outer	2"x2"x48"	
CG-260	Outer	2"x2"x60"	
CG-296	Outer	2"x2"x96"	
CG-448	Outer	4"x4"x48"	
CG-496	Outer	4"x4"x96"	

Inner Corner Guards

Part Number		Size	LIST PRICE
CG-I148	Inner	1"x1"x48"	
CG-I248	Inner	2"x2"x48"	
CG-I448	Inner	4"x4"x48"	
CG-I496	Inner	4"x4"x96"	

Ⓐ

Ⓑ

Handles

• **Note:** Has 10-24 Threading, 1" or 3/8" Screws Available, **Please Specify Size Screw Needed**

	Part #	Description	Sold In Case Pack
A	**BKSDRWPL**	S/S Drawer Pull w/ Full Grip	100
B	**BKSSRPD**	S/S Recessed Sliding Door Pull	100

Catches

Part Number	Description
BK-MAG-1	Magnetic Catch 12 # pull 2-3/4" long

BK-SRSA - Stainless Steel Roller Drawer Slides

• Supplied w/ 8 Rollers • 200 lb. Capacity

Part Number	Drawer Slide Length	Roller Mat.	Sold In Case Pack Only
BK-SRSA-22	22"	Stainless Bearings	10

BK-RECI-1
1-5/8" Rolled Corner Edge Insert

BK-KPSC-1
Kick Plate Spring Clamp
• Fits 1 5/8" and 2" Legs
• Heavy Duty

BK-LOH-1
2" S/S Lift Off Hinge w/o Holes

BK-LOH-2
3" S/S Lift Off Hinge w/o Holes

DW - Electric Heated Drawer Warmers

• Fits Full Size12"x20"x6"Food Pan or Any Combination of Fractional Pans Up To 6"
• Thermostatic Control

Part Number	Electric	Dimensions	# of Drawers	Plug
DW-1-1	120V,450W,3.75A	10 3/8"x 27 3/4"x 20 5/8" (263mmx704mmx524mm)	1	NEMA5-15P
DW-2-1	120V,900W,7.50A	19 3/4"x 27 3/4"x 20 5/8" (501mmx704mmx524mm)	2	NEMA6-20P

EM-47 - Install Drawer Warmer Into Chef Table

Part Number	Description	
EM-47	Install Drawer Warmer Into Chef Table	$1120

Use EM-47 To Add to Chef Table

- Create a Standalone Drawer Warmer By Using EM-47 to Any Cabinet Base Chef Table.
- Check Out Pg 128 for Cabinet Base Tables.

EasyMOD™ System *See Pg. 8 for more details.*

BKDWR - S/S Drawer Assemblies

• 200 lb. Capacity • ADA Compliant • Pan Easily Removes for Cleaning • Universal mounting for metal or wood tables

Also Shown on Page 110

Part Number	NSF	Pan Size	Spacers Included	Pan Material
BKDWR-2020-ASSY-SS	✓	20" x 20"	N/A	S/S
BKDWR-2015-ASSY-SS	✓	20" x 15"	N/A	S/S
Drawer Assemblies w/Locks	NSF			
BKDWR-1820-ASSY-L-SS	✓	15" x 20"	6"	S/S
BKDWR-2020-ASSY-L-SS	✓	20" x 20"	N/A	S/S
BKDWR-2015-ASSY-L-SS	✓	20" x 15"	N/A	S/S

BKDWR - Drawer Pans

• Stainless Pans NSF Component Approved • Plastic Pans Not NSF Approved

Part Number	Size	Pan Mat.	Sold In Case Pack (Optional)
BKDWR-2020	20" x 20" x 5" (d)	Stainless	10
BKDWR-2015	20" x 15" x 5" (d)	Stainless	6





BK-URTR - Urn Trough w/ Drip Plate

- T-304 Stainless Steel
- Removable Drip Plate
- 7/8" Deep Tray
- 1" Flush Mount Trim Plate
- 1/4" Rounded Corners on Trim Plate
- 1 1/4" O.D. Drain

Part #	Tray Length:	Overall Length:
BK-URTR-12	12"	14"
BK-URTR-18	18"	20"
BK-URTR-24	24"	26"
BK-URTR-36	36"	38"
BK-URTR-48	48"	50"
BK-URTR-60	60"	62"
BK-URTR-72	72"	74"

FTRS - Floor Trough

- T-304 Stainless Steel
- Removable grates
- Drain

FTRS-1224



FTRS-2460

Part #	Depth:	Overall Length:
FTRS-1212	12"	12"
FTRS-1224	12"	24"
FTRS-1236	12"	36"
FTRS-1248	12"	48"
FTRS-1260	12"	60"
FTRS-1818	18"	18"
FTRS-1824	18"	24"
FTRS-1836	18"	36"
FTRS-1848	18"	48"
FTRS-1860	18"	60"
FTRS-2424	24"	24"
FTRS-2436	24"	36"
FTRS-2448	24"	48"
FTRS-2460	24"	60"
FTRS-2472	24"	72"

HDPE-N - Poly

TRUCKLINE ONLY

NSF

- Cutting Boards and Food Preparation
- Food Processing - Manufacturing and Components
- Commercial or Residential Use
- High Density Polyethylene HDPE
- Heavy Duty
- Non-Absorbent

Part Number	Description
HDPE-N-1/2-61121	1/2" HDPE 61" X 121" White
HDPE-N-3/4-61121	3/4" HDPE 61" X 121" White
HDPE-N-1-61121	1" HDPE 61" X 121" White

BK-SOPB
Single Outlet Pedestal Box

- Brushed Cast Aluminum

BK-DOPB
Double Outlet Pedestal Box

- Brushed Cast Aluminum

BKL-1625-WP
1 5/8" x 6" Straight S/S Leg

- With Removable Leg Plate
- Case Pack 24 Only

BKBS-2
Corner Tubular Rail Support

- Fits 1-5/8" Legs and 1-1/4 Cross Rails

BKBS-1
End Tubular Rail Support

- Fits 1-5/8" Legs and 1-1/4 Cross Rail

BKBS-3
Center Tubular Rail Support

- Fits 1-5/8" Legs and 1-1/4 Cross Rails

Stainless Steel Tubing Bundles

- T-304 or T-201
- 16 & 18 Gauge
- Square and Round Options
- Various Dimensions

Tubing will be sold in 20ft long x 75 piece bundles = 1,500 ft. of tubing.
Contact your salesrepresentative today for more information.

SS Work Table Legs w/ Casters

- Stainless Steel Leg
- 1 5/8" OD Round
- Includes 5SBR-RA-PLY-TLB
- 16 ga. T-304

Part #	QTY	Total Length	Material
BKLC-S-34	1	33 1/4"	SS
BKLC-S-34-PS4	4	33 1/4"	SS
BKLC-S-34-PS6	6	33 1/4"	SS

Galv Work Table Legs w/ Casters

- Galvanized Leg
- 1 5/8" OD Round
- Includes 5SBR-RA-PLY-TLB
- 16 ga. T-304

Part #	QTY	Total Length	Material
BKLC-G-34	1	33 1/4"	Galv
BKLC-G-34-PS4	4	33 1/4"	Galv
BKLC-G-34-PS6	6	33 1/4"	Galv

Stainless Steel Tubing / Legs

- 20 ft Randoms Also Available - Call for Pricing
- 1 5/8" OD Round
- Includes S/S Adjustable Foot (BK-SSAF) in Precut Lengths
- 16 ga. T-304

NEED A CUSTOM LENGTH? WE CAN CUT IT FOR YOU.

Part #	Total Length	Material
BKL-6SS	6"	SS
BKL-24SS	24"	SS
BKL-36SS	36"	SS
Replacement Legs		
BKT-SSL-3325	33 1/4"	SS
BKL-G-33-1/4	33 1/4"	Galv





BK Resources
Patent # 8002224

BK Resources
Patent # 8002224

Feet

NSF COMPONENT

- Designed for 16 ga. 1-5/8" & 1 1/2" Tubing

***$20 charge applies if you break the case pack**

	Fits Tubing	Case Pack - Model#	Must Order*	LIST PRICE	4 Pack Model#		LIST PRICE	NSF	Material	Foot Type	Weight Cap. (lbs)
A	1 5/8" Round	BK-SSAF	72	$8.00/ ea	BK-SSAF-4	4 Pack		✓	Stainless Steel over White Metal	Bullet	1,000
B	1 5/8" Round	BK-SSPAF	72	$6.00/ ea	BK-SSPAF-4	4 Pack		✓	Stainless Steel over Plastic	Bullet	200
C	1 5/8" Round	BK-PLAF	100	$4.00/ ea	BK-PLAF-4	4 Pack		✓	Plastic	Bullet	200
D	1 5/8" Round	BK-WMAF	72	$8.00/ ea	BK-WMAF-4	4 Pack		✓	White Metal	Bullet	1,000
E	1 5/8" Round	BK-SPRFAF-WH	25	$15.00/ ea	BK-SPRFAF-WH-4	4 Pack		✓	Stainless Steel over Plastic	Flange w/ Holes	350
F	1 5/8" Round	BK-SSRFAF	25	$19.00/ ea	BK-SSRFAF-4	4 Pack		✓	Stainless Steel over White Metal	Flange w/o Holes	1,000
G	1 5/8" Round	BK-SSRFAF-WH	25	$19.00/ ea	BK-SSRFAF-WH-4	4 Pack		✓	Stainless Steel over White Metal	Flange w/ Holes	1,000
H	1 1/2" Square	BK-SSQAF	25	$11.00/ ea	BK-SSQAF-4	4 Pack		✓	Stainless Steel over White Metal	Bullet	1,000
I	1 1/2" Square	BK-SSQFAF-WH	25	$20.00/ ea	BK-SSQFAF-WH-4	4 Pack		✓	Stainless Steel over White Metal	Flange w/ Holes	1,000

Ⓐ

Ⓑ

Ⓒ

Ⓓ

Ⓔ

Ⓕ

Ⓖ

Ⓗ

Leg Sockets

NSF COMPONENT

	Fits	Case Pack Model#	Must order*	LIST PRICE	4 Pack Model#	Amount	LIST PRICE	NSF	Description
A	1-5/8"	BK-SSLSF	100		BK-SSLSF-4	4 Pack		✓	S/S w/ Flare w/ 1 Screw
B	1-5/8"	BK-SSLS	100		BK-SSLS-4	4 Pack		✓	Straight S/S w/ 2 Screws
C	1-5/8"	BK-SSLSF-2	100		BK-SSLSF-2-4	4 Pack		✓	Mini S/S Gusset w/ Flare
D	1-5/8"	BK-SSLS-WP	100		BK-SSLS-WP-4	4 Pack		✓	S/S w/ Plate w/ 2 Screws
E	1-5/8"	BK-WMLS-1	100		BK-WMLS-1-4	4 Pack		✓	Straight Galv. w/ 1 Screw
F	1-5/8"	BK-WMLS-WP	100		BK-WMLS-WP-4	4 Pack		✓	Galv. w/ Plate w/ 2 Screws
G	1-5/8"	BK-DBLS-1	100		BK-DBLS-1-4	4 Pack		✓	Mini S/S Double-Bevelled Gusset
H	1-5/8"	BK-DBLS-2	100		BK-DBLS-2-4	4 Pack			Large S/S Double-Bevelled Gusset

$20 charge applies if you break the case pack

BK-DSB-SS
Die Cast Chrome Shelf Bracket — LIST PRICE $40.00

- With Stainless Steel Slide
- Collapsible

BK-3RTSB-F
S/S Tray Slide Rail Bracket — LIST PRICE $32.00

- For Support of 1" O.D. Tubing
- 12 1/2" Length

BK-3RTSB-D
S/S Drop Tray Slide Rail Bracket — LIST PRICE $63.00

- For Support of 1" O.D. Tubing
- 12 1/2" Length
- Adjustable Leveling Set Screw

BK-NPDN-1024
#10-24 Nickel Plated Dome Nut — List Price Per 1000 $710.00

- Order Per Thousand Only

BK-NPDN-1024S
#10-24 Dome Nut w/ Seal — List Price Per 1000 $820.00

- Order Per Thousand Only

BK-ZPLN-1024
#10-24 Open Pal Nut — List Price Per 1000 $210.00

- Order Per Thousand Only

BK-NPTI-15R
Nickel Plated Tube Insert — LIST PRICE $6.00

- Fits 1 1/2" O.D. Tubing

BK-CWS / BK-SWS - Copper & Stainless Weld Studs

- Order Per Thousand Only
- M Tip
- 5 Business Day Lead Time

Copper Welds	Size	LIST PRICE
BK-CWS-1024x1/2	#10-24 x 1/2"	
BK-CWS-1024x3/8	#10-24 x 3/8"	
BK-CWS-1024x3/4	#10-24 x 3/4"	

Stainless Welds	Size	LIST PRICE
BK-SWS-1024x1/2	#10-24 x 1/2"	
BK-SWS-1024x3/8	#10-24 x 3/8"	
BK-SWS-1024x3/4	#10-24 x 3/4"	

Pot Hooks

- T-304 Stainless Steel
- Single & Double Pot Hooks Available

Part Number	Hook Type	LIST PRICE
Stainless Pot Hooks		
BKSSDPH	Double	
BKSSPH	Single	

TRUCKLINE ONLY

BK-SSFLAT
S/S Flat Bar — LIST PRICE $39.00

- Sold Per Foot
- 2"T-304 Stainless Steel
- 3/16" x 2"
- 12' Section in Bundles of 10pc.
- Sold Only in Bundles of 10pc.

BKFB - T-304 Welded Bowls

- Polished Interior / Unpolished Exterior
- Bowls Conform To NSF-C2 w/ 3/4" Coved Corners
- Bottom Crowned To 3 1/2" Embossed Drain Opening
- Integral Slope Drain Design

Add a bowl to any table using our EasyMOD™ System

Contact Us for Details!

14 ga. Bowls Part Number	Size	LIST PRICE
BKFB-1410-8-14	14 x 10 x 8 (d)	
BKFB-2020-12-14	20 x 20 x 12(d)	
BKFB-2424-14-14	24 x 24 x 14(d)	
BKFB-1824-14-14	18 x 24 x 14(d)	

16 ga. Bowls Part Number	Size
BKFB-1115-11-16	11 x 15 x 11(d)
BKFB-1616-10-16	16 x 16 x 10(d)
BKFB-1618-12-16	16 x 18 x 12(d)
BKFB-1818-12-16	18 x 18 x 12(d)
BKFB-1818-14-16	18 x 18 x 12(d)

16 ga. Bowl Part Number	Size	LIST PRICE
BKFB-1620-12-16	16 x 20 x 12(d)	
BKFB-2020-8-16	20 x 20 x 8(d)	
BKFB-2020-12-16	20 x 20 x 12(d)	
BKFB-2028-12-16	20 x 28 x 12(d)	
BKFB-2424-12-16	24 x 24 x 12(d)	
BKFB-1824-12-16	18 x 24 x 12(d)	
BKFB-2424-14-16	24 x 24 x 14(d)	
BKFB-1824-14-16	18 x 24 x 14(d)	
BKFB-1618-14-16	16 x 18 x 14(d)	

BK-PB
Prep Basket

- Designed to fit Fabricated Bowl, Drop-In Sink, Underbar Sinks and Compartment Sinks
- 16 ga. T-304 Stainless Steel
- 2" Deep
- Does not fit BK-DIS-1014-5D

Part Number	Fits Bowl Size (w x l)	LIST PRICE
BK-PB1014	10 x 14	
BK-PB1620	16 x 20	
BK-PB1515	15 x 15	
BK-PB1818	18 x 18	



T-304 16 ga. S/S Pre-Rinse Basket

- Perforated bowl design
- Designed for easy use

Part Number	Fits BowlSize (w x l)	LIST PRICE
BK-PRB-5	20 X 20	
BK-PRB-1820	18 X 20	
BK-PRB-1824	18 x 24	
BK-PRB-2030	24 x 30	
BK-PRB-2424	24 x 24	

SB-16-2020-5
16 ga. T-304 S/S Pre-Rinse Bowls

LIST PRICE $389.00

- 20 x 20 x 5 (d)
- Polished Interior / Exterior
- Bowls Conform To NSFC2 w/ 3/4" Coved Corners
- Bottom Crowned To 3 1/2" Embossed Drain Opening
- Integral Slope Drain Design

BK-SDTS
Tray Slide

- T-304 Stainless Steel
- #4 Polish
- 3/16" Bar Stock

Part Number	Fits Bowl Size (wx l)	LIST PRICE
BK-SDTS	20"x20"	
BK-SDTS-1820	18"x20"	
BK-SDTS-1824	18"x24"	

0

005031 118
005032 118

1

10-754-1 95
10-754-1-70 95

2

25SBR-4ST-LDP-PS4 152,165

3

3sbr-15st-ldp-ps4 165
3SBR-1PT-GR 161
3SBR-1PT-GR-PS4 161
3SBR-1PT-GR-TLB 161
3SBR-1PT-GR-TTB 162
3SBR-1PT-HR 161
3SBR-1PT-HR-PS4 161
3SBR-1PT-HR-TLB 161
3SBR-1PT-HR-TTB 162
3SBR-1PT-LDP 161
3SBR-1PT-LDP-PS4 161
3SBR-1PT-LDP-TLB 161
3SBR-1PT-LDP-TTB 162
3SBR-1PT-PLY 161
3SBR-1PT-PLY-PS4 161
3SBR-1PT-PLY-TTB 162
3SBR-1RA-GR 156
3SBR-1RA-GR-TLB 156
3SBR-1RA-GR-TTB 156
3SBR-1RA-HR 156
3SBR-1RA-HR-TLB 156
3SBR-1RA-HR-TTB 156
3SBR-1RA-LDP 156
3SBR-1RA-LDP-TLB 156
3SBR-1RA-LDP-TTB 156
3SBR-1RA-PLY 156
3SBR-1RA-PLY-TLB 156
3SBR-1RA-PLY-TTB 156
3SBR-2RA-GR 157
3SBR-2RA-GR-TLB 157
3SBR-2RA-GR-TTB 157
3SBR-2RA-HR 157
3SBR-2RA-HR-TLB 157
3SBR-2RA-HR-TTB 157
3SBR-2RA-LDP 157
3SBR-2RA-LDP-TLB 157
3SBR-2RA-LDP-TTB 157
3SBR-2RA-PLY 157
3SBR-2RA-PLY-TLB 157
3SBR-2RA-PLY-TTB 157
3SBR-3RA-GR 158
3SBR-3RA-GR-TLB 158
3SBR-3RA-GR-TTB 158
3SBR-3RA-HR 158
3SBR-3RA-HR-TLB 158
3SBR-3RA-HR-TTB 158
3SBR-3RA-LDP 158
3SBR-3RA-LDP-TLB 158
3SBR-3RA-LDP-TTB 158
3SBR-3RA-PLY 158
3SBR-3RA-PLY-TLB 158
3SBR-3RA-PLY-TTB 158
3SBR-4RA-GR 159
3SBR-4RA-GR-TLB 159
3SBR-4RA-GR-TTB 159
3SBR-4RA-HR 159
3SBR-4RA-HR-TLB 159
3SBR-4RA-HR-TTB 159
3SBR-4RA-LDP 159
3SBR-4RA-LDP-TLB 159
3SBR-4RA-LDP-TTB 159
3SBR-4RA-PLY 159
3SBR-4RA-PLY-TLB 159
3SBR-4RA-PLY-TTB 159
3SBR-4ST-GR 163
3SBR-4ST-GR-PS4 163
3SBR-4ST-GR-TLB 163
3SBR-4ST-HR 163
3SBR-4ST-HR-PS4 163
3SBR-4ST-HR-TLB 163
3SBR-4ST-LDP 163
3SBR-4ST-LDP-PS4 163
3SBR-4ST-LDP-TLB 163
3SBR-4ST-PLY 163
3SBR-4ST-PLY-PS4 163
3SBR-4ST-PLY-TLB 163
3SBR-5ST-GR 164
3SBR-5ST-GR-PS4 164
3SBR-5ST-GR-TLB 164
3SBR-5ST-HR 164
3SBR-5ST-HR-PS4 164
3SBR-5ST-HR-TLB 164
3SBR-5ST-LDP 164
3SBR-5ST-LDP-PS4 164
3SBR-5ST-LDP-TLB 164
3SBR-5ST-PLY 164
3SBR-5ST-PLY-PS4 164
3SBR-5ST-PLY-TLB 164
3SBR-6ST-GR 164
3SBR-6ST-GR-PS4 164
3SBR-6ST-GR-TLB 164
3SBR-6ST-HR 164
3SBR-6ST-HR-PS4 164
3SBR-6ST-HR-TLB 164
3SBR-6ST-LDP 164
3SBR-6ST-LDP-PS4 164
3SBR-6ST-LDP-TLB 164
3SBR-6ST-PLY 164
3SBR-6ST-PLY-PS4 164
3SBR-6ST-PLY-TLB 164
3SBR-BKDC-4 35,59,88,152
3SBR-R1PT-PH-TAB-4 152,160
3SBR-RA-GR 154
3SBR-RA-GR-PS4 154
3SBR-RA-GR-TLB 154
3SBR-RA-GR-TTB 155
3SBR-RA-HR 154
3SBR-RA-HR-PS4 154
3SBR-RA-HR-TLB 154
3SBR-RA-HR-TTB 155
3SBR-RA-LDP 154
3SBR-RA-LDP-PS4 154
3SBR-RA-LDP-TLB 154
3SBR-RA-LDP-TTB 155
3SBR-RA-PLY 154
3SBR-RA-PLY-TLB 154
3SBR-RA-PLY-TTB 155
3SBR-UP3AD-PLY-PS4 152,160
3SBR-UP4-PLY-PS4 152,160

4

4SBR-1PT-GR 161
4SBR-1PT-GR-PS4 161
4SBR-1PT-GR-TLB 161
4SBR-1PT-GR-TTB 162
4SBR-1PT-HR 161
4SBR-1PT-HR-PS4 161
4SBR-1PT-HR-TLB 161
4SBR-1PT-HR-TTB 162
4SBR-1PT-LDP 161
4SBR-1PT-LDP-PS4 161
4SBR-1PT-LDP-TLB 161
4SBR-1PT-LDP-TTB 162
4SBR-1PT-PLY 161
4SBR-1PT-PLY-PS4 161
4SBR-1PT-PLY-TLB 161
4SBR-1PT-PLY-TTB 162
4SBR-1RA-GR 156
4SBR-1RA-GR-TLB 156

4SBR-1RA-GR-TTB....156
4SBR-1RA-HR....156
4SBR-1RA-HR-TLB....156
4SBR-1RA-HR-TTB....156
4SBR-1RA-LDP....156
4SBR-1RA-LDP-TLB....156
4SBR-1RA-LDP-TTB....156
4SBR-1RA-PLY....156
4SBR-1RA-PLY-TLB....156
4SBR-1RA-PLY-TTB....156
4SBR-2RA-GR....157
4SBR-2RA-GR-TLB....157
4SBR-2RA-GR-TTB....157
4SBR-2RA-HR....157
4SBR-2RA-HR-TLB....157
4SBR-2RA-HR-TTB....157
4SBR-2RA-LDP....157
4SBR-2RA-LDP-TLB....157
4SBR-2RA-LDP-TTB....157
4SBR-2RA-PLY....157
4SBR-2RA-PLY-TLB....157
4SBR-2RA-PLY-TTB....157
4SBR-3RA-GR....158
4SBR-3RA-GR-TLB....158
4SBR-3RA-GR-TTB....158
4SBR-3RA-HR....158
4SBR-3RA-HR-TLB....158
4SBR-3RA-HR-TTB....158
4SBR-3RA-LDP....158
4SBR-3RA-LDP-TLB....158
4SBR-3RA-LDP-TTB....158
4SBR-3RA-PLY....158
4SBR-3RA-PLY-TLB....158
4SBR-3RA-PLY-TTB....158
4SBR-4RA-GR....159
4SBR-4RA-GR-TLB....159
4SBR-4RA-GR-TTB....159
4SBR-4RA-HR....159
4SBR-4RA-HR-TLB....159
4SBR-4RA-HR-TTB....159
4SBR-4RA-LDP....159
4SBR-4RA-LDP-TLB....159
4SBR-4RA-LDP-TTB....159
4SBR-4RA-PLY....159
4SBR-4RA-PLY-TLB....159
4SBR-4RA-PLY-TTB....159
4SBR-4ST-GR....163
4SBR-4ST-GR-PS4....163
4SBR-4ST-GR-TLB....163
4SBR-4ST-HR....163
4SBR-4ST-HR-PS4....163
4SBR-4ST-HR-TLB....163
4SBR-4ST-LDP....163
4SBR-4ST-LDP-PS4....163
4SBR-4ST-LDP-TLB....163
4SBR-4ST-PLY....163
4SBR-4ST-PLY-PS4....163
4SBR-4ST-PLY-TLB....163
4SBR-5ST-GR....164
4SBR-5ST-GR-PS4....164
4SBR-5ST-GR-TLB....164
4SBR-5ST-HR....164
4SBR-5ST-HR-PS4....164
4SBR-5ST-HR-TLB....164
4SBR-5ST-LDP....164
4SBR-5ST-LDP-PS4....164
4SBR-5ST-LDP-TLB....164
4SBR-5ST-PLY....164
4SBR-5ST-PLY-PS4....164
4SBR-5ST-PLY-TLB....164
4SBR-6ST-GR....164
4SBR-6ST-GR-PS4....164
4SBR-6ST-GR-TLB....164
4SBR-6ST-HR....164
4SBR-6ST-HR-PS4....164
4SBR-6ST-HR-TLB....164
4SBR-6ST-LDP....164
4SBR-6ST-LDP-PS4....164
4SBR-6ST-LDP-TLB....164
4SBR-6ST-PLY....164
4SBR-6ST-PLY-PS4....164
4SBR-6ST-PLY-TLB....164
4SBR-RA-GR....154
4SBR-RA-GR-PS4....154
4SBR-RA-GR-TLB....154
4SBR-RA-GR-TTB....155
4SBR-RA-HR....154
4SBR-RA-HR-PS4....154
4SBR-RA-HR-TLB....154
4SBR-RA-HR-TTB....155
4SBR-RA-LDP....154
4SBR-RA-LDP-PS4....154
4SBR-RA-LDP-TLB....154
4SBR-RA-LDP-TTB....155
4SBR-RA-PLY....154
4SBR-RA-PLY-TLB....154
4SBR-RA-PLY-TTB....155
5HBR-TR5-PLY-PS4....152,160
5HBR-UP4-PLY-PS4....152,160
5SBR-1PT-GR....161
5SBR-1PT-GR-PS4....161
5SBR-1PT-GR-TLB....161
5SBR-1PT-GR-TTB....162
5SBR-1PT-HR....161
5SBR-1PT-HR-TLB....161
5SBR-1PT-HR-TTB....162
5SBR-1PT-LDP....161
5SBR-1PT-LDP-PS4....161
5SBR-1PT-LDP-TLB....161
5SBR-1PT-LDP-TTB....162
5SBR-1PT-PLY....161
5SBR-1PT-PLY-PS4....152,161
5SBR-1PT-PLY-TLB....161
5SBR-1PT-PLY-TTB....162
5SBR-1RA-GR....156
5SBR-1RA-GR-TLB....156
5SBR-1RA-GR-TTB....156
5SBR-1RA-HR....156
5SBR-1RA-HR-TLB....156
5SBR-1RA-HR-TTB....156
5SBR-1RA-LDP....156
5SBR-1RA-LDP-TLB....156
5SBR-1RA-LDP-TTB....156
5SBR-1RA-PLY....156
5SBR-1RA-PLY-TLB....156
5SBR-1RA-PLY-TTB....156
5SBR-1ST-LDP....165
5SBR-1ST-LDP-PS4....165
5SBR-1ST-LDP-TLB....165
5SBR-1ST-PLY....165
5SBR-1ST-PLY-PS4....152,165
5SBR-1ST-PLY-TLB....165
5SBR-2RA-GR....157
5SBR-2RA-GR-TLB....157
5SBR-2RA-GR-TTB....157
5SBR-2RA-HR....157
5SBR-2RA-HR-TLB....157
5SBR-2RA-HR-TTB....157
5SBR-2RA-LDP....157
5SBR-2RA-LDP-TLB....157
5SBR-2RA-LDP-TTB....157
5SBR-2RA-PLY....157
5SBR-2RA-PLY-TLB....157
5SBR-2RA-PLY-TTB....157
5SBR-3RA-GR....158
5SBR-3RA-GR-TLB....158

5

5SBR-3RA-GR-TTB 158
5SBR-3RA-HR 158
5SBR-3RA-HR-TLB 158
5SBR-3RA-HR-TTB 158
5SBR-3RA-LDP 158
5SBR-3RA-LDP-TLB 158
5SBR-3RA-LDP-TTB 158
5SBR-3RA-PLY 158
5SBR-3RA-PLY-TLB 158
5SBR-3RA-PLY-TTB 158
5SBR-4RA-GR 159
5SBR-4RA-GR-TLB 159
5SBR-4RA-GR-TTB 159
5SBR-4RA-HR 159
5SBR-4RA-HR-TLB 159
5SBR-4RA-HR-TTB 159
5SBR-4RA-LDP 159
5SBR-4RA-LDP-TLB 159
5SBR-4RA-LDP-TTB 159
5SBR-4RA-PLY 159
5SBR-4RA-PLY-TLB 159
5SBR-4RA-PLY-TTB 159
5SBR-4ST-GR 163
5SBR-4ST-GR-TLB 163
5SBR-4ST-HR 163
5SBR-4ST-HR-PS4 163
5SBR-4ST-HR-TLB 163
5SBR-4ST-LDP 163
5SBR-4ST-LDP-PS4 163
5SBR-4ST-LDP-TLB 163
5SBR-4ST-PLY 163
5SBR-4ST-PLY-PS4 163
5SBR-4ST-PLY-TLB 163
5SBR-5ST-GR 164
5SBR-5ST-GR-PS4 164
5SBR-5ST-GR-TLB 164
5SBR-5ST-HR 164
5SBR-5ST-HR-PS4 164
5SBR-5ST-HR-TLB 164
5SBR-5ST-LDP 164
5SBR-5ST-LDP-PS4 164
5SBR-5ST-LDP-TLB 164
5SBR-5ST-PLY 164
5SBR-5ST-PLY-PS4 164
5SBR-5ST-PLY-TLB 164
5SBR-6ST-LDP 164
5SBR-6ST-LDP-TLB 164
5SBR-6ST-PLY 164
5SBR-6ST-PLY-TLB 164
5SBR-9ST-PH-4 152,165
5SBR-BKDC-4 35-36,152
5SBR-RA-GR 154
5SBR-RA-GR-PS4 154
5SBR-RA-GR-TLB 154
5SBR-RA-GR-TTB 155
5SBR-RA-HR 154
5SBR-RA-HR-PS4 154
5SBR-RA-HR-TLB 154
5SBR-RA-HR-TTB 155
5SBR-RA-LDP 154
5SBR-RA-LDP-PS4 152,154
5SBR-RA-LDP-PS6 152,154
5SBR-RA-LDP-TLB 154
5SBR-RA-LDP-TTB 155
5SBR-RA-PLY 154
5SBR-RA-PLY-PS20 154
5SBR-RA-PLY-PS4 152,154
5SBR-RA-PLY-PS6 152,154
5SBR-RA-PLY-TLB 154
5SBR-RA-PLY-TTB 155
5SBR-UP3-PLY-TLB 160
5SBR-UP3-PLY-TLB-PS4 152,160
5SBR-UP4-PLY-TLB 160
5SBR-UP4-PLY-TLB-PS4 152,160
5SBR-WS1-PS4 152,165
5SS-1PT-PLY 161
5SS-1PT-PLY-TLB 161
5SS-1RA-GR-TLB 156
5SS-1RA-HR 156
5SS-1RA-HR-TLB 156
5SS-1RA-LDP 156
5SS-1RA-LDP-TLB 156
5SS-1RA-PLY 156
5SS-1RA-PLY-TLB 156
5SS-2RA-GR 157
5SS-2RA-GR-TLB 157
5SS-2RA-HR 157
5SS-2RA-HR-TLB 157
5SS-2RA-LDP 157
5SS-2RA-LDP-TLB 157
5SS-3RA-GR 158
5SS-3RA-GR-TLB 158
5SS-3RA-HR 158
5SS-3RA-HR-TLB 158
5SS-3RA-LDP 158
5SS-3RA-LDP-TLB 158
5SS-3RA-PLY 158
5SS-3RA-PLY-TLB 158
5SS-4RA-GR 159
5SS-4RA-GR-TLB 159
5SS-4RA-HR 159
5SS-4RA-HR-TLB 159
5SS-4RA-LDP 159
5SS-4RA-LDP-TLB 159
5SS-4RA-PLY 159
5SS-4RA-PLY-TLB 159
5SS-RA-PLY 155
5SS-RA-PLY-TLB 155

A

AOBS-12 57
AOBS-18 57
APQ-36 66
APQ-48 66
APQ-60 66
APQ-72 66
APR-36 66
APR-36BAR 66
APR-48 66
APR-48BAR 66
APR-60 66
APR-60BAR 66
APR-72 66
APR-72BAR 66
APU-36 66
APU-48 66
APU-60 66
APU-72 66

B

BB-2-60 40
BB-2G-48 40
BB-2G-60 40
BB-3-72 40
BB-3G-72 40
BC-2-50 40
BC-2-65 40
BC-3-95 40
BEVT-3048L 38
BEVT-3048R 38
BEVT-3060L 38
BEVT-3060R 38
BEVT-3072L 38
BEVT-3072R 38
BEVT-3084L 38
BEVT-3084R 38
BEVT-3096L 38
BEVT-3096R 38
BK-3.5RP-G 119
BK-3RTSB-D 173
BK-3RTSB-F 173

BK-BKFCLEANER-12 70
BK-BKFCLEANER-CASE 70
BK-CWS-1024x1/2 173
BK-CWS-1024x3/4 173
BK-CWS-1024x3/8 173
BK-DAB 118
BK-DAC 118
BK-DAS 118
BK-DBLS-1 172
BK-DBLS-2 172
BK-DC-35 118
BK-DI1014-SS 141
BK-DIBHL-2118 139
BK-DIBHL-2118-P-G 139
BK-DIBL-1218 139
BK-DIBL-2218 139
BK-DIBL-2818 139
BK-DIBL-3418 139
BK-DIBL-3620 139
BK-DIBL-4225 139
BK-DIBL-4820 139
BK-DIS-1014 140
BK-DIS-1014-10-P-G 140
BK-DIS-1014-3-18T 139
BK-DIS-1014-3-18T-PG 139
BK-DIS-1014-5D 140
BK-DIS-1014-5D-P-G 140
BK-DIS-1515 140
BK-DIS-1515-P-G 140
BK-DIWSBL-2118G 139
BK-DIWSBL-2118G-P-G 139
BK-DIWSBL-2118X 139
BK-DIWSBL-2118X-P-G 139
BK-DMMK 109-111,122,138
BK-DOPB 169
BK-DSB-SS 173
BK-DWBA 115
BK-EWS 122,138
BK-FSS 141
BK-GT-100 150
BK-GT-14 150
BK-GT-20 150
BK-GT-30 150
BK-GT-40 150
BK-GT-50 150
BK-GT-70 150
BK-GT-8 150
BK-GT-EXT100 150
BK-GT-EXT14 150
BK-GT-EXT20 150
BK-GT-EXT30 150
BK-GT-EXT40 150
BK-GT-EXT50 150
BK-GT-EXT70 150
BK-GT-EXT8 150
BK-GT-SEAL 150
BK-IBBH 51
BK-IBBH-18 51
BK-ICT 66,69
BK-KPSC-1 167
BK-LDB 119
BK-LDT 119
BK-LOH-1 167
BK-LOH-2 167
BK-LWR-1 117
BK-LWR-10 117
BK-LWR-2 117
BK-LWR-20 117
BK-LWR-3 117
BK-MAG-1 167
BK-MIB-2411 53
BK-MIB-2422 53
BK-NPDN-1024 173
BK-NPDN-1024S 173
BK-NPTI-15R 173
BK-OSD-1236 68
BK-OSD-1248 68
BK-OSD-1260 68
BK-OSD-1272 68
BK-OSD-1284 68
BK-OSD-1296 68
BK-OSD-1836 68
BK-OSD-1848 68
BK-OSD-1860 68
BK-OSD-1872 68
BK-OSD-1884 68
BK-OSD-1896 68
BK-OSS-1236 68
BK-OSS-1248 68
BK-OSS-1260 68
BK-OSS-1272 68
BK-OSS-1284 68
BK-OSS-1296 68
BK-OSS-18120BN 68
BK-OSS-1824BN 68
BK-OSS-1836 68
BK-OSS-1836BN 68
BK-OSS-1848 68
BK-OSS-1848BN 68
BK-OSS-1860 68
BK-OSS-1860BN 68
BK-OSS-1872 68
BK-OSS-1872BN 68
BK-OSS-1884 68
BK-OSS-1884BN 68
BK-OSS-1896 68
BK-OSS-1896BN 68
BK-OSS-24120BN 68
BK-OSS-2424BN 68
BK-OSS-2436BN 68
BK-OSS-2448BN 68
BK-OSS-2460BN 68
BK-OSS-2472BN 68
BK-OSS-2484BN 68
BK-OSS-2496BN 68
BK-OT-15075 118
BK-OT-15105 118
BK-PB1014 57,174
BK-PB1515 57,174
BK-PB1620 57,174
BK-PB1818 57,174
BK-PLAF 171
BK-PLAF-4 171
BK-PR-18RP-G 119
BK-PR-24RP-G 119
BK-PR-ADP 119
BK-PR-SHR 119
BK-PR-SPR 119
BK-PR-SPRING 119
BK-PR-WB 119
BK-PRB-1820 147,174
BK-PRB-1824 147,174
BK-PRB-2030 147,174
BK-PRB-2424 147,174
BK-PRB-5 147,174
BK-PRV-1-G 119
BK-PTTP 118,138
BK-RECI-1 167
BK-SBPAD 70
BK-SBPAD-CASE 70
BK-SC-AL 70
BK-SC-CL 70
BK-SDTS 147,174
BK-SDTS-1820 147,174
BK-SDTS-1824 147,174
BK-SETSCREW-100 70
BK-SETSCREW-25 70

BK-SETSCREW-250 70
BK-SFH-48 137
BK-SLW-1 117
BK-SLW-10 117
BK-SLW-2 117
BK-SLW-20 117
BK-SLW-3 117
BK-SMMK-90 109-111,122,138
BK-SOPB 169
BK-SPRFAF-WH 171
BK-SPRFAF-WH-4 171
BK-SRSA-22 167
BK-SS-CAREKIT 70
BK-SS-CAREKIT-SS 70
BK-SSAF 171
BK-SSAF-4 171
BK-SSCLNR-10 70
BK-SSCLNR-10-CASE 70
BK-SSFLAT 173
BK-SSH-21 69,147
BK-SSH-42 69,147
BK-SSH-63 69,147
BK-SSLS 172
BK-SSLS-4 172
BK-SSLS-WP 172
BK-SSLS-WP-4 172
BK-SSLSF 172
BK-SSLSF-2 172
BK-SSLSF-2-4 172
BK-SSLSF-4 172
BK-SSPAF 171
BK-SSPAF-4 171
BK-SSQAF 171
BK-SSQAF-4 171
BK-SSQFAF-WH 171
BK-SSQFAF-WH-4 171
BK-SSRFAF 171
BK-SSRFAF-4 171
BK-SSRFAF-WH 171
BK-SSRFAF-WH-4 171
BK-SWS-1024x1/2 173
BK-SWS-1024x3/4 173
BK-SWS-1024x3/8 173
BK-TBDA 118
BK-TSH-22 69,147
BK-TSH-42 69,147
BK-TSH-63 69,147
BK-URTR-12 169
BK-URTR-18 169
BK-URTR-24 169
BK-URTR-36 169
BK-URTR-48 169
BK-URTR-60 169
BK-URTR-72 169
BK-WMAF 171
BK-WMAF-4 171
BK-WMLS-1 172
BK-WMLS-1-4 172
BK-WMLS-WP 172
BK-WMLS-WP-4 172
BK-WPR1-48 67
BK-WPR1-60 67
BK-WPR1-72 67
BK-WPR2-48 67
BK-WPR2-60 67
BK-WPR2-72 67
BK-WS 115
BK-WS-1SGF-G 115
BK-ZPLN-1024 173
BK8BS-1-18-14 129
BK8BS-1-1821-14 129
BK8BS-1-24-14 129
BK8BS-2-18-12 129
BK8BS-2-1821-12 129
BK8BS-2-24-12 129
BK8BS-3-1221-12 129
BK8BS-3-18-12 129
BK8BS-3-1821-12 129
BK8BS-3-24-12 129
BK8BS-DD18 129
BK8BS-DD1821 129
BK8BS-DD24 129
BK8D-10-G 111
BK8D-12-G 111
BK8D-14-G 111
BK8D-16-G 111
BK8D-18-G 111
BK8D-3G-G 111
BK8D-5G-G 111
BK8D-6-G 111
BK8D-8-G 111
BK8D-8G-G 111
BK8D-XX-G 111
BKBS-1 170
BKBS-2 170
BKBS-3 170
BKC-1524S-3S 61
BKC-1524S-3S-KD 61
BKC-1827S-3S 61
BKC-1827S-3S-KD 61
BKC-2133S-2H 61
BKC-2133S-2H-KD 61
BKCDT-26-L 146
BKCDT-26-L-SS 146
BKCDT-26-R 146
BKCDT-26-R-SS 146
BKCDT-36-L 146
BKCDT-36-L-SS 146
BKCDT-36-R 146
BKCDT-36-R-SS 146
BKCDT-48-L 146
BKCDT-48-L-SS 146
BKCDT-48-R 146
BKCDT-48-R-SS 146
BKCDT-60-L 146
BKCDT-60-L-SS 146
BKCDT-60-R 146
BKCDT-60-R-SS 146
BKCDT-72-L 146
BKCDT-72-L-SS 146
BKCDT-72-R 146
BKCDT-72-R-SS 146
BKCDT6-26-L-SS 143
BKCDT6-26-R-SS 143
BKCDT6-36-L-SS 143
BKCDT6-36-R-SS 143
BKCDT6-48-L-SS 143
BKCDT6-48-R-SS 143
BKCDT6-60-L-SS 143
BKCDT6-60-R-SS 143
BKCDT6-72-L-SS 143
BKCDT6-72-R-SS 143
BKCDT6-96-L-SS 143
BKCDT6-96-R-SS 143
BKCDT6-C6048L 142
BKCDT6-C6048R 142
BKCDT6-C6060L 142
BKCDT6-C6060R 142
BKCDT6-C6072L 142
BKCDT6-C6072R 142
BKCDT6-C6096L 142
BKCDT6-C6096R 142
BKCS-3-18-14-18T 127
BKCS-3-18-14-24T 127
BKCS-3-24-14-24T 127
BKD-10-G 88,111
BKD-12-G 111
BKD-14-G 111
BKD-16-G 111
BKD-18-G 111

BKD-3G-G 88,111,134,138
BKD-5G-G 111
BKD-6-G 111
BKD-8-G 111
BKD-8G-G 111
BKD-XX-G 111
BKDC-1536 65
BKDC-1548 65
BKDC-1560 65
BKDC-1572 65
BKDC-1836 65
BKDC-1848 65
BKDC-1860 65
BKDC-1872 65
BKDMFV-DGS-G 114
BKDMFV-G 114
BKDMFV-SGS-G 114
BKDMKV-DGS-G 114
BKDMKV-G 114
BKDMKV-SGS-G 114
BKDR-15BR 118
BKDR-15CP 118
BKDR-2 118
BKDR-325BR 118
BKDR-325CP 118
BKDR-4 118
BKDR-4-304 118
BKDR-HD4 118
BKDTK-26-L-G 147
BKDTK-26-R-G 147
BKDTK-48-L-G 147
BKDTK-48-R-G 147
BKDTK-72-L-G 147
BKDTK-72-R-G 147
BKDTK6-26-L-G-SS 147
BKDTK6-26-R-G-SS 147
BKDTK6-48-L-G-SS 147
BKDTK6-48-R-G-SS 147
BKDTK6-72-L-G-SS 147
BKDTK6-72-R-G-SS 147
BKDWR-1820-ASSY-L-SS 27,168
BKDWR-1820-ASSY-SS 27
BKDWR-2015 168
BKDWR-2015-ASSY-L-SS 27,168
BKDWR-2015-ASSY-SS 27,168
BKDWR-2020 168
BKDWR-2020-ASSY-L-SS 27,168
BKDWR-2020-ASSY-SS 27,168
BKF-10-G 110
BKF-12-G 110
BKF-14-G 110
BKF-16-G 110
BKF-18-G 110
BKF-3G-G 110
BKF-4DM-10-G 109
BKF-4DM-12-G 109
BKF-4DM-14-G 109
BKF-4DM-16-G 109
BKF-4DM-18-G 109
BKF-4DM-3G-G 109,134
BKF-4DM-5G-G 109
BKF-4DM-6-G 109
BKF-4DM-8-G 109
BKF-4DM-8G-G 109
BKF-4DM-MINI 88,102
BKF-4DM-XX-G 109
BKF-4DSF 105
BKF-4HD-MINI 102
BKF-4HDDPR-WB-G 103
BKF-4SM-10-G 109
BKF-4SM-12-G 109
BKF-4SM-14-G 109
BKF-4SM-16-G 109
BKF-4SM-18-G 109
BKF-4SM-3G-G 109,134,138
BKF-4SM-5G-G 109
BKF-4SM-6-G 109
BKF-4SM-8-G 109
BKF-4SM-8G-G 109
BKF-4SM-XX-G 109
BKF-4SM2-10-G 109
BKF-4SM2-12-G 109
BKF-4SM2-14-G 109
BKF-4SM2-16-G 109
BKF-4SM2-18-G 109
BKF-4SM2-3G-G 109
BKF-4SM2-5G-G 109
BKF-4SM2-6-G 109
BKF-4SM2-8-G 109
BKF-4SM2-8G-G 109
BKF-4SM2-XX-G 109
BKF-5G-G 110
BKF-6-G 110
BKF-8-G 110
BKF-8DM-10-G 110
BKF-8DM-12-G 110
BKF-8DM-14-G 110
BKF-8DM-16-G 110
BKF-8DM-18-G 110
BKF-8DM-3G-G 110
BKF-8DM-5G-G 110
BKF-8DM-6-G 110
BKF-8DM-8-G 110
BKF-8DM-8G-G 110
BKF-8DM-XX-G 110
BKF-8DMUS-G 116
BKF-8G-G 110
BKF-8HDDPR-WB-G 103
BKF-8SM-10-G 110
BKF-8SM-12-G 110
BKF-8SM-14-G 110
BKF-8SM-16-G 110
BKF-8SM-18-G 110
BKF-8SM-3G-G 110
BKF-8SM-5G-G 110
BKF-8SM-6-G 110
BKF-8SM-8-G 110
BKF-8SM-8G-G 110
BKF-8SM-XX-G 110
BKF-8SMPF-G 116
BKF-8SMUS-G 116
BKF-8W-10-G 111
BKF-8W-12-G 111
BKF-8W-14-G 111
BKF-8W-16-G 111
BKF-8W-18-G 111
BKF-8W-3G-G 111
BKF-8W-5G-G 111
BKF-8W-6-G 111
BKF-8W-8-G 111
BKF-8W-8G-G 111
BKF-8W-CVC-G 121
BKF-8W-CVCH-G 121
BKF-8W-ESC 122
BKF-8W-HVC-G 121
BKF-8W-HVCH-G 121
BKF-8W-XX-G 111
BKF-AF-10-G 115,120,138
BKF-AF-12-G 115,120,138
BKF-AF-14-G 115,120,138
BKF-AF-16-G 115,120,138
BKF-AF-18-G 115,120,138
BKF-AF-3G-G 115,120,138
BKF-AF-5G-G 115,120,138
BKF-AF-6-G 115,120,138
BKF-AF-8-G 115,138
BKF-AF-8G-G 115,120,138

BKF-AF-VALVE-G 121
BKF-BDMPR-WB-G 103
BKF-BSMPF-G 116
BKF-BWMPR-WB-G 103
BKF-C414-VR 106,108,111-114,122,138
BKF-CV-G 121
BKF-CV-H-G 121
BKF-CV-HB-G 121
BKF-DBH 122,138
BKF-DDMPF-G 116
BKF-DDMUS-G 116
BKF-DEF-3G 105,134,138
BKF-DEF-5G 105
BKF-DMB-10-G 112
BKF-DMB-12-G 112
BKF-DMB-14-G 112
BKF-DMB-16-G 112
BKF-DMB-18-G 112
BKF-DMB-3G-G 112
BKF-DMB-5G-G 112
BKF-DMB-6-G 112
BKF-DMB-8-G 112
BKF-DMB-8G-G 112
BKF-DMPR-MINI 102
BKF-DMPR-WB-AF10-G 102
BKF-DMPR-WB-AF12-G 102
BKF-DMPR-WB-AF14-G 102
BKF-DMPR-WB-AF8-G 102
BKF-DMPR-WB-G 102
BKF-DMSAPR-WB-AF10-G 104
BKF-DMSAPR-WB-AF12-G 104
BKF-DMSAPR-WB-AF14-G 104
BKF-DMSAPR-WB-AF8-G 104
BKF-DMSAPR-WB-G 104
BKF-DPF-10-G 112
BKF-DPF-12-G 112
BKF-DPF-14-G 112
BKF-DPF-16-G 112
BKF-DPF-18-G 112
BKF-DPF-3G-G 112
BKF-DPF-5G-G 112
BKF-DPF-6-G 112
BKF-DPF-8-G 112
BKF-DPF-8G-G 112
BKF-DWF-G 115
BKF-ESC 122
BKF-HSPT-10-G 120
BKF-HSPT-12-G 120
BKF-HSPT-14-G 120
BKF-HSPT-16-G 120
BKF-HSPT-18-G 120
BKF-HSPT-3G-G 120
BKF-HSPT-5G-G 120
BKF-HSPT-6-G 120
BKF-HSPT-8-G 120
BKF-HSPT-8G-G 120
BKF-HV-G 121
BKF-HV-H-G 121
BKF-HV-HB-G 121
BKF-SBH 122
BKF-SDMPF-G 116
BKF-SDMPR-WB-G 103
BKF-SEF-3G 105,134,138
BKF-SEF-5G 105
BKF-SGF-G 115
BKF-SMPR-WB-AF10-G 102
BKF-SMPR-WB-AF12-G 102
BKF-SMPR-WB-AF14-G 102
BKF-SMPR-WB-AF8-G 102
BKF-SMPR-WB-G 102
BKF-SMSAPR-WB-AF10-G 104
BKF-SMSAPR-WB-AF12-G 104
BKF-SMSAPR-WB-AF14-G 104
BKF-SMSAPR-WB-AF8-G 104
BKF-SMSAPR-WB-G 104
BKF-SPF-10-G 112
BKF-SPF-12-G 112
BKF-SPF-14-G 112
BKF-SPF-16-G 112
BKF-SPF-18-G 112
BKF-SPF-3G-G 112
BKF-SPF-5G-G 112
BKF-SPF-6-G 112
BKF-SPF-8-G 112
BKF-SPF-8G-G 112
BKF-SPSF-G 115
BKF-SSMPF-G 116
BKF-SWMPR-WB-G 103
BKF-VSMPR-MINI 102
BKF-VSMPR-WB-AF10-G 102
BKF-VSMPR-WB-AF12-G 102
BKF-VSMPR-WB-AF14-G 102
BKF-VSMPR-WB-AF6-G 102
BKF-VSMPR-WB-AF8-G 102
BKF-VSMPR-WB-G 102
BKF-W-10-G 111
BKF-W-12-G 111
BKF-W-14-G 111
BKF-W-16-G 111
BKF-W-18-G 111
BKF-W-3G-G 111,134,138
BKF-W-5G-G 111
BKF-W-6-G 111
BKF-W-8-G 111
BKF-W-8G-G 111
BKF-W-CVC-G 121,138
BKF-W-CVCH-G 121,138
BKF-W-HVC-G 121,138
BKF-W-HVCH-G 121,138
BKF-W-XX-G 111
BKF-W2-10-G 111
BKF-W2-12-G 111
BKF-W2-14-G 111
BKF-W2-16-G 111
BKF-W2-18-G 111
BKF-W2-3G-G 111
BKF-W2-5G-G 111
BKF-W2-6-G 111
BKF-W2-8-G 111
BKF-W2-8G-G 111
BKF-W2-XX-G 111
BKF-WBH 122,138
BKF-WMB-10-G 112
BKF-WMB-12-G 112
BKF-WMB-14-G 112
BKF-WMB-16-G 112
BKF-WMB-18-G 112
BKF-WMB-3G-G 112
BKF-WMB-5G-G 112
BKF-WMB-6-G 112
BKF-WMB-8-G 112
BKF-WMB-8G-G 112
BKF-WPF-10-G 112
BKF-WPF-12-G 112
BKF-WPF-14-G 112
BKF-WPF-16-G 112
BKF-WPF-18-G 112
BKF-WPF-3G-G 112
BKF-WPF-5G-G 112
BKF-WPF-6-G 112
BKF-WPF-8-G 112
BKF-WPF-8G-G 112
BKF-XX-G 110
BKF4HD-10-G 109
BKF4HD-12-G 109
BKF4HD-14-G 109
BKF4HD-16-G 109
BKF4HD-18-G 109
BKF4HD-3G-G 109
BKF4HD-5G-G 109

BKF4HD-6-G 109
BKF4HD-8-G 109
BKF4HD-8G-G 109
BKF4HD-XX-G 109
BKF8HD-10-G 110
BKF8HD-12-G 110
BKF8HD-14-G 110
BKF8HD-16-G 110
BKF8HD-18-G 110
BKF8HD-3G-G 110
BKF8HD-5G-G 110
BKF8HD-6-G 110
BKF8HD-8-G 110
BKF8HD-8G-G 110
BKF8HD-XX-G 110
BKFB-1115-11-16 174
BKFB-1410-8-14 174
BKFB-1616-10-16 174
BKFB-1618-12-16 174
BKFB-1618-14-16 174
BKFB-1620-12-16 174
BKFB-1818-12-16 174
BKFB-1818-14-16 174
BKFB-1824-12-16 174
BKFB-1824-14-14 174
BKFB-1824-14-16 174
BKFB-2020-12-14 174
BKFB-2020-12-16 174
BKFB-2020-8-16 174
BKFB-2028-12-16 174
BKFB-2424-12-16 174
BKFB-2424-14-14 174
BKFB-2424-14-16 174
BKFV-DGS-G 113
BKFV-G 113
BKFVSGS-G 113
BKG-100SW 90,93
BKG-50SW 90,93
BKG-75SW 90,93
BKG-90E100 93
BKG-90E50 93
BKG-90E75 93
BKG-BV100 93
BKG-BV50 93
BKG-BV75 93
BKG-CS 90,93
BKG-GHC-10024 94
BKG-GHC-10024-2SW3 91
BKG-GHC-10024-PT 92
BKG-GHC-10024-QD-PT 92
BKG-GHC-10024-SCK2 92
BKG-GHC-10024-SCK3 92
BKG-GHC-10024-SCK9 91
BKG-GHC-10024-SW3 91
BKG-GHC-10036 94
BKG-GHC-10036-2SW3 91
BKG-GHC-10036-PT 92
BKG-GHC-10036-QD-PT 92
BKG-GHC-10036-SCK2 92
BKG-GHC-10036-SCK3 92
BKG-GHC-10036-SCK9 91
BKG-GHC-10036-SW3 91
BKG-GHC-10048 94
BKG-GHC-10048-2SW3 91
BKG-GHC-10048-PT 92
BKG-GHC-10048-QD-PT 92
BKG-GHC-10048-SCK2 92
BKG-GHC-10048-SCK3 92
BKG-GHC-10048-SCK9 91
BKG-GHC-10048-SW3 91
BKG-GHC-10060 94
BKG-GHC-10060-2SW3 91
BKG-GHC-10060-PT 92
BKG-GHC-10060-QD-PT 92
BKG-GHC-10060-SCK2 92
BKG-GHC-10060-SCK3 92
BKG-GHC-10060-SCK9 91
BKG-GHC-10060-SW3 91
BKG-GHC-10072 94
BKG-GHC-10072-2SW3 91
BKG-GHC-10072-PT 92
BKG-GHC-10072-QD-PT 92
BKG-GHC-10072-SCK2 92
BKG-GHC-10072-SCK3 92
BKG-GHC-10072-SCK9 91
BKG-GHC-10072-SW3 91
BKG-GHC-5024 94-95
BKG-GHC-5024-2SW3 91
BKG-GHC-5024-PT 92
BKG-GHC-5024-QD-PT 92
BKG-GHC-5024-SCK2 92
BKG-GHC-5024-SCK3 92
BKG-GHC-5024-SCK9 91
BKG-GHC-5024-SW3 91
BKG-GHC-5036 94-95
BKG-GHC-5036-2SW3 91
BKG-GHC-5036-PT 92
BKG-GHC-5036-QD-PT 92
BKG-GHC-5036-SCK2 92
BKG-GHC-5036-SCK3 92
BKG-GHC-5036-SCK9 91
BKG-GHC-5036-SW3 91
BKG-GHC-5048 94
BKG-GHC-5048-2SW3 91
BKG-GHC-5048-PT 92
BKG-GHC-5048-QD-PT 92
BKG-GHC-5048-SCK2 92
BKG-GHC-5048-SCK3 92
BKG-GHC-5048-SCK9 91
BKG-GHC-5048-SP3 90
BKG-GHC-5048-SW3 91
BKG-GHC-5048-SWSP3 90
BKG-GHC-5060 94
BKG-GHC-5060-2SW3 91
BKG-GHC-5060-PT 92
BKG-GHC-5060-QD-PT 92
BKG-GHC-5060-SCK2 92
BKG-GHC-5060-SCK3 92
BKG-GHC-5060-SCK9 91
BKG-GHC-5060-SW3 91
BKG-GHC-5072 94
BKG-GHC-5072-2SW3 91
BKG-GHC-5072-PT 92
BKG-GHC-5072-QD-PT 92
BKG-GHC-5072-SCK2 92
BKG-GHC-5072-SCK3 92
BKG-GHC-5072-SCK9 91
BKG-GHC-5072-SW3 91
BKG-GHC-7524 94
BKG-GHC-7524-2SW3 91
BKG-GHC-7524-PT 92
BKG-GHC-7524-QD-PT 92
BKG-GHC-7524-SCK2 92
BKG-GHC-7524-SCK3 92
BKG-GHC-7524-SCK9 91
BKG-GHC-7524-SW3 91
BKG-GHC-7536 94
BKG-GHC-7536-2SW3 91
BKG-GHC-7536-PT 92
BKG-GHC-7536-QD-PT 92
BKG-GHC-7536-SCK2 92
BKG-GHC-7536-SCK3 92
BKG-GHC-7536-SCK9 91
BKG-GHC-7536-SP3 90
BKG-GHC-7536-SW3 91
BKG-GHC-7536-SWSP3 90
BKG-GHC-7548 94

BKG-GHC-7548-2SW3 91
BKG-GHC-7548-PT 92
BKG-GHC-7548-QD-PT 92
BKG-GHC-7548-SCK2 92
BKG-GHC-7548-SCK3 92
BKG-GHC-7548-SCK9 91
BKG-GHC-7548-SP3 90
BKG-GHC-7548-SW3 91
BKG-GHC-7548-SWSP3 90
BKG-GHC-7560 94
BKG-GHC-7560-2SW3 91
BKG-GHC-7560-PT 92
BKG-GHC-7560-QD-PT 92
BKG-GHC-7560-SCK2 92
BKG-GHC-7560-SCK3 92
BKG-GHC-7560-SCK9 91
BKG-GHC-7560-SP3 90
BKG-GHC-7560-SW3 91
BKG-GHC-7560-SWSP3 90
BKG-GHC-7572 94
BKG-GHC-7572-2SW3 91
BKG-GHC-7572-PT 92
BKG-GHC-7572-QD-PT 92
BKG-GHC-7572-SCK2 92
BKG-GHC-7572-SCK3 92
BKG-GHC-7572-SCK9 91
BKG-GHC-7572-SW3 91
BKG-QDC-100 93
BKG-QDC-50 93
BKG-QDC-75 93
BKG-RCK-24 93
BKG-RCK-36 93
BKG-RCK-48 93
BKG-RCK-60 93
BKG-RCK-72 93
BKG-SHC-7536-FF 93
BKG-SHC-7536-MF 93
BKG-SHC-7536-MM 93
BKG-SHC-7548-FF 93
BKG-SHC-7548-MF 93
BKG-SHC-7548-MM 93
BKH-15-G 116,119
BKH-28-G 116,119
BKH-44-G 116,119
BKH-60-G 116,119
BKH-72-G 116,119
BKH-ADP 119
BKHS-ADA-D 133
BKHS-ADA-D-1 133
BKHS-ADA-D-1-P-G 133
BKHS-ADA-D-P-G 133
BKHS-ADA-D-SD-P-G 133
BKHS-ADA-S 133
BKHS-ADA-S-P-G 133
BKHS-D-1410 134
BKHS-D-1410-1 134
BKHS-D-1410-1-BKK 136
BKHS-D-1410-1-BKK-PG 136
BKHS-D-1410-1-P-G 134
BKHS-D-1410-1-SS-BKK 136
BKHS-D-1410-1-SSB 135
BKHS-D-1410-1MF 134
BKHS-D-1410-1SSBKKPG 136
BKHS-D-1410-4MF 134
BKHS-D-1410-B 134
BKHS-D-1410-B-P-G 134
BKHS-D-1410-P-G 134
BKHS-D-1410-PT-G 134
BKHS-D-1410-SKTS 56,135
BKHS-D-1410-SKTS-P-G 56,135
BKHS-D-1410-SS 135
BKHS-D-1410-SS-P-G 135
BKHS-D-1410-SS-PT-G 135
BKHS-D-1410-SSB 135
BKHS-D-1410-SSB-P-G 135
BKHS-D-1410-STPG 133
BKHS-D-1616 133
BKHS-D-1616-SS 133
BKHS-D-SS 136
BKHS-D-SS-1-BKK 136
BKHS-D-SS-1-BKK-PG 136
BKHS-D-SS-1-SS-BKK 136
BKHS-D-SS-1-SS-BKKPG 136
BKHS-D-SS-P-G 88,136
BKHS-D-SS-SKTS 56,136
BKHS-D-SS-SKTS-P-G 56,136
BKHS-D-SS-SS 136
BKHS-D-SS-SS-P-G 136
BKHS-DWSS 141
BKHS-SSD1410 141
BKHS-SSW1410 141
BKHS-SWSS 141
BKHS-W-1410 134
BKHS-W-1410-1 134
BKHS-W-1410-1-4D-TD 135
BKHS-W-1410-1-4DTDPG 135
BKHS-W-1410-1-BKK 136
BKHS-W-1410-1-BKKPG 136
BKHS-W-1410-1-P-G 134
BKHS-W-1410-1-SS 135
BKHS-W-1410-1-SS-BKK 136
BKHS-W-1410-1-SS-P-G 135
BKHS-W-1410-1-SSB 135
BKHS-W-1410-1SSBKKPG 136
BKHS-W-1410-4D 134
BKHS-W-1410-4D-P-G 134
BKHS-W-1410-4D-TD 135
BKHS-W-1410-4D-TD-PG 135
BKHS-W-1410-8 134
BKHS-W-1410-8-P-G 134
BKHS-W-1410-B 134
BKHS-W-1410-B-P-G 134
BKHS-W-1410-LS 135
BKHS-W-1410-LS-P-G 135
BKHS-W-1410-P-G 134
BKHS-W-1410-PED 133
BKHS-W-1410-PED-P-G 133
BKHS-W-1410-PT-G 134
BKHS-W-1410-RS 135
BKHS-W-1410-RS-P-G 135
BKHS-W-1410-SS 135
BKHS-W-1410-SS-P-G 135
BKHS-W-1410-SS-PT-G 135
BKHS-W-1410-SSB 135
BKHS-W-1410-SSB-P-G 135
BKHS-W-1410-STPG 133
BKHS-W-1410-W-G 134
BKHS-W-1410EY-P-G 133
BKHS-W-SS 136
BKHS-W-SS-1 136
BKHS-W-SS-1-BKK 136
BKHS-W-SS-1-BKK-PG 136
BKHS-W-SS-1-P-G 136
BKHS-W-SS-1-SS-BKK 136
BKHS-W-SS-1-SS-BKKPG 136
BKHS-W-SS-P-G 136
BKHS-W-SS-PT-G 136
BKHS-W-SS-SS 136
BKHS-W-SS-SS-P-G 88,136
BKHS-W-SS-SS-PT-G 136
BKHS-W-SS-SS-TD 136
BKHS-W-SS-SS-TD-P-G 136
BKIB-L-2418 51
BKIB-L-2421 51
BKIB-L-3018 51
BKIB-L-3021 51
BKIB-L-3618 51
BKIB-L-3621 51
BKIB-L-4818 51
BKIB-L-4821 51

BKKV-010XST 119
BKKV-DGS-G 113,133
BKKV-G 113
BKKVSGS-G 113
BKL-1625-WP 170
BKL-24SS 28,170
BKL-36SS 28,170
BKL-6SS 28,170
BKL-DT-SS 145-146
BKL-DT-SS-26 145
BKL-SSH-1014 126
BKL-SSH-1216 126
BKL-SSH-1218 126
BKL-SSH-1220 126
BKL-SSH-1230 126
BKL-SSH-1415 126
BKL-SSH-1418 126
BKL-SSH-1420 126
BKL-SSH-1424 126
BKL-SSH-1430 126
BKLC-G-34 170
BKLC-G-34-PS4 170
BKLC-G-34-PS6 170
BKLC-S-34 170
BKLC-S-34-PS4 170
BKLC-S-34-PS6 170
BKMPT-3048G-L 26
BKMPT-3048G-L-P-G 26
BKMPT-3048G-R 26
BKMPT-3048G-R-P-G 26
BKMPT-3048S-L 26
BKMPT-3048S-L-P-G 26
BKMPT-3048S-LHD 26
BKMPT-3048S-R 26
BKMPT-3048S-R-P-G 26
BKMPT-3048S-RHD 26
BKMPT-3060G-L 26
BKMPT-3060G-L-P-G 26
BKMPT-3060G-R 26
BKMPT-3060G-R-P-G 26
BKMPT-3060S-L 26
BKMPT-3060S-L-P-G 26
BKMPT-3060S-LHD 26
BKMPT-3060S-R 26
BKMPT-3060S-R-P-G 26
BKMPT-3060S-RHD 26
BKMPT-3072G-L 26
BKMPT-3072G-L-P-G 26
BKMPT-3072G-R 26
BKMPT-3072G-R-P-G 26
BKMPT-3072S-L 26
BKMPT-3072S-L-P-G 26
BKMPT-3072S-LHD 26
BKMPT-3072S-R 26
BKMPT-3072S-R-P-G 26
BKMPT-3072S-RHD 26
BKMS-1620-12 137
BKMS-1620-12-KIT 137
BKMS-1620-6 137
BKMS-1620-6-KIT 137
BKMS-2424-12 137
BKMS-2424-12-KIT 137
BKMS2-1620-12-KIT 137
BKMS2-1620-6-KIT 137
BKMS2-2424-12-KIT 137
BKMWS-1824 69
BKMWS-2024 69
BKMWS-2030 69
BKMWS-2424 69
BKPS-1410 69
BKPT-2-3084S-L 27
BKPT-2-3084S-R 27
BKPT-2-3096S-L 27
BKPT-2-3096S-R 27
BKS-1-15-14 127
BKS-1-1620-12 127
BKS-1-1620-12-18L 127
BKS-1-1620-12-18R 127
BKS-1-1620-12-18T 127
BKS-1-18-12 127
BKS-1-18-12-18L 127
BKS-1-18-12-18R 127
BKS-1-18-12-18T 127
BKS-1-1824-14 127
BKS-1-1824-14-24L 127
BKS-1-1824-14-24R 127
BKS-1-1824-14-24T 127
BKS-1-20-12 127
BKS-1-24-14 127
BKS-1-24-14-24L 127
BKS-1-24-14-24R 127
BKS-1-24-14-24T 127
BKS-1-SK-20-8-ME 137
BKS-2-1620-12 126
BKS-2-1620-12-18L 126
BKS-2-1620-12-18R 126
BKS-2-1620-12-18T 126
BKS-2-18-12 126
BKS-2-18-12-18L 126
BKS-2-18-12-18R 126
BKS-2-18-12-18T 126
BKS-2-24-14 126
BKS-2-24-14-24L 126
BKS-2-24-14-24R 126
BKS-2-24-14-24T 126
BKS-3-1014-10 128
BKS-3-1014-10-12T 88,128
BKS-3-1014-10-15L 128
BKS-3-1014-10-15R 128
BKS-3-1014-10-15T 128
BKS-3-1220-12-12T 128
BKS-3-1416-12-12T 128
BKS-3-15-14 125
BKS-3-15-14-15L 125
BKS-3-15-14-15R 125
BKS-3-15-14-15T 125
BKS-3-1620-12 125
BKS-3-1620-12-18L 125
BKS-3-1620-12-18R 125
BKS-3-1620-12-18T 125
BKS-3-1620-14-18T 125
BKS-3-18-12 125
BKS-3-18-12-18L 125
BKS-3-18-12-18R 125
BKS-3-18-12-18T 125
BKS-3-18-12-24T 125
BKS-3-18-14-18T 125
BKS-3-1824-14-18T 125
BKS-3-1824-14-24L 125
BKS-3-1824-14-24R 125
BKS-3-1824-14-24T 125
BKS-3-20-12-18T 125
BKS-3-20-14-24T 125
BKS-3-2030-12-20T 125
BKS-3-2030-14-24T 125
BKS-3-24-14 125
BKS-3-24-14-24L 125
BKS-3-24-14-24R 125
BKS-3-24-14-24T 125
BKS-RES-14 141
BKS-RES-15 141
BKS-RES-16 141
BKS-RES-18 141
BKS-RES-20 141
BKS-RES-24 141
BKS-RES-30 141
BKS6-1-1620-14-18LS 124

BKS6-1-1620-14-18RS....124
BKS6-1-1620-14-18TS....124
BKS6-1-1620-14S....124
BKS6-1-18-14-18LS....124
BKS6-1-18-14-18RS....124
BKS6-1-18-14-18TS....124
BKS6-1-18-14S....124
BKS6-1-24-14-24LS....124
BKS6-1-24-14-24RS....124
BKS6-1-24-14-24TS....124
BKS6-1-24-14S....124
BKS6-2-1620-14-18LS....124
BKS6-2-1620-14-18RS....124
BKS6-2-1620-14-18TS....124
BKS6-2-1620-14S....124
BKS6-2-18-14-18LS....124
BKS6-2-18-14-18RS....124
BKS6-2-18-14-18TS....124
BKS6-2-18-14S....124
BKS6-2-24-14-24LS....124
BKS6-2-24-14-24RS....124
BKS6-2-24-14-24TS....124
BKS6-2-24-14S....124
BKS6-3-1620-14-18LS....124
BKS6-3-1620-14-18RS....124
BKS6-3-1620-14-18TS....124
BKS6-3-1620-14-24TS....124
BKS6-3-1620-14S....124
BKS6-3-18-14-18LS....124
BKS6-3-18-14-18RS....124
BKS6-3-18-14-18TS....124
BKS6-3-18-14S....124
BKS6-3-1824-14-18TS....124
BKS6-3-24-14-24LS....124
BKS6-3-24-14-24RS....124
BKS6-3-24-14-24TS....124
BKS6-3-24-14S....124
BKSDRWPL....167
BKSDT-26-L....145
BKSDT-26-L-SS....145
BKSDT-26-R....145
BKSDT-26-R-SS....145
BKSDT-3-1820-14-LS....148
BKSDT-3-1820-14-LSPG....148
BKSDT-3-1820-14-RS....148
BKSDT-3-1820-14-RSPG....148
BKSDT-3-20-12-20LS....148
BKSDT-3-20-12-20LSPG....148
BKSDT-3-20-12-20RS....148
BKSDT-3-20-12-20RSPG....148
BKSDT-36-L....145
BKSDT-36-L-SS....145
BKSDT-36-R....145
BKSDT-36-R-SS....145
BKSDT-48-L....145
BKSDT-48-L-SS....145
BKSDT-48-R....145
BKSDT-48-R-SS....145
BKSDT-60-L....145
BKSDT-60-L-SS....145
BKSDT-60-R....145
BKSDT-60-R-SS....145
BKSDT-72-L....145
BKSDT-72-L-SS....145
BKSDT-72-R....145
BKSDT-72-R-SS....145
BKSDT-CO3-2012-LS....148
BKSDT-CO3-2012-RS....148
BKSDT6-26-L-SS....143
BKSDT6-26-R-SS....143
BKSDT6-36-L-SS....143
BKSDT6-36-R-SS....143
BKSDT6-48-L-SS....143
BKSDT6-48-R-SS....143
BKSDT6-60-L-SS....143
BKSDT6-60-R-SS....143
BKSDT6-72-L-SS....143
BKSDT6-72-R-SS....143
BKSDT6-96-L-SS....143
BKSDT6-96-R-SS....143
BKSDT6-C6048L....142
BKSDT6-C6048R....142
BKSDT6-C6060L....142
BKSDT6-C6060R....142
BKSDT6-C6072L....142
BKSDT6-C6072R....142
BKSDT6-C6096L....142
BKSDT6-C6096R....142
BKSF-WB1....115,137
BKSF-WB3....115,137
BKSMFV-DGS-G....114
BKSMFV-G....114
BKSMFV-SGS-G....114
BKSMKV-DGS-G....114
BKSMKV-G....114
BKSMKV-SGS-G....114
BKSPFV-DGS-G....113
BKSPFV-G....113
BKSPFV-SGS-G....113
BKSPKV-DGS-G....113
BKSPKV-G....113
BKSPKVSGS-G....113
BKSSDPH....67,173
BKSSPH....67,173
BKSSRPD....167
BKUB-SS18....141
BKUB-SS21....141
BKUBSR-12....53
BKUBSR-18....53
BKUBSR-2-12....53
BKUBSR-2-18....53
BKUBSR-2-24....53
BKUBSR-2-30....53
BKUBSR-2-36....53
BKUBSR-2-42....53
BKUBSR-2-48....53
BKUBSR-24....53
BKUBSR-30....53
BKUBSR-36....53
BKUBSR-42....53
BKUBSR-48....53
BKUS-1-18-14....129
BKUS-1-24-14....129
BKUS6-1-1821-14....129
BKUS6-1-2421-14....129
BKUS6-1-2421-8....129
BKUS6-1-3624-14....129
BKWCH-1524....65
BKWCH-1524HL....65
BKWCH-1530....65
BKWCH-1530HL....65
BKWCH-1536....65
BKWCH-1536HL....65
BKWCH-1548....65
BKWCH-1548HL....65
BKWS-1224....62
BKWS-1224-PR....62
BKWS-1230....62
BKWS-1230-PR....62
BKWS-1236....62
BKWS-1236-PR....62
BKWS-1248....62
BKWS-1248-PR....62
BKWS-1260....62
BKWS-1260-PR....62
BKWS-1272....62
BKWS-1272-PR....62
BKWS-1284....62
BKWS-1284-PR....62
BKWS-1296....62

BKWS-1296-PR 62
BKWS-1624 62
BKWS-1624-PR 62
BKWS-1630 62
BKWS-1630-PR 62
BKWS-1636 62
BKWS-1636-PR 62
BKWS-1648 62
BKWS-1648-PR 62
BKWS-1660 62
BKWS-1660-PR 62
BKWS-1672 62
BKWS-1672-PR 62
BKWS-1684 62
BKWS-1684-PR 62
BKWS-1696 62
BKWS-1696-PR 62
BKWS6-1436 62
BKWS6-1436-PR 62
BKWS6-1448 62
BKWS6-1448-PR 62
BKWS6-1460 62
BKWS6-1460-PR 62
BKWS6-1472 62
BKWS6-1472-PR 62
BKWS6-1496 62
BKWS6-1496-PR 62
BKWSE-1224 63
BKWSE-1224-PR 63
BKWSE-1232 63
BKWSE-1236 63
BKWSE-1236-PR 63
BKWSE-1248 63
BKWSE-1248-PR 63
BKWSE-1260 63
BKWSE-1260-PR 63
BKWSE-1272 63
BKWSE-1272-PR 63
BKWSE-1284 63
BKWSE-1284-PR 63
BKWSE-1296 63
BKWSE-1296-PR 63
BKWSE-1624 63
BKWSE-1624-PR 63
BKWSE-1632 63
BKWSE-1636 63
BKWSE-1636-PR 63
BKWSE-1648 63
BKWSE-1648-PR 63
BKWSE-1660 63
BKWSE-1660-PR 63
BKWSE-1672 63
BKWSE-1672-PR 63
BKWSE-1684 63
BKWSE-1684-PR 63
BKWSE-1696 63
BKWSE-1696-PR 63

C

CG-248 166
CG-260 166
CG-296 166
CG-448 166
CG-496 166
CG-I148 166
CG-I448 166
CG-I496 166
CKTST-3554 58
CKTST-3554OS 58
CMBT-3048 36
CMBT-3048H 36
CMBT-3048HL 36
CMBT-3048S 36
CMBT-3060 36
CMBT-3060H 36
CMBT-3060HL 36
CMBT-3060S 36
CMBT-3072 36
CMBT-3072H 36
CMBT-3072HL 36
CMBT-3072S 36
CMBT-3096 36
CMBT-3096H 36
CMBT-3096HL 36
CMBT-3096S 36
CMBT-3648 36
CMBT-3648H 36
CMBT-3648HL 36
CMBT-3648S 36
CMBT-3660 36
CMBT-3660H 36
CMBT-3660HL 36
CMBT-3660S 36
CMBT-3672 36
CMBT-3672H 36
CMBT-3672HL 36
CMBT-3672S 36
CMBT-3696 36
CMBT-3696H 36
CMBT-3696HL 36
CMBT-3696S 36
CMT-3048 36
CMT-3048H 36
CMT-3048H2 37
CMT-3048HL 36
CMT-3048HL2 37
CMT-3048S 36
CMT-3048S2 37
CMT-3060 36
CMT-3060H 36
CMT-3060H2 37
CMT-3060HL 36
CMT-3060HL2 37
CMT-3060S 36
CMT-3060S2 37
CMT-3072 36
CMT-3072H 36
CMT-3072H2 37
CMT-3072HL 36
CMT-3072HL2 37
CMT-3072S 36
CMT-3072S2 37
CMT-3096 36
CMT-3096H 36
CMT-3096H2 37
CMT-3096HL 36
CMT-3096HL2 37
CMT-3096S 36
CMT-3096S2 37
CMT-3648 36
CMT-3648H 36
CMT-3648H2 37
CMT-3648HL 36
CMT-3648HL2 37
CMT-3648S 36
CMT-3648S2 37
CMT-3660 36
CMT-3660H 36
CMT-3660H2 37
CMT-3660HL 36
CMT-3660HL2 37
CMT-3660S 36
CMT-3660S2 37
CMT-3672 36
CMT-3672H 36
CMT-3672H2 37
CMT-3672HL 36
CMT-3672HL2 37

CMT-3672S 36
CMT-3672S2 37
CMT-3696 36
CMT-3696H 36
CMT-3696H2 37
CMT-3696HL 36
CMT-3696HL2 37
CMT-3696S 36
CMT-3696S2 37
CP-7548-SCK3 94
CST-2418 34
CST-2418H 34
CST-2418H2 35
CST-2418HL 34
CST-2418HL2 35
CST-2424 34
CST-2424H 34
CST-2424H2 35
CST-2424HL 34
CST-2424HL2 35
CST-2436 34
CST-2436H 34
CST-2436H2 35
CST-2436HL 34
CST-2436HL2 35
CST-2436S 34
CST-2436S2 35
CST-2448 34
CST-2448H 34
CST-2448H2 35
CST-2448HL 34
CST-2448HL2 35
CST-2448S 34
CST-2448S2 35
CST-2460 34
CST-2460H 34
CST-2460H2 35
CST-2460HL 34
CST-2460HL2 35
CST-2460S 34
CST-2460S2 35
CST-2472 34
CST-2472H 34
CST-2472H2 35
CST-2472HL 34
CST-2472HL2 35
CST-2472S 34
CST-2472S2 35
CST-30120 34
CST-30120H 34
CST-30120H2 35
CST-30120HL 34
CST-30120HL2 35
CST-30120S 34
CST-30120S2 35
CST-3018 34
CST-3018H 34
CST-3018H2 35
CST-3018HL 34
CST-3018HL2 35
CST-3030 34
CST-3030H 34
CST-3030H2 35
CST-3030HL 34
CST-3030HL2 35
CST-3036 34
CST-3036H 34
CST-3036H2 35
CST-3036HL 34
CST-3036HL2 35
CST-3036S 34
CST-3036S2 35
CST-3048 34
CST-3048H 34
CST-3048H2 35
CST-3048HL 34
CST-3048HL2 35
CST-3048S 34
CST-3048S2 35
CST-3060 34
CST-3060H 34
CST-3060H2 35
CST-3060HL 34
CST-3060HL2 35
CST-3060S 34
CST-3060S2 35
CST-3072 34
CST-3072H 34
CST-3072H2 35
CST-3072HL 34
CST-3072HL2 35
CST-3072S 34
CST-3072S2 35
CST-3084 34
CST-3084H 34
CST-3084H2 35
CST-3084HL 34
CST-3084HL2 35
CST-3084S 34
CST-3084S2 35
CST-3096 34
CST-3096H 34
CST-3096H2 35
CST-3096HL 34
CST-3096HL2 35
CST-3096S 34
CST-3096S2 35
CST-36120 34
CST-36120H 34
CST-36120H2 35
CST-36120HL 34
CST-36120HL2 35
CST-36120S 34
CST-36120S2 35
CST-3648 34
CST-3648H 34
CST-3648H2 35
CST-3648HL 34
CST-3648HL2 35
CST-3648S 34
CST-3648S2 35
CST-3660 34
CST-3660H 34
CST-3660H2 35
CST-3660HL 34
CST-3660HL2 35
CST-3660S 34
CST-3660S2 35
CST-3672 34
CST-3672H 34
CST-3672H2 35
CST-3672HL 34
CST-3672HL2 35
CST-3672S 34
CST-3672S2 35
CST-3684 34
CST-3684H 34
CST-3684HL 34
CST-3684HL2 35
CST-3684S 34
CST-3684S2 35
CST-3696 34
CST-3696H 34
CST-3696H2 35
CST-3696HL 34
CST-3696HL2 35
CST-3696S 34
CST-3696S2 35
CSTR5-2418 34
CSTR5-2418H 34

CSTR5-2418HL 34
CSTR5-2424 34
CSTR5-2424H 34
CSTR5-2424HL 34
CSTR5-2436 34
CSTR5-2436H 34
CSTR5-2436HL 34
CSTR5-2436S 34
CSTR5-2448 34
CSTR5-2448H 34
CSTR5-2448HL 34
CSTR5-2448S 34
CSTR5-2460 34
CSTR5-2460H 34
CSTR5-2460HL 34
CSTR5-2460S 34
CSTR5-2472 34
CSTR5-2472H 34
CSTR5-2472HL 34
CSTR5-2472S 34
CSTR5-3-1014 130
CSTR5-3-1014-PG 130
CSTR5-3-1014H 130
CSTR5-3-1014H-PG 130
CSTR5-30120 34
CSTR5-30120H 34
CSTR5-30120HL 34
CSTR5-30120S 34
CSTR5-3018 34
CSTR5-3018H 34
CSTR5-3018HL 34
CSTR5-3030 34
CSTR5-3030H 34
CSTR5-3030HL 34
CSTR5-3036 34
CSTR5-3036H 34
CSTR5-3036HL 34
CSTR5-3036S 34
CSTR5-3048 34
CSTR5-3048H 34
CSTR5-3048HL 34
CSTR5-3048S 34
CSTR5-3060 34
CSTR5-3060H 34
CSTR5-3060HL 34
CSTR5-3060S 34
CSTR5-3072 34
CSTR5-3072H 34
CSTR5-3072HL 34
CSTR5-3072S 34
CSTR5-3084 34
CSTR5-3084H 34
CSTR5-3084HL 34
CSTR5-3084S 34
CSTR5-3096 34
CSTR5-3096H 34
CSTR5-3096HL 34
CSTR5-3096S 34
CSTR5-36120 34
CSTR5-36120H 34
CSTR5-36120HL 34
CSTR5-3648 34
CSTR5-3648H 34
CSTR5-3648HL 34
CSTR5-3648S 34
CSTR5-3660 34
CSTR5-3660H 34
CSTR5-3660HL 34
CSTR5-3660S 34
CSTR5-3672 34
CSTR5-3672H 34
CSTR5-3672HL 34
CSTR5-3672S 34
CSTR5-3684 34
CSTR5-3684H 34
CSTR5-3684HL 34
CSTR5-3684S 34
CSTR5-3696 34
CSTR5-3696H 34
CSTR5-3696HL 34
CSTR5-3696S 34
CSTR5-4-1014 130
CSTR5-4-1014-PG 130
CSTR5-4-1014H 130
CSTR5-4-1014H-PG 130
CSTR5-4-1014HHS 130
CSTR5-4-1014HHS-PG 130
CVT-2424 16
CVT-3024 16
CVT-3030 16
CVT-3624 16
CVT-3630 16
CVT-3636 16
CVT-4824 16
CVT-4830 16
CVT-4836 16
CVT-6024 16
CVT-6030 16
CVT-6036 16
CVT-7224 16
CVT-7230 16
CVT-7236 16
CVT-8424 16
CVT-8430 16
CVT-9624 16
CVT-9630 16
CVT-9636 16
CVTOB-2424 17
CVTOB-3024 17
CVTOB-3030 17
CVTOB-3624 17
CVTOB-3630 17
CVTOB-3636 17
CVTOB-4824 17
CVTOB-4830 17
CVTOB-4836 17
CVTOB-6024 17
CVTOB-6030 17
CVTOB-6036 17
CVTOB-7224 17
CVTOB-7230 17
CVTOB-7236 17
CVTOB-8424 17
CVTOB-8430 17
CVTOB-9624 17
CVTOB-9630 17
CVTOB-9636 17
CVTR5-2424 16
CVTR5-3024 16
CVTR5-3030 16
CVTR5-3624 16
CVTR5-3630 16
CVTR5-4824 16
CVTR5-4830 16
CVTR5-6024 16
CVTR5-6030 16
CVTR5-7224 16
CVTR5-7230 16
CVTR5-8424 16
CVTR5-8430 16
CVTR5-9624 16
CVTR5-9630 16
CVTR5OB-2424 17
CVTR5OB-3024 17
CVTR5OB-3624 17
CVTR5OB-3630 17
CVTR5OB-4824 17

CVTR5OB-4830 17
CVTR5OB-6024 17
CVTR5OB-6030 17
CVTR5OB-7224 17
CVTR5OB-7230 17
CVTR5OB-8424 17
CVTR5OB-8430 17
CVTR5OB-9624 17
CVTR5OB-9630 17

D

DBC-11-24 41
DBC-12-60 41
DBC-22-70 41
DBC-23-90 41
DDI-0909524 140
DDI-0909524-P-G 140
DDI-0909524S 140
DDI-0909524S-P-G 140
DDI-10141024S 140
DDI-10141024S-P-G 140
DDI-1014524S 140
DDI-1014524S-P-G 140
DDI-1614824 140
DDI-1614824-P-G 140
DDI-18151024 140
DDI-18151024-P-G 140
DDI-20161224 140
DDI-20161224-1D 140
DDI-20161224-P-G 140
DDI-2016824 140
DDI-2016824-P-G 140
DDI-28161028 140
DDI-28161028-P-G 140
DDI-SS-18 130
DDI2-10141024 140
DDI2-10141024-P-G 140
DDI2-14161024 140
DDI2-14161024-P-G 140
DDI2-1416628 140
DDI2-1416628-P-G 140
DDI2-20161224 140
DDI2-20161224-P-G 140
DDI3-10141024 88,140
DDI3-10141024-P-G 140
DDI3-162012224 140
DDI3-162012224-P-G 140
DDI3-R5-1014 139
DDI3-R5-1014-PG 139
DDI4-R5-1014 139
DDI4-R5-1014-PG 139
DDI4-R5-1014HS 139
DDI4-R5-1014HS-PG 139
DICP7-2820 139
DICP7-3420 139
DICP8-2820 139
DICP8-3420 139
DW-1-1 73,168
DW-2-1 73,168
DWCST-3036 73

E

E-CP1-1 75
E-CP1-2 75
E-CP1-3 75
E-CP1-4 75
E-CP1-5 75
E-CP1-6 75
E-CP3-1 75
E-CP3-2 75
E-CP3-3 75
E-CP3-4 75
E-CP3-5 75
E-CP3-6 75
E-DT-1 74
E-DT-2 74
E-DT-3 74
E-DT-4 74
E-DT-5 74
E-DT-6 74
E-H11-4 74
E-H21-4 74
E-H31-4 74
E-H41-4 74
E-SL-CP1-2 75
E-SL-CP1-3 75
E-SL-CP1-4 75
E-SL-CP3-2 75
E-SL-CP3-3 75
E-SL-CP3-4 75
E-STSL-2 74
E-STSL-3 74
E-STSL-4 74
EBW-2420SN 73
EBW-3620SN 73
EBW-4820SN 73
EBW-7220SN 73
EETS-2430 24
EETS-3630 24
EETS-4830 24
EETS-6030 24
EETS-7230 24
EM-1 11
EM-10A 11
EM-10B 11
EM-11 11
EM-12A 11
EM-12B 11
EM-12C 11
EM-12D 11
EM-12E 11
EM-12F 11
EM-12G 11
EM-14A 11
EM-14B 11
EM-14C 11
EM-14D 11
EM-14E 11
EM-14F 11
EM-14G 11
EM-15 11
EM-16A 11
EM-17 11
EM-18 11
EM-19 11
EM-2 11
EM-20 11
EM-21 11
EM-23A 11
EM-23B 11
EM-23C 11
EM-23D 11
EM-24A 11
EM-24B 11
EM-24C 11
EM-25 11
EM-26 11
EM-27 11
EM-28 11
EM-29 11
EM-3 11
EM-30 11
EM-31A 11,166
EM-31B 11,166
EM-31C 11,166
EM-31D 11,166
EM-31E 11,166
EM-32 11
EM-33 11
EM-34A 11

EM-34B....11
EM-34C....11
EM-34D....11
EM-34E....11
EM-34F....11
EM-34G....11
EM-35....11
EM-36A....11
EM-36B....11
EM-36C....11
EM-3W....11
EM-4....11
EM-40....11
EM-4FW....11
EM-5....11
EM-6....11
EM-7-1....11
EM-7-2....11
EM-7-3....11
EM-7-4....11
EM-9A....11
EM-9B....11
EQ-PS15....25
EQ-PS18....25
EQ-PS24....25
EQ-PS36....25
EQ-PS48....25
EQ-PS60....25
EQ-PS72....25
EQ-WS15....25
EQ-WS18....25
EQ-WS24....25
EQ-WS36....25
EQ-WS48....25
EQ-WS60....25
EQ-WS72....25
ES-1-1620-12....128
ES-1-18-12....128
ES-1-18-12-18L....128
ES-1-18-12-18R....128
ES-1-24-14....128
ES-3-1014-10....128
ES-3-1014-10-12T....128
ES-3-1014-10-15T....128
ES-3-1220-12-12T....128
ES-3-1416-12-12T....128
ES-3-1620-12-18T....128
ES-3-18-12-18T....128
ES-3-24-14-24T....128
ESW-1612....73
ESW-2420....73
ESW-3020....73
ESW-3620....73
ESW-4820....73
ESW-6020....73
EVO-4DM-10....108
EVO-4DM-12....108
EVO-4DM-14....108
EVO-4DM-16....108
EVO-4DM-18....108
EVO-4DM-4G....108,134,138
EVO-4DM-5G....108
EVO-4DM-6....108
EVO-4DM-8....108
EVO-4DM-8G....108
EVO-4DM-XX....108
EVO-4DMPR....101
EVO-4DMPR-AF12....101
EVO-4SM-10....108
EVO-4SM-12....108
EVO-4SM-14....108
EVO-4SM-16....108
EVO-4SM-18....108
EVO-4SM-4G....108,134,138
EVO-4SM-5G....108
EVO-4SM-6....108
EVO-4SM-8....108
EVO-4SM-8G....108
EVO-4SM-XX....108
EVO-4SMPR....101
EVO-4SMPR-AF12....101
EVO-8DM-10....108
EVO-8DM-12....108
EVO-8DM-14....108
EVO-8DM-16....108
EVO-8DM-18....108
EVO-8DM-4G....108
EVO-8DM-5G....108
EVO-8DM-6....108
EVO-8DM-8....108
EVO-8DM-8G....108
EVO-8DM-XX....108
EVO-8DMPR....100
EVO-8DMPR-AF12....100
EVO-8SM-10....108
EVO-8SM-12....108
EVO-8SM-14....108
EVO-8SM-16....108
EVO-8SM-18....108
EVO-8SM-4G....108
EVO-8SM-5G....108
EVO-8SM-6....108
EVO-8SM-8....108
EVO-8SM-8G....108
EVO-8SM-XX....108
EVO-8SMPR....100
EVO-8SMPR-AF12....100
EVO-AF10....120
EVO-AF12....120
EVO-AF14....120
EVO-AF16....120
EVO-AF18....120
EVO-AF4G....120
EVO-AF5G....120
EVO-AF6....120
EVO-AF8....120
EVO-AF8G....120
EVO-CV-G....121,138
EVO-HV-G....121,138
EVO-LWR-S....117
EVO-PRV....119
EVO-SPT-10....120
EVO-SPT-12....120
EVO-SPT-14....120
EVO-SPT-16....120
EVO-SPT-18....120
EVO-SPT-4G....120
EVO-SPT-5G....120
EVO-SPT-6....120
EVO-SPT-8....120
EVO-SPT-8G....120
EVO-WBH....122,138

F

FTRS-1212....169
FTRS-1224....169
FTRS-1236....169
FTRS-1248....169
FTRS-1260....169
FTRS-1818....169
FTRS-1824....169
FTRS-1836....169
FTRS-1848....169
FTRS-1860....169
FTRS-2424....169
FTRS-2436....169
FTRS-2448....169
FTRS-2460....169

FTRS-2472 169
FTWS-4829L 88
FTWS-M-4829L 88

G

GCP-1 87
GCP-1-6P 87
GCP-1-9P 87
GCP-12SH 87
GCP-18SH 87
GCP-18TB 87
GCP-2 87
GCP-2S 87
GCP-2S-6P 87
GCP-2S-9P 87
GCP-3 87
GCP-3S 87
GCP-3S-6P 87
GCP-3S-9P 87
GCP-6PH 87
GCP-9PH 87
GF-25 41
GF-50 41

H

HDPE-N-1-61121 169
HDPE-N-1/2-61121 169
HDPE-N-3/4-61121 169
HPC-CONTLBX 76
HPC1-GASK 76
HPC1I 76
HPC1N 76
HPC2-GASK 76
HPC2N 76
HS24TA-1 166
HS36TA-1 166
HS48TA-1 166
HS60TA-1 166
HS72TA-1 166
HST-1530-1014-SS 25
HST-1830-1014-SS 25
HST-2430-1014-SS 25

I

IBOC-145-155 51
IGB-100 67
IGB-124 67
IGB-84 67
IGS-836 69
IGS-842 69

L

LDR-SS-35-25 118-119

M

MBT-4830 30
MBT-4836 30
MBT-6030 30
MBT-6036 30
MBT-7230 30
MBT-7236 30
MBT-9630 30
MBT-9636 30
MBTG-4830 31
MBTG-4836 31
MBTG-6030 31
MBTG-6036 31
MBTG-7230 31
MBTG-7236 31
MBTG-9630 31
MBTG-9636 31
MBTGOB-4830 31
MBTGOB-4836 31
MBTGOB-6030 31
MBTGOB-6036 31
MBTGOB-7230 31
MBTGOB-7236 31
MBTGOB-9630 31
MBTGOB-9636 31
MBTS-4830 31
MBTS-4836 31
MBTS-6030 31
MBTS-6036 31
MBTS-7230 31
MBTS-7236 31
MBTS-9630 31
MBTS-9636 31
MBTSOB-4830 31
MBTSOB-4836 31
MBTSOB-6030 31
MBTSOB-6036 31
MBTSOB-7230 31
MBTSOB-7236 31
MBTSOB-8436 31
MBTSOB-9630 31
MBTSOB-9636 31
MCD-2X2 67
MCD-4X1 67
MCD-4X2 67
MF-1D-AER 106
MF-1D-BT 106
MF-1D-G 106,134,138
MF-1D-KIT 106
MF-4D-AER 106
MF-4D-BT 106
MF-4D-G 106,134,138
MF-4D-KIT 106
MF-MV 138
MF-PH 106
MFT-4830 31
MFT-4836 31
MFT-6030 31
MFT-6036 31
MFT-7230 31
MFT-7236 31
MFT-9630 31
MFT-9636 31
MFTG-4830 30
MFTG-4836 30
MFTG-6030 30
MFTG-6036 30
MFTG-7230 30
MFTG-7236 30
MFTG-9630 30
MFTG-9636 30
MFTGOB-4830 30
MFTGOB-4836 30
MFTGOB-6030 30
MFTGOB-6036 30
MFTGOB-7230 30
MFTGOB-7236 30
MFTGOB-9630 30
MFTGOB-9636 30
MFTS-4830 30
MFTS-4836 30
MFTS-6030 30
MFTS-6036 30
MFTS-7230 30
MFTS-7236 30
MFTS-9630 30
MFTS-9636 30
MFTSOB-4830 30
MFTSOB-4836 30
MFTSOB-6030 30
MFTSOB-6036 30
MFTSOB-7230 30
MFTSOB-7236 30
MFTSOB-9630 30
MFTSOB-9636 30
MHS-2424-C-BKD 130
MHS-2424-C-DM 130
MHS-2424-CH-BKD 130

MHS-2424-H-DM....130
MHS-V3030-C-DM....130
MHS-V3030-H-DM....130
MS-1620-SS2....137
MS-1620-SS3....137
MS-2424-SS2....137
MS-2424-SS3....137
MSC-2448....38
MSC-3048....38
MSHS-24F1....132
MSHS-24F1B....132
MSHS-24F2....132
MSHS-24W1....132
MSHS-24W1B....132
MSHS-24W2....132
MSHS-48F1....132
MSHS-48F1B....132
MSHS-48F2....132
MSHS-48W1....132
MSHS-48W1B....132
MSHS-48W2....132
MSHS-60F1....132
MSHS-60F1B....132
MSHS-60F2....132
MSHS-60W1....132
MSHS-60W1B....132
MSHS-60W2....132
MSHS-72F1....132
MSHS-72F1B....132
MSHS-72F2....132
MSHS-96F1....132
MSHS-96F1B....132
MSHS-96F2....132
MSHS-96W1....132
MSHS-96W1B....132
MSHS-96W2....132
MSHSA-48W1....131
MSHSA-48W2....131
MSHSA-60W1....131
MSHSA-60W2....131
MSHSA-72W1....131
MSHSA-72W2....131
MSHSA-96W1....131
MSHSA-96W2....131
MST-2424SS....24
MST-3024SS....24
MST-3030SS....24
MST-3630SS....24
MSU-48PG....131
MSU-60PG....131
MSU-72PG....131
MSU-96PG....131

P

PBC-3048....58
PBC-3048S....58
PBC-3060....58
PBC-3060S....58
PGT-30....149
PSC-1620....88,123
PSC-1818....88,123
PSC-2424....88,123
PSC-3-1014....88,123
PTS-18108....64
PTS-18108-2....64
PTS-18120....64
PTS-18120-2....64
PTS-1824....64
PTS-1824-2....64
PTS-1836....64
PTS-1836-2....64
PTS-1848....64
PTS-1848-2....64
PTS-1860....64
PTS-1860-2....64
PTS-1872....64
PTS-1872-2....64
PTS-1896....64
PTS-1896-2....64
PTS-24108....64
PTS-24108-2....64
PTS-24120....64
PTS-24120-2....64
PTS-2424....64
PTS-2424-2....64
PTS-2436....64
PTS-2436-2....64
PTS-2448....64
PTS-2448-2....64
PTS-2460....64
PTS-2460-2....64
PTS-2472....64
PTS-2472-2....64
PTS-2496....64
PTS-2496-2....64

R

RSAA-24....66,69

S

SB-16-2020-5....174
SECT-2448....37
SECT-2448H....37
SECT-2448HL....37
SECT-2448S....37
SECT-2460....37
SECT-2460H....37
SECT-2460HL....37
SECT-2460S....37
SECT-2472....37
SECT-2472H....37
SECT-2472HL....37
SECT-2472S....37
SECT-3048....37
SECT-3048H....37
SECT-3048HL....37
SECT-3048S....37
SECT-3060....37
SECT-3060H....37
SECT-3060HL....37
SECT-3060S....37
SECT-3072....37
SECT-3072H....37
SECT-3072HL....37
SECT-3072S....37
SFTS-1530....25
SFTS-1830....25
SFTS-2430....25
SG-45CS-120....84
SG-45CS-24....84
SG-45CS-36....84
SG-45CS-48....84
SG-45CS-60....84
SG-45CS-72....84
SG-45CS-84....84
SG-45CS-KIT....84
SG-45END....84
SG-45SS-120....84
SG-45SS-24....84
SG-45SS-36....84
SG-45SS-48....84
SG-45SS-60....84
SG-45SS-72....84
SG-45SS-84....84
SG-45SS-KIT....84
SG-90CS-120G....82
SG-90CS-24G....82
SG-90CS-36G....82
SG-90CS-48G....82

SG-90CS-60G 82
SG-90CS-72G 82
SG-90CS-84G 82
SG-90CS-KIT 82
SG-90MU-KIT 82
SG-CC-120 85
SG-CC-36 85
SG-CC-48 85
SG-CC-60 85
SG-CC-72 85
SG-CC-84 85
SG-CC-CPKIT 85
SG-CC-KIT 85
SG-D-24 85
SG-D-36 85
SG-D-48 85
SG-D-60 85
SG-D-72 85
SG-D-KIT 85
SG-FCS-1236-KIT 72
SG-FCS-1248-KIT 72
SG-FCS-1260-KIT 72
SG-FCS-1272-KIT 72
SG-FCS-2 71
SG-FCS-3 71
SG-FCS-36 72
SG-FCS-4 71
SG-FCS-48 72
SG-FCS-5 71
SG-FCS-60 72
SG-FCS-72 72
SG-MUS-2 71
SG-MUS-3 71
SG-MUS-36 72
SG-MUS-4 71
SG-MUS-48 72
SG-MUS-5 71
SG-MUS-60 72
SG-MUS-72 72
SG-P-24 83
SG-P-36 83
SG-P-48 83
SG-P-60 83
SG-P-72 83
SHF-241 49
SHF-2418 35
SHF-242 49
SHF-2424 35
SHF-2436 35
SHF-2448 35
SHF-2460 35
SHF-2472 35
SHF-301 49
SHF-3018 35
SHF-3030 35
SHF-3036 35
SHF-3048 35-36
SHF-3060 35-36
SHF-3072 35-36
SHF-361 49
SHF-3642 35
SHF-3648 35-36
SHF-3660 35-36
SHF-3672 35-36
SHF-481 49
SHF-BKWCH-24 65
SHF-BKWCH-30 65
SHF-BKWCH-36 65
SHF-BKWCH-48 65
SSBB-1G-24 39
SSBB-1G-36 39
SSBB-2G-36 39
SSBB-2G-61 39
SSBB-3G-53 39
SSBB-3G-85 39
SSU3-3124 61
SSU3-4324 61
SSU3-5524 61
SSU3-6724 61
SSU5-3124 61
SSU5-4324 61
SSU5-5524 61
SSU5-6724 61
SSU6-3124 61
SSU6-4324 61
SSU6-5524 61
SSU6-6724 61
ST-100 122,138
ST-2 80
ST-2-EN 80
ST-3 80
ST-3-EN 80
ST-4 80
ST-4-EN 80
ST-5 80
ST-5-EN 80
ST-SW-2 79
ST-SW-2-EN 79
ST-SW-3 79
ST-SW-3-EN 79
ST-SW-4 79
ST-SW-4-EN 79
ST-SW-5 79
ST-SW-5-EN 79
STE-2-OSS 71
STE-3-OSS 71
STE-4-OSS 71
STE-5-OSS 71
STE-LP-2 78
STE-LP-3 78
STE-LP-4 78
STE-LP-5 78
STE-NG-2 78
STE-NG-3 78
STE-NG-4 78
STE-NG-5 78
STP-SSF 78,80
SVET-2430 24
SVET-3630 24
SVET-4830 24
SVET-6030 24
SVET-7230-6 24
SVT-1824 18
SVT-1830 18
SVT-1836 18
SVT-1848 18
SVT-1860 18
SVT-1872 18
SVT-1884 18
SVT-1896 18
SVT-2424 18
SVT-3024 18
SVT-3030 18
SVT-3624 18
SVT-3630 18
SVT-4824 18
SVT-4830 18
SVT-6024 18
SVT-6030 18
SVT-7224 18
SVT-7230 18
SVT-8424 18
SVT-8430 18
SVT-9624 18
SVT-9630 18
SVTOB-1824 19
SVTOB-1830 19
SVTOB-1836 19
SVTOB-1848 19
SVTOB-1860 19

SVTOB-1872 19
SVTOB-1884 19
SVTOB-1896 19
SVTOB-2424 19
SVTOB-3024 19
SVTOB-3030 19
SVTOB-3624 19
SVTOB-3630 19
SVTOB-4824 19
SVTOB-4830 19
SVTOB-6024 19
SVTOB-6030 19
SVTOB-7224 19
SVTOB-7230 19
SVTOB-8424 19
SVTOB-8430 19
SVTOB-9624 19
SVTOB-9630 19
SVTR-1824 22
SVTR-1830 22
SVTR-1836 22
SVTR-1848 22
SVTR-1860 22
SVTR-1872 22
SVTR-1896 22
SVTR-2424 22
SVTR-3024 22
SVTR-3030 22
SVTR-3624 22
SVTR-3630 22
SVTR-4824 22
SVTR-4830 22
SVTR-6024 22
SVTR-6030 22
SVTR-7224 22
SVTR-7230 22
SVTR-8424 22
SVTR-8430 22
SVTR-9624 22
SVTR-9630 22
SVTR5-2424 18
SVTR5-3024 18
SVTR5-3030 18
SVTR5-3624 18
SVTR5-3630 18
SVTR5-4824 18
SVTR5-4830 18
SVTR5-6024 18
SVTR5-6030 18
SVTR5-7224 18
SVTR5-7230 18
SVTR5-8424 18
SVTR5-8430 18
SVTR5-9624 18
SVTR5-9630 18
SVTR5OB-2424 19
SVTR5OB-3024 19
SVTR5OB-3030 19
SVTR5OB-3624 19
SVTR5OB-3630 19
SVTR5OB-4824 19
SVTR5OB-4830 19
SVTR5OB-6024 19
SVTR5OB-6030 19
SVTR5OB-7224 19
SVTR5OB-7230 19
SVTR5OB-8424 19
SVTR5OB-8430 19
SVTR5OB-9624 19
SVTR5OB-9630 19
SVTROB-1824 23
SVTROB-1830 23
SVTROB-1836 23
SVTROB-1848 23
SVTROB-1860 23
SVTROB-1872 23
SVTROB-1896 23
SVTROB-2424 23
SVTROB-3024 23
SVTROB-3030 23
SVTROB-3624 23
SVTROB-3630 23
SVTROB-4824 23
SVTROB-4830 23
SVTROB-6024 23
SVTROB-6030 23
SVTROB-7224 23
SVTROB-7230 23
SVTROB-8424 23
SVTROB-8430 23
SVTROB-9624 23
SVTROB-9630 23
SVTS-1824 28
SVTS-1830 28
SVTS-1836 28
SVTS-1848 28
SVTS-1860 28
SVTS-1872 28
SVTS-1896 28
SVTS-2424 28
SVTS-3024 28
SVTS-3030 28
SVTS-3624 28
SVTS-3630 28
SVTS-4824 28
SVTS-4830 28
SVTS-4836 28
SVTS-6024 28
SVTS-6030 28
SVTS-6036 28
SVTS-7224 28
SVTS-7230 28
SVTS-7236 28
SVTS-8424 28
SVTS-8430 28
SVTS-9624 28
SVTS-9630 28
SVTS-9636 28

U

UAF-I-0521 48
UAF-I-1021 48
UAF-I-1521 48
UAF-I-2021 48
UAF-I-2521 48
UAF-I-4521 48
UB-18-IBD 51
UB-18-IBO-6 51
UB-21-IBD 51
UB-SS8 48
UB-TC 48
UB4-18-1012HST-12 56
UB4-18-1012HST-12-PG 56
UB4-18-1012HST-15 56
UB4-18-1012HST-15-PG 56
UB4-18-1014HS 56
UB4-18-1014HS-P-G 56
UB4-18-1014HS12 56
UB4-18-1014HS12-P-G 56
UB4-18-224S 44
UB4-18-236LS 44
UB4-18-236RS 44
UB4-18-248TS 44
UB4-18-336S 44
UB4-18-348LS 44
UB4-18-348RS 44
UB4-18-360TS 44
UB4-18-372TS 44

UB4-18-384TS 44
UB4-18-472TS 44
UB4-18-484TS 44
UB4-18-496TS 44
UB4-18-BDMX12 54
UB4-18-BDMX18 54
UB4-18-CDB 47
UB4-18-DB12 47
UB4-18-DB18 47
UB4-18-DB24 47
UB4-18-DB30 47
UB4-18-DB36 47
UB4-18-DB48 47
UB4-18-IB12 51
UB4-18-IB24 51
UB4-18-IB30 51
UB4-18-IB36 51
UB4-18-IB48 51
UB4-18-IB8 51
UB4-18-IBCP24-7 52
UB4-18-IBCP24-8 52
UB4-18-IBCP30-10 52
UB4-18-IBCP30-7 52
UB4-18-IBCP30-8 52
UB4-18-IBCP36-10 52
UB4-18-IBCP36-7 52
UB4-18-IBCP36-8 52
UB4-18-IBCP48-10 52
UB4-18-IBCP48-7 52
UB4-18-IBCP48-8 52
UB4-18-LD12 55
UB4-18-LD18 55
UB4-18-LD24 55
UB4-18-LD36 55
UB4-18-SS12-GR-PG 48
UB4-21-1012HST-12 56
UB4-21-1012HST-12-PG 56
UB4-21-1012HST-15 56
UB4-21-1012HST-15-PG 56
UB4-21-1014HSS 56
UB4-21-1014HSS-P-G 56
UB4-21-1014HSS12 56
UB4-21-1014HSS12-P-G 56
UB4-21-1410BSS 56
UB4-21-1410BSS-P-G 56
UB4-21-224S 44
UB4-21-248TS 44
UB4-21-336S 44
UB4-21-348LS 44
UB4-21-348RS 44
UB4-21-360TS 44
UB4-21-372TS 44
UB4-21-384TS 44
UB4-21-396TS 44
UB4-21-472TS 44
UB4-21-484TS 44
UB4-21-496TS 44
UB4-21-BDMX12 54
UB4-21-BDMX18 54
UB4-21-CDB 47
UB4-21-DB12 47
UB4-21-DB18 47
UB4-21-DB24 47
UB4-21-DB30 47
UB4-21-DB36 47
UB4-21-DB48 47
UB4-21-GC240 49
UB4-21-GC241 49
UB4-21-GC242 49
UB4-21-GC301 49
UB4-21-GC361 49
UB4-21-GC481 49
UB4-21-IB24 51
UB4-21-IB30 51
UB4-21-IB36 51
UB4-21-IB48 51
UB4-21-IBCP24-7 52
UB4-21-IBCP24-8 52
UB4-21-IBCP30-10 52
UB4-21-IBCP30-7 52
UB4-21-IBCP30-8 52
UB4-21-IBCP36-10 52
UB4-21-IBCP36-7 52
UB4-21-IBCP36-8 52
UB4-21-IBCP48-10 52
UB4-21-IBCP48-7 52
UB4-21-IBCP48-8 52
UB4-21-LD12 55
UB4-21-LD18 55
UB4-21-LD24 55
UB4-21-LD36 55
UB4-21-SS12-GR-PG 48
UBB-18-1012HST-12 57
UBB-18-1012HST-12-PG 57
UBB-18-1012HST-15 57
UBB-18-1012HST-15-PG 57
UBB-18-1014HS 57
UBB-18-1014HS-P-G 57
UBB-18-1014HS12 57
UBB-18-1014HS12-P-G 57
UBB-18-224S 45
UBB-18-236LS 45
UBB-18-236RS 45
UBB-18-248TS 45
UBB-18-336S 45
UBB-18-348LS 45
UBB-18-348RS 45
UBB-18-360TS 45
UBB-18-372TS 45
UBB-18-384TS 45
UBB-18-472TS 45
UBB-18-484TS 45
UBB-18-496TS 45
UBB-18-BDMX12 54
UBB-18-BDMX18 54
UBB-18-CDB 47
UBB-18-DB12 47
UBB-18-DB18 47
UBB-18-DB24 47
UBB-18-DB30 47
UBB-18-DB36 47
UBB-18-DB48 47
UBB-18-IB12 51
UBB-18-IB24 51
UBB-18-IB30 51
UBB-18-IB36 51
UBB-18-IB48 51
UBB-18-IB8 51
UBB-18-IBCP24-7 52
UBB-18-IBCP24-8 52
UBB-18-IBCP30-10 52
UBB-18-IBCP30-7 52
UBB-18-IBCP30-8 52
UBB-18-IBCP36-10 52
UBB-18-IBCP36-7 52
UBB-18-IBCP36-8 52
UBB-18-IBCP48-10 52
UBB-18-IBCP48-7 52
UBB-18-IBCP48-8 52
UBB-18-LD12 55
UBB-18-LD18 55
UBB-18-LD24 55
UBB-18-LD36 55
UBB-18-SS12-GR-PG 48
UBB-18-SS8 48
UBB-21-1012HST-12 57
UBB-21-1012HST-12-PG 57
UBB-21-1012HST-15 57
UBB-21-1012HST-15-PG 57
UBB-21-1014HSS 57

UBB-21-1014HSS-P-G ... 57
UBB-21-1014HSS12 ... 57
UBB-21-1014HSS12-P-G ... 57
UBB-21-1410BSS ... 57
UBB-21-1410BSS-P-G ... 57
UBB-21-224S ... 45
UBB-21-248TS ... 45
UBB-21-336S ... 45
UBB-21-348LS ... 45
UBB-21-348RS ... 45
UBB-21-360TS ... 45
UBB-21-372TS ... 45
UBB-21-384TS ... 45
UBB-21-396TS ... 45
UBB-21-472TS ... 45
UBB-21-484TS ... 45
UBB-21-496TS ... 45
UBB-21-BDMX12 ... 54
UBB-21-BDMX18 ... 54
UBB-21-CDB ... 47
UBB-21-DB12 ... 47
UBB-21-DB18 ... 47
UBB-21-DB24 ... 47
UBB-21-DB30 ... 47
UBB-21-DB36 ... 47
UBB-21-DB48 ... 47
UBB-21-DBC18 ... 47
UBB-21-GC240 ... 49
UBB-21-GC241 ... 49
UBB-21-GC242 ... 49
UBB-21-GC301 ... 49
UBB-21-GC361 ... 49
UBB-21-GC481 ... 49
UBB-21-IB24 ... 51
UBB-21-IB30 ... 51
UBB-21-IB36 ... 51
UBB-21-IB48 ... 51
UBB-21-IBCP24-7 ... 52
UBB-21-IBCP24-8 ... 52
UBB-21-IBCP30-10 ... 52
UBB-21-IBCP30-7 ... 52
UBB-21-IBCP30-8 ... 52
UBB-21-IBCP36-10 ... 52
UBB-21-IBCP36-7 ... 52
UBB-21-IBCP36-8 ... 52
UBB-21-IBCP48-10 ... 52
UBB-21-IBCP48-7 ... 52
UBB-21-IBCP48-8 ... 52
UBB-21-LD12 ... 55
UBB-21-LD18 ... 55
UBB-21-LD24 ... 55
UBB-21-LD36 ... 55
UBB-21-SS12-GR-PG ... 48
UBC-1821 ... 47
UBC-1821H ... 47
UBC-1821HL ... 47
UBC-21-F18 ... 46
UBC-21-F18H ... 46
UBC-21-F18HL ... 46
UBC-21-F24 ... 46
UBC-21-F24H ... 46
UBC-21-F24HL ... 46
UBC-21-W18 ... 46
UBC-21-W18H ... 46
UBC-21-W18HL ... 46
UBC-21-W24 ... 46
UBC-21-W24H ... 46
UBC-21-W24HL ... 46
UBC-2424 ... 47
UBC-2424H ... 47
UBC-2424HL ... 47
UBC-B-21-F18 ... 46
UBC-B-21-F18H ... 46
UBC-B-21-F18HL ... 46
UBC-B-21-F24 ... 46
UBC-B-21-F24H ... 46
UBC-B-21-F24HL ... 46
UBC-B-21-W18 ... 46
UBC-B-21-W18H ... 46
UBC-B-21-W18HL ... 46
UBC-B-21-W24 ... 46
UBC-B-21-W24H ... 46
UBC-B-21-W24HL ... 46
UBC-DW-21-F18 ... 46
UBC-DW-21-F18H ... 46
UBC-DW-21-F18HL ... 46
UBC-DW-21-F24 ... 46
UBC-DW-21-F24H ... 46
UBC-DW-21-F24HL ... 46
UBC-DW-21-W18 ... 46
UBC-DW-21-W18H ... 46
UBC-DW-21-W18HL ... 46
UBC-DW-21-W24 ... 46
UBC-DW-21-W24H ... 46
UBC-DW-21-W24HL ... 46
UBDW-18-1012HST-12PG ... 59
UBDW-18-1012HST-15PG ... 59
UBDW-18-1014HS-P-G ... 59
UBDW-18-1014HS12-P-G ... 59
UBDW-18-224S ... 45
UBDW-18-236LS ... 45
UBDW-18-236RS ... 45
UBDW-18-248TS ... 45
UBDW-18-336S ... 45
UBDW-18-348LS ... 45
UBDW-18-348RS ... 45
UBDW-18-360TS ... 45
UBDW-18-372TS ... 45
UBDW-18-384TS ... 45
UBDW-18-472TS ... 45
UBDW-18-484TS ... 45
UBDW-18-496TS ... 45
UBDW-18-BDMX12 ... 54
UBDW-18-BDMX18 ... 54
UBDW-18-CDB ... 47
UBDW-18-DB12 ... 47
UBDW-18-DB18 ... 47
UBDW-18-DB24 ... 47
UBDW-18-DB30 ... 47
UBDW-18-DB36 ... 47
UBDW-18-DB48 ... 47
UBDW-18-IB12 ... 51
UBDW-18-IB24 ... 51
UBDW-18-IB30 ... 51
UBDW-18-IB36 ... 51
UBDW-18-IB48 ... 51
UBDW-18-IB8 ... 51
UBDW-18-IBCP24-7 ... 53
UBDW-18-IBCP24-8 ... 53
UBDW-18-IBCP30-10 ... 53
UBDW-18-IBCP30-7 ... 53
UBDW-18-IBCP30-8 ... 53
UBDW-18-IBCP36-10 ... 53
UBDW-18-IBCP36-7 ... 53
UBDW-18-IBCP36-8 ... 53
UBDW-18-IBCP48-10 ... 53
UBDW-18-IBCP48-7 ... 53
UBDW-18-IBCP48-8 ... 53
UBDW-18-LD12 ... 55
UBDW-18-LD18 ... 55
UBDW-18-LD24 ... 55
UBDW-18-LD36 ... 55
UBDW-18-SS12-GR-PG ... 48
UBDW-21-1012HST-12PG ... 59
UBDW-21-1012HST-15PG ... 59
UBDW-21-1014HSS-P-G ... 59
UBDW-21-1014HSS12-PG ... 59
UBDW-21-1410BSS-P-G ... 59
UBDW-21-224S ... 45
UBDW-21-248TS ... 45

UBDW-21-336S ... 45
UBDW-21-348LS ... 45
UBDW-21-348RS ... 45
UBDW-21-360TS ... 45
UBDW-21-372TS ... 45
UBDW-21-384TS ... 45
UBDW-21-396TS ... 45
UBDW-21-472TS ... 45
UBDW-21-484TS ... 45
UBDW-21-496TS ... 45
UBDW-21-BDMX12 ... 54
UBDW-21-BDMX18 ... 54
UBDW-21-CDB ... 47
UBDW-21-DB12 ... 47
UBDW-21-DB18 ... 47
UBDW-21-DB24 ... 47
UBDW-21-DB30 ... 47
UBDW-21-DB36 ... 47
UBDW-21-GC240 ... 49
UBDW-21-GC241 ... 49
UBDW-21-GC242 ... 49
UBDW-21-GC301 ... 49
UBDW-21-GC361 ... 49
UBDW-21-GC481 ... 49
UBDW-21-IB24 ... 51
UBDW-21-IB30 ... 51
UBDW-21-IB36 ... 51
UBDW-21-IB48 ... 51
UBDW-21-IBCP24-7 ... 53
UBDW-21-IBCP24-8 ... 53
UBDW-21-IBCP30-10 ... 53
UBDW-21-IBCP30-7 ... 53
UBDW-21-IBCP30-8 ... 53
UBDW-21-IBCP36-10 ... 53
UBDW-21-IBCP36-7 ... 53
UBDW-21-IBCP36-8 ... 53
UBDW-21-IBCP48-10 ... 53
UBDW-21-IBCP48-7 ... 53
UBDW-21-IBCP48-8 ... 53
UBDW-21-LD12 ... 55
UBDW-21-LD18 ... 55
UBDW-21-LD24 ... 55
UBDW-21-LD36 ... 55
UBDW-21-SS12-GR-PG ... 48
US-3048C ... 37
US-3048C-H ... 37
US-3048C-HL ... 37
US-3048C-S ... 37
US-3048S ... 37
US-3048S-H ... 37
US-3048S-HL ... 37
US-3048S-S ... 37
US-3060C ... 37
US-3060C-H ... 37
US-3060C-HL ... 37
US-3060C-S ... 37
US-3060S ... 37
US-3060S-H ... 37
US-3060S-HL ... 37
US-3060S-S ... 37
US-3072C ... 37
US-3072C-H ... 37
US-3072C-HL ... 37
US-3072C-S ... 37
US-3072S ... 37
US-3072S-H ... 37
US-3072S-HL ... 37
US-3072S-S ... 37

V

VETS-1530 ... 24
VETS-1830 ... 24
VETS-2430 ... 24
VETS-3630 ... 24
VETS-4830 ... 24
VETS-6030 ... 24
VETS-7230 ... 24
VFTS-1524 ... 25
VFTS-1530 ... 25
VFTS-1824 ... 25
VFTS-1830 ... 25
VFTS-2430 ... 25
VOBK-2424 ... 29
VOBK-3024 ... 29
VOBK-3030 ... 29
VOBK-3624 ... 29
VOBK-3630 ... 29
VOBK-4824 ... 29
VOBK-4830 ... 29
VOBK-6024 ... 29
VOBK-6030 ... 29
VOBK-7224 ... 29
VOBK-7230 ... 29
VOBK-8424 ... 29
VOBK-8430 ... 29
VOBK-9624 ... 29
VOBK-9630 ... 29
VSU3-3124 ... 61
VSU3-4324 ... 61
VSU3-5524 ... 61
VSU3-6724 ... 61
VSU5-3124 ... 61
VSU5-4324 ... 61
VSU5-5524 ... 61
VSU5-6724 ... 61
VSU6-3124 ... 61
VSU6-4324 ... 61
VSU6-5524 ... 61
VSU6-6724 ... 61
VTS-1824 ... 29
VTS-1830 ... 29
VTS-1836 ... 29
VTS-1848 ... 29
VTS-1860 ... 29
VTS-1872 ... 29
VTS-1884 ... 29
VTS-1896 ... 29
VTS-2424 ... 29
VTS-3024 ... 29
VTS-3030 ... 29
VTS-3624 ... 29
VTS-3630 ... 29
VTS-3636 ... 29
VTS-4824 ... 29
VTS-4830 ... 29
VTS-4836 ... 29
VTS-6024 ... 29
VTS-6030 ... 29
VTS-6036 ... 29
VTS-7224 ... 29
VTS-7230 ... 29
VTS-7236 ... 29
VTS-8424 ... 29
VTS-8430 ... 29
VTS-8436 ... 29
VTS-9624 ... 29
VTS-9630 ... 29
VTS-9636 ... 29
VTT-1824 ... 20
VTT-1830 ... 20
VTT-1836 ... 20
VTT-1848 ... 20
VTT-1860 ... 20
VTT-1872 ... 20
VTT-1884 ... 20
VTT-1896 ... 20
VTT-2424 ... 20
VTT-3024 ... 20

VTT-3030 20
VTT-3624 20
VTT-3630 20
VTT-4824 20
VTT-4830 20
VTT-6024 20
VTT-6030 20
VTT-7224 20
VTT-7230 20
VTT-8424 20
VTT-8430 20
VTT-9624 20
VTT-9630 20
VTTOB-1824 21
VTTOB-1830 21
VTTOB-1836 21
VTTOB-1848 21
VTTOB-1860 21
VTTOB-1872 21
VTTOB-1884 21
VTTOB-1896 21
VTTOB-2424 21
VTTOB-3024 21
VTTOB-3030 21
VTTOB-3624 21
VTTOB-3630 21
VTTOB-4824 21
VTTOB-4830 21
VTTOB-6024 21
VTTOB-6030 21
VTTOB-7224 21
VTTOB-7230 21
VTTOB-8424 21
VTTOB-8430 21
VTTOB-9624 21
VTTOB-9630 21
VTTR-1824 22
VTTR-1830 22
VTTR-1836 22
VTTR-1848 22
VTTR-1860 22
VTTR-1872 22
VTTR-1884 22
VTTR-1896 22
VTTR-2424 22
VTTR-3024 22
VTTR-3030 22
VTTR-3624 22
VTTR-3630 22
VTTR-4824 22
VTTR-4830 22
VTTR-6024 22
VTTR-6030 22
VTTR-7224 22
VTTR-7230 22
VTTR-8424 22
VTTR-8430 22
VTTR-9624 22
VTTR-9630 22
VTTR5-2424 20
VTTR5-3024 20
VTTR5-3030 20
VTTR5-3624 20
VTTR5-3630 20
VTTR5-4824 20
VTTR5-4830 20
VTTR5-6024 20
VTTR5-6030 20
VTTR5-7224 20
VTTR5-7230 20
VTTR5-8424 20
VTTR5-8430 20
VTTR5-9624 20
VTTR5-9630 20
VTTR5OB-2424 21
VTTR5OB-3024 21
VTTR5OB-3030 21
VTTR5OB-3624 21
VTTR5OB-3630 21
VTTR5OB-4824 21
VTTR5OB-4830 21
VTTR5OB-6024 21
VTTR5OB-6030 21
VTTR5OB-7224 21
VTTR5OB-7230 21
VTTR5OB-8424 21
VTTR5OB-8430 21
VTTR5OB-9624 21
VTTR5OB-9630 21
VTTROB-1824 23
VTTROB-1830 23
VTTROB-1836 23
VTTROB-1848 23
VTTROB-1860 23
VTTROB-1872 23
VTTROB-1884 23
VTTROB-1896 23
VTTROB-2424 23
VTTROB-3024 23
VTTROB-3030 23
VTTROB-3624 23
VTTROB-3630 23
VTTROB-4824 23
VTTROB-4830 23
VTTROB-6024 23
VTTROB-6030 23
VTTROB-7224 23
VTTROB-7230 23
VTTROB-8424 23
VTTROB-8430 23
VTTROB-9624 23
VTTROB-9630 23

W

WL-36 122,138
WL-36MK 122

X

XRK-BKF-G 121
XRK-BKF-HB-G 121
XRK-LDR 118
XRK-MV-G 114
XRK-PDV-G 122
XRK-W-HB-G 122
XRK-WB1 115

BK Resources' 75,000 square ft. Warehouse & Distribution Center, Altamont, IL

We've put a lot of thought, time, and money into upgrading our packing standards to ensure a worry free shipping process for our customers.

What's Crated?

- Larger orders with multiple pieces.
- Every compartment sink

Blue Shrink Wrap

We use blue shrink wrap on every pallet. If your order doesn't arrive in our blue shrink wrap then you know your order has been dumped and to thoroughly inspect your order. This ensures your products will arrive to you just as we shipped them!

*Even with these upgraded packing standards, it is still possible to experience damage.

Terms & Conditions

F.O.B Factory:
All BK Resources products are shipped F.O.B. Altamont, IL. - Flyer subject to change without notice.

New Accounts:
Credit application needs to be submitted to accounting & must be accompanied with a P.O. of at least $250 net.

Ordering / Confirmations:
We acknowledge all orders in writing and this acknowledgement constitutes our agreement with you regarding what is on your order. Please review your acknowledgement and fax back a signed copy of the acknowledgement to confirm your order is correct. We will NOT be held responsible for errors due to misunderstandings on orders.

Drop Shipping:
BK Resources will drop ship to any location, including residential addresses. Freight charges may be prepaid and added to your invoice if specified on shipments for locations other than the billing address. **NOTE:** Lift gate service, notification of delivery, inside delivery and other special requirements will be subject to additional charges and are not the responsibility of BK Resources.

Minimum Order Policy:
$50 NET minimum on all orders. All orders under $50 subject are to a $25 handling fee or the difference between order total and $50. Fee not to exceed $25.

Return Shipments:
BK Resources will not accept any returned merchandise unless authorization has been issued. All returned goods due to customer error are subject to a 20% restocking fee and must be in the original box, new and unused condition. If we find the product is not new, a credit will not be issued and the customer will be asked if they want the product returned to them at their expense. No Returns after 90 Days.

Merchandise initially returned as defective, whose defect cannot be verified, will incur a 20% restocking fee as well as a freight charge for the replacement shipment and the freight charge for picking up the return.

Warranty:
Most BK Resources products come with a Standard 1 Year Manufacturer's Warranty. If a product has any other warranty, it will be indicated as so.

Steam Table, Heater/Proofer Warranty and other "Appliances":

1 Year warranty on parts.

Lifetime Limited Warranty:
Guaranteed to be free of manufacture defects during normal usage from date of purchase by the original end user. This limited warranty does not extend to any labor costs for unit removal or reinstallation. This limited warranty does not apply to losses resulting from flooding or any incidental or consequential damages, whether it is stated in a contract, tort, or otherwise. There are no other warranties or benefits other than those expressly stated herein. Any and all other warranties, expressed or implied are hereby disclaimed and excluded. BK Resources accepts no responsibility for defects resulting from or connected with misuse, abuse improper installation or other causes beyond our control. There can be no verbal modification or extension of this limited warranty under any circumstances. Any written modification or extension must be made by BK Resources and must expressly state in clear terms that it is a modification or extention of this limited warranty.
Any claims must be able to prove the date of purchase and installers contact information.
This limited warranty is non-transferable except with written consent and approval from BK Resources.

COMMERCIAL USE ONLY
RESIDENTIAL APPLICATIONS: BK Resources assumes no liability for parts, labor coverage for component

failure or other damages resulting from installation or freight in non-commercial or residential applications.

Freight Claims:
BEFORE accepting any shipment, examine it carefully and note any damage or shortage on the Freight Bill BEFORE signing for delivery. Report any damage, shortage or concealed damage to BK Resources within 48 hours of delivery. Retain the original package for claim purposes. BK Resources is not liable for any damage or loss that is not noted or reported prior to accepting delivery. BK Resources is also not responsible for the filing of freight claims associated with, nor liable for, any damaged merchandise that was shipped per customer instructions via Third Party or Collect.

Broken Case Charge:
$20 per case charge if ordering less than the published case pack.

Cancelation of Orders:
Any order that is canceled after it has been prepared for delivery is subject to a cancelation fee. Any order canceled that has been held for over 8 months is subject to a 10% cancelation fee.

U.P.S. Shipments:
Any item that is indicated in the BK Resources catalog as shipping **Truck Line Only** & the customer chooses to ship UPS, BK Resources will NOT file the freight claim on behalf of the customer.

NOTE: Lift gate service, notification of delivery, inside delivery and other special requirements will be subject to additional charges that will be invoiced to the customer once BK Resources has been notified of the additional charges from the shipping company.

Pricing:
Pricing is subject to change without notice. Every effort has been made to provide an accurate catalog however we will not be responsible for nor honor any pricing errors. Pricing is based on current tariff rates and are subject to adjustment in the event of a change in tariff rates.

California Prop 65:
⚠ *WARNING: Cancer and Reproductive Harm P65Warnings.ca.gov*

Proposition 65 is a law in California requiring all businesses to provide warnings to the residents of the state about possible exposure to chemicals that cause cancer, birth defects, or other reproductive harm in any product that is purchased in California. This list includes over 900 chemicals that the state considers harmful. All Brass and Stainless Steel products do contain one or more of these chemicals.

Free Freight Program:
BK Resources Offers Free freight for $4000.00 +NET Invoiced orders. We reserve the right to choose the shipper. Items must be in stock at time of order. EasyMOD's do qualify for free freight. BK Custom pieces do not qualify for this program. BK Resources will not combine or hold orders until they qualify for free freight.

Force Majeure:
BK Resources shall not be liable for any failure or delay in the performance of its obligations under these Terms and Conditions if such failure or delay is caused by circumstances beyond its reasonable control ("Force Majeure Event"). Such circumstances may include, but are not limited to, acts of God, natural disasters, pandemics, epidemics, quarantine, outbreaks of infectious disease or other public health crises, war, terrorism, riots, strikes, labor disputes, shortage of materials, fuel or energy, transportation disruptions, or any other event or circumstance beyond the control of BK Resources or its suppliers. In the event of such delays, BK Resources shall be excused from its obligations hereunder, and the time for performance shall be extended for a period necessary to allow BK Resources to perform.

EasyBAR™
by BK Resources

DESIGN YOUR BAR

EasyBAR™ is BK Resources' new web-based 3D configurator for designing bar systems.

Ready To Design Your Next Bar?

Try it now: *bk-resources.com/easybar*

Build your underbar solution online | Easy ordering and turnaround | Receive a quote within 1 business day | Modular and quick to market

EasyBAR™ puts our proven bar layouts and components at your fingertips. Build and modify a complete underbar system, right in your browser. Choose your series (Well, Call, or Top Shelf), drop in ice bins, sinks, speed rails, and more. Move, resize, and dial in the flow. Submit your design and recieve a full build and layout list.

BK RESOURCES

SOLID QUALITY. SOLID SERVICE
Visit **www.bk-resources.com** or call **1-888-310-4393.**

© 2025 BK Resources Incorporated, Altamont, IL 62401

1-888-310-4393
bk-resources.com